Form 3160-3 (November 1983) (formerly 9-331C)

CONDITIONS OF APPROVAL, IF ANY

UNITED STATES DEPARTMENT OF THE INTERIOR

SUBMIT IN TRIPLICATE*

(Other instruction on reverse sid


Form approved.
Budget Bureau No. 1004-0136
Expires August 31, 1985

	•	TOF THE					5. LEASE DESIGNATION U-0576	AND SERIAL NO.
APPLICATION	N FOR PERMIT	TO DRILL	DEEP	EN. OR P	LUG I	BACK	6. IF INDIAN, ALLOTTE	OR TRIBE NAME
TIPE OF WORK							Ute	100
	ILL 🛛	DEEPEN		PL	UG BA	CK 🗆	7. UNIT AGREEMENT N	
TIPE OF WELL OIL [] Q	AS [7]			INGLE [MULTI	PLE [Natural But	
NELL W	VELL X OTHER			ONE	BONE		-	KB
	& Gas Corporat	ion					NBU 9. WELL NO.	
ADDRESS OF OPERATOR	a das corporac	1011					#255	
P.O. Box 749	, Denver, CO	80201-0749		(303	3) 572	-1121	10. FIELD AND POOL, O	R WILDCAT
LOCATION OF WELL (R	eport location clearly a	nd in accordance w	ith any				Natural But	tes
At surface 642	e' FSL & 2135'	FWL					11. SEC., T., R., M., OR I AND SURVEY OR AS	BLK.
At proposed prod. son	ie Totalia				***		Section 21-	T9S-R21E
	AND DIRECTION FROM N				· · · · · · · · · · · · · · · · · · ·		12. COUNTY OR PARISH	18. STATE
Approximatel	y 46.5 miles s	outhwest of	Vern	al, Utah.			Uintah	Utah
DISTANCE FROM PROPO LOCATION TO NEAREST	SED*			O. OF ACERS IN	LEASE		OF ACRES ASSIGNED HIS WELL	· · · · · · · · · · · · · · · · · · ·
PROPERTY OR LEASE L	INE, FT.	2135'	1	480			N/A	
DISTANCE FROM PROP TO NEAREST WELL, D	OBED LOCATION®	See Topo	19. PI	ROPOSED DEPTH		20. ROTA	RY OR CABLE TOOLS	
OR APPLIED FOR, ON THE		Map C	7.	100'		Rot	ary	. :
	ether DF, RT, GR, etc.)						22. APPROX. DATE WO	
Ungraded GR -	- 4883'					·	Upon Appro	vd I
		PROPOSED CASI		CEMENTING	PROGRA	AM		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	700T	SETTING D	BPTH		QUANTITY OF CEMEN	<u> </u>
Please see at	tached Drilli	ng Program.						
r rease see a	pouched Diliti	1	-					
Coastal Oil 8	 % Gas Corporat	ion proposes	to c	ı İrill a we	ell to	the pr	oposed TD as s	tated above
If productive	e, casing will d as per BLM a	be run and	the w	vell compl	eted.	If dr	y, the well wi	ll be plugg
See the Drill	ling Progr a m a	nd Multi-poi	nt Su	ırface Use	. & Ope	eration	s Plan, attach	ed.
agrees to be conducted upon is being prov	responsible upon the leased	nder the ter lands. Bond	ms ar l cove	nd conditi erage purs	ons of uant t	f the 1 to 43 C	f the subject wease for opera FR 3104 for lead BIA Nationwide	tions ase activii
and state of	JULIN TULIUS.							
			·					
BOVE SPACE DESCRIBE If proposal is to denter program, if any	irili or deepen direction	proposal is to deep ally, give pertinent	pen or pi	lug back, give d n subsurface loc	ata on prestions an	esent produ d measured	uctive sone and proposed l and true vertical depths	new productive Give blowout
			BO	nnie Carso		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·
BIGNED Danie	e Caron	TIT		. Environ		Analys	t DATE 12/12	196
(This space for Feder	al or State office use)				<u></u>	قا سا	नारागान्त्र ।	<u></u>
ERNIT NO 43-	047-32806		/	APPROVAD DATE	· .	10) <u>[</u>		
	400 1			11/1		11/1/1	1	100

*See Instructions On Reverse Side

TIV. OF OIL, GAS & MINING

T9S, R21E, S.L.B.&M.




COASTAL OIL & GAS CORP.

Well location, NBU #255, located as shown in the SE 1/4 SW 1/4 of Section 21, T9S, R21E, S.L.B.&M., Uintah County, Utah.

BASIS OF ELEVATION

TWO WATER TRIANGULATION STATION IN THE NW 1/4 OF SECTION 1, T10S, R21E, S.L.B.&M. TAKEN FROM THE BIG PACK MTN NE QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5238 FEET.



CERTIFICATE LAND

THIS IS TO CERTIFY THAT THE ABOVE PLAN WAS PREPARED FROM
FIELD NOTES OF ACTUAL SURVEYS LADE BY ME OR UNDER MY
SUPERVISION AND THAT THE SAME SEE TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELEF.

NO. 16 13 19

REGISTER LAND SURVEYOR REGISTER TON NO. 161319 STATE OF WITHE OF

UINTAH ENGINEERING & LAND SURVEYING 85 SOUTH 200 EAST - VERNAL, UTAH 84078 (801) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 11-23-96	DATE DRAWN: 11-24-96
PARTY D.K. K.S. C.B.T.	REFERENCES G.L.O. PLA	T
WEATHER COOL	FILE COASTAL OIL	& GAS CORP

= PROPOSED WELL HEAD.

= SECTION CORNERS LOCATED.

Form 3160-3 (November 1983) (formerly 9-331C)

ED STATES T OF THE INTERIOR

SUBMIT IN TRIPLICATE. (Other instructions on reverse si


Form approved.
Budget Bureau No. 1004-0136
Expires August 31, 1985

	BUREAU O	F LAND MANA	GEMEN	T		D. LEASE DESIGNATION AND SERIAL NO.
APPLICATIO	N FOR PERMIT	TO DRILL,	DEEPE	N, OR PLUG	BACK	6. IF INDIAN, ALLOTTES OR TRIBE NAME
TIPE OF WORK						Ute
	RILL X	DEEPEN		PLUG B	ACK 🗆	7. UNIT AGREEMENT NAME
TYPE OF WELL	DAS 157		an	GLE C MULT	TIPLE (Natural Buttes Unit
WELL	WELL X OTHER		201			O. FARM OR LEASE NAME
	& Gas Corporat	ion				NBU 9. Wall No.
IDDRESS OF OPERATOR	a das corporat	1011			 	
P 0 Roy 7/10	, Denver, CO 8	20201_0749		(303) 57	2-1121	#255 10. FIELD AND POOL, OR WILDCAT
OCATION OF WELL (I	Report location clearly an	d in accordance w	ith any St			Natural Buttes
Lt suriace	2' FSL & 2135'					11. SSC., T., E., M., OR BLE.
/9 At proposed prod. so						AND SURVEY OR AREA
ar proposed proc. so.						Section 21-T9S-R21E
DISTANCE IN MILES	AND DIRECTION FROM NE	AREST TOWN OR PO	ST OFFICE			12. COUNTY OR PARISH 13. STATE
Approximate:	ly 46.5 miles s	outhwest of	Verna	l, Utah.		Uintah Utah
DISTANCE FROM PROP LOCATION TO NEARES	USED* T	. •	16. No.	OF ACRES IN LEASE		F ACRES ASSIGNED
PROPERTY OR LEASE ! (Also to nearest dr)	LINE, PT.	2135'	14	80	10 11	N/A
DISTANCE FROM PROI TO NEAREST WELL, D	COSED LOCATION®	See Topo	19. Рво	POSED DEPTH	20. ROTAE	RY OR CABLE TOOLS
OR APPLIED FOR, ON TH	is lease, ft.	Map C	71	00'	Rota	ary
	ether DF, RT, GR, etc.)					22. APPROX. DATE WORK WILL START
Ungraded GR	- 4883'		-		·	Upon Approval
		PROPOSED CAS	ING AND	CEMENTING PROG	RAM	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER	FOOT	SETTING DEPTH		QUANTITY OF CEMENT
· · · · · · · · · · · · · · · · · · ·		-				
Please see a	ttached Drillin	Program.				
	0.00.00				_	
If productive and abandone See the Dril Coastal Oil agrees to be conducted upon	e, casing will d as per BLM an ling Program an & Gas Corporati responsible un on the leased l	be run and d State of d Multi-portion is consider the ter ands. Bond	the we Utah rint Suridered ms and	requirements. rface Use & Ope to be the ope conditions conditions conditions to the open conditions of the open c	. If dry perations erator of the le to 43 CF	oposed TD as stated above, the well will be plug so Plan, attached. If the subject well. It ease for operations of the subject well.
and State of	Utah #102103.	oonus. L	LII NAL	Tonwide #000	J362-9, E	3IA Nationwide #114066-A
BOVE SPACE DESCRIBE If proposal is to center program, if any	drill or deepen directions	proposal is to dee ally, give pertinen	pen or plu t data on	g back, give data on p subsurface locations a	present produced and measured	ctive sone and proposed new productive and true vertical depths. Give blowout
SIGNED Danie	e Caram	TI		nie Carson Environmenta	l Analyst	t DATE 12/12/96
This space for Feder	al or State office use)				<u> </u>	
4	3-047-328	306	. :	DBOULT DAD		लिजागाञ्च १ व
ERNIT NO.			AF	PROVAL DATE	1111/	
BBBAUER ST					11 - 1 1	
PPROVED BYONDITIONS OF APPROVA		Service Control of the Control of th	PT. 10.		- IIN\I	
OUDITIONS OF WILKOIN	il, if any :	TI	TLE	- 		DEC 1 3 1996
CONDITIONS OF ALL ACTA	L, IF ANY:		TLE			DEC 1 3 1996
	L, IF ANY:		red			DEC 1 3 1996

DIV. OF OIL, GAS & MINING Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instructions On Reverse Side

T9S, R21E, S.L.B.&M.




COASTAL OIL & GAS CORP.

Well location, NBU #255, located as shown in the SE 1/4 SW 1/4 of Section 21, T9S. R21E, S.L.B.&M., Uintah County, Utah.

BASIS OF ELEVATION

TWO WATER TRIANGULATION STATION IN THE NW 1/4 OF SECTION 1, TIOS, R21E, S.L.B.&M. TAKEN FROM THE BIG PACK MTN NE QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE SERIES (TOPOGRAPHICAL MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5238 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE FIELD NOTES OF ACTUAL SURVEYS MADE! SUPERVISION AND THAT THE SAME AFTE BEST OF MY KNOWLEDGE AND BELLE

UINTAH ENGINEERING 85 SOUTH 200 EAST -VERNAL UTAH 84078 (801) 789-1017

SCALE 1" = 1000'		DATE SURVEYED: 11-23-96	DATE DRAWN: 11-24-96
D.K. K.S.	C.B.T.	REFERENCES G.L.O. PLA	Γ
WEATHER COOL		FILE COASTAL OIL	& GAS CORP.

= PROPOSED WELL HEAD.

= SECTION CORNERS LOCATED.

NBU #255 642' FSL & 2135' FWL SE/SW, SECTION 21-T9S-R21E UINTAH COUNTY, UTAH LEASE NUMBER: U-0576

ONSHORE ORDER NO. 1 COASTAL OIL & GAS CORPORATION

DRILLING PROGRAM

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Order No. 1, and the approved Plan of Operations. The Operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to insure compliance.

1. <u>Estimated Tops of Important Geologic Markers:</u>

Formation	<u>Depth</u>
Duchesne River/Uinta	Surface
Green River	1,660'
Wasatch	4,940'
Total Depth	7,100'

2. Estimated Depths of Anticipated Water, Oil, Gas, or Mineral Formations:

Substance	<u>Formation</u>	Depth
Oil/Gas	Green River	1,660'
Oil/Gas	Wasatch	4,940'
Water	N/A	
Other Minerals	N/A	

All fresh water and prospectively valuable minerals encountered during drilling will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

3. **Pressure Control Equipment:** (Schematic Attached)

Coastal Oil & Gas Corporation's minimum specifications for pressure control equipment are as follows:

• The BOP stack will consist of an 11" 3000 psi annular BOP, one 11" 3000 psi double ram, and an 11" 3000 psi drilling spool. The lower ram will contain pipe rams and the upper ram will contain blind rams.

The choke and kill lines and the choke manifold will have a 3000 psi minimum pressure rating.

Testing: The Hydril will be tested to 1500 psi. The rams, choke manifold, kelly safety valves, drill string safety valves, and inside BOP will be tested to 2000 psi.

- As a minimum, the above test will be performed when initially installed, whenever any seal subject to test pressure is broken, following related repairs, or at 30-day intervals.
- Valves shall be tested from working pressure side during BOPE tests with all down stream valves open.
- When testing the kill line valve(s), the check valve shall be held open or the ball removed.
- Annular preventers shall be functionally operated at least weekly.
- Pipe and blind rams shall be activated each trip; however, this function need not be performed more than once a day.
- A BOPE pit level drill shall be conducted weekly for each drilling crew.
- Pressure tests shall apply to all related well control equipment.

All of the above described tests and/or drills shall be recorded in the drilling log.

BOP systems shall be consistent with API RP53. Pressure tests will be conducted before drilling out from under casing strings which have been set and cemented in place. Blowout preventer controls will be installed prior to drilling the surface casing plug and will remain in use until the well is completed or abandoned. Preventers will be inspected and operated at least daily to ensure good mechanical working order, and this inspection shall be recorded on the daily drilling report. Preventers will be pressure tested before drilling casing cement plugs.

The District Office should be notified, with sufficient lead time, in order to have the BLM representative on location during pressure testing.

- a. The size and the rating of the BOP stack is shown on the attached diagram. Although a rig has not been chosen to drill this well, most of the equipment for this depth of hole in the area uses a 3000 psi working pressure blowout preventer.
- b. A choke line and a kill line are to be properly installed. The kill line is not be used as a fill-up line.
- c. The accumulator system shall have a pressure capacity to provide for repeated operation of hydraulic preventers.
- d. Drill string safety valve(s), to fit all tools in the drill string, are to be maintained on the rig floor while drilling operations are in progress.

4. Proposed Casing and Cementing Program:

a. The proposed Casing Program will be as follows:

<u>Purpose</u>	<u>Depth</u>	Hole Size	Csg Size	Wt/ft	<u>Grade</u>	<u>Type</u>
Surface	0-250'	12-1/4"	8-5/8"	24#	K-55	ST&C
Production	0- TD	7-7/8"	4-1/2"	11.6#	K-55	LT&C

The surface casing will be tested to 1500 psi prior to drilling out.

The proposed casing and cementing program shall be conducted as approved to protect and/or isolate all usable water zones, potentially productive zones, lost circulation zones, abnormally pressured zones, and any prospectively valuable deposits of minerals. Any isolating medium other than cement shall receive approval prior to use. The casing setting depth shall be calculated to position the casing seat opposite a competent formation which will contain the maximum pressure to which it will be exposed during normal drilling operations. Determination of casing setting depth shall be based on all relevant factors, including: presence/absence of hydrocarbons, fracture gradients, usable water zones, formation pressures, lost circulation zones, other minerals, or other unusual characteristics. All indications of usable water shall be reported.

Casing design shall assume formation pressure gradients of 0.44 to 0.50 psi per foot for exploratory wells (lacking better data).

Casing design shall assume fracture gradients from 0.70 to 1.00 psi per foot for exploratory wells (lacking better data).

Casing collars shall have a minimum clearance of 0.422" of all sides in the hole/casing annulus, with recognition that variances can be granted for justified exceptions.

All waiting on cement times shall be adequate to achieve a minimum of 500 psi compressive strength at the casing shoe prior to drilling out.

All casing, except conductor casing, shall be new or reconditioned and tested. Used casing shall meet or exceed API standards for new casing.

The surface casing shall be cemented back to surface either during the primary cement job or by remedial cementing.

All indications of usable water shall be reported to the Authorized Officer prior to running the next string of casing or before plugging orders are requested, whichever occurs first.

Surface casing shall have centralizers on every fourth joint of casing, starting with the shoe joint and up to the bottom of the cellar.

Top plugs shall be used to reduce contamination of cement by displacement fluid. A bottom plug or other acceptable technique, such as a suitable preflush fluid, inner string

cement method, etc., shall be utilized to help isolate the cement from contamination by the mud being displaced ahead of the cement slurry.

All casing strings below the conductor shall be pressure tested to 0.22 psi per foot of casing string length or to 1500 psi, whichever is greater, but not to exceed 70% of the minimum internal yield. If pressure declines more than 10% in 30 minutes, corrective action shall be taken.

Casing design subject to revision based on geologic conditions encountered.

b. The Cement Program will be as follows:

Surface Fill	Type & Amount
0-250' 250'	Approx. 190 sx Class "G" + 2% CaCl ₂ , 15.6 ppg, 1.19 cf/sk
Production	Type & Amount
500' above productive interval-surface	Lead: Extended, Lite, or Hi-Fill cement + additives, 11 ppg
TD-500' above productive interval	Tail: Extended Class "G" or 50:50 Poz + additives, 14 ppg

For production casing, actual cement volumes will be determined from the caliper log.

For surface casing, waiting on cement time will be adequate to achieve 500 psi compressive strength at the shoe prior to drilling out.

Anticipated cement tops will be reported as to depth, not the expected number of sacks of cement to be used. The District Office should be notified, with sufficient lead time, in order to have a BLM representative on location while running all casing strings and cementing.

After cementing, but before commencing any test, the casing string shall stand cemented until the cement has reached a compressive strength of at least 500 psi at the shoe. WOC time shall be recorded in the Driller's Log.

- c. The following reports shall be filed with the District Manager within 30 days after the work is completed:
 - 1. Progress reports, Form 3160-5, "Sundry Notices and Reports on Wells," must include the following information:
 - a) Setting of each string of casing showing the size, grade, weight of casing set, setting depth, amounts and type of cement used, whether cement circulated or the top of the cement behind the casing, depth of the

cementing tools used, casing test method and results, and the date of the work done. Spud date will be shown on the first reports submitted.

- b) A bond log will be submitted for the production liner. Bond logs will not be run on the other strings as cement is not able to be lifted to surface.
- d. Auxiliary equipment to be used as follows:
 - 1. Kelly cock.
 - 2. No bit float is deemed necessary.
 - 3. A sub with a full opening valve.

5. **Drilling Fluids Program:**

a.	Interval	<u>Type</u>	Mud Weight
	0'-TD	Air/Air Mist/Aerated Water/Water	8.4 ppg or less
		(As hole conditions warrant)	
		Displace hole to 10 ppg brine prior to logging	

Sufficient quantities of mud materials will be maintained or readily accessible for the purpose of assuring well control during the course of drilling operations.

A mud test shall be performed every 24 hours after mudding up to determine, as applicable: density, viscosity, gel strength, static filtration loss, and pH.

- b. Mud monitoring equipment will be checked periodically each tour of the mud system. The mud level will be checked visually.
- c. No chromate additives will be used in the mud system on Federal and/or Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.
- d. No chemicals subject to reporting under SARA Title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.

6. Evaluation Program:

a. Logging Program:

DLL/SP:

TD to base of surface casing.

FDC/CNL/GR:

TD - 2,500'

Drill Stem Tests:

None anticipated.

Cores:

None anticipated.

The Evaluation Program may change at the discretion of the well site geologist.

Drill stem tests, if they are run, will adhere to the following requirements:

Initial opening of the drill stem test tools shall be restricted to daylight hours unless specific approval to start during other hours is obtained from the Authorized Officer. However, DST's may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e. lighting which is adequate for visibility and vapor-proof for safe operations). Packers can be released, but tripping shall not begin before daylight, unless prior approval is obtained from the Authorized Officer. Closed chamber DST's may be performed day or night.

Some means of reverse circulation shall be provided in case of flow to the surface showing evidence of hydrocarbons.

Separation equipment required for the anticipated recovery shall be properly installed before a test starts.

All engines within 100 feet of the wellbore that are required to be operational during the test shall have spark arresters or water-cooled exhausts.

- b. Whether the well is completed as a dry hole or a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the Authorized Officer.
- c. No stimulation or frac treatment has been formulated for this well at this time; however, the drill site, as approved, will be of sufficient size to accommodate all completion activities. Any frac treatment program specifics will be submitted via sundry notices.

7. Abnormal Conditions:

No abnormal temperatures or pressures are anticipated. No hydrogen sulfide has been encountered in or known to exist from previous drilling in the area at this depth. Maximum anticipated bottomhole pressure approximately equals 2,840 psi (calculated at 0.4 psi/foot) and maximum anticipated surface pressure equals approximately 1,278 psi (bottomhole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

8. Anticipated Starting Dates and Notification of Operations:

a. Drilling Activity

Anticipated Commencement Date:

Upon approval of this application.

Drilling Days:

Approximately 10 days.

Completion Days:

Approximately 7 days.

b. Notification of Operations

The BLM in Vernal, Utah, will be notified at least 24 hours prior to the commencement of spudding the well (to be followed with a Sundry Notice, Form 3160-5), of initiating pressure tests of the blowout preventer and related equipment, and running casing and cementing of all casing strings.

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in suspended status without prior approval from the Authorized Officer. If operations are to be suspended, prior approval of the Authorized Officer will be obtained and notification given before resumption of operations.

In accordance with Onshore Oil and Gas Order No. 1, this well will be reported on Form 3160-6, "Monthly Report of Operations," starting with the month in which operations commence and continue each month until the well is physically plugged and abandoned. This report will be filed with the Vernal BLM District Office, 170 South 500 East, Vernal, Utah 84078.

<u>Immediate Report</u>: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

Should the well be successfully completed for production, the Authorized Officer will be notified when the well is placed in a producing status. Such notification will be sent by written communication not later than 5 days following the date when the well is placed on production.

Pursuant to Onshore Order No. 7, with the approval of the District Engineer, produced water may be temporarily disposed of into unlined pits for a period of up to 90 days. During this period, an application for approval of the permanent disposal method, accompanied by water analysis and other required information, must be submitted to the District Engineer.

Pursuant to NTL-4A, lessees or operators are authorized to vent/flare gas during the initial well evaluation tests, not to exceed 30 days or the production of 50 MMCF of gas, whichever occurs first. An application must be filed with the District Engineer and approval received for any venting/flaring of gas beyond the initial 30 day or authorized test period.


A schematic facilities diagram, as required by 43 CFR 3162.7-5 (b.9.d.), shall be submitted to the District Office within 60 days of installation or first production, whichever occurs first. All site security regulations, as specified in Onshore Oil & Gas Order No. 3, shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-5 (b.4).


A first production conference will be scheduled within 15 days after receipt of the first production notice.

No well abandonment operations will be commenced without the prior approval of the Authorized Officer. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the Authorized Officer. A "Subsequent Report of Abandonment," Form 3160-5, will be filed with the Authorized Officer within 30 days following completion of the well for abandonment. This report will indicate placement of the plugs and current status of the surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the Authorized Officer or his representative, or the appropriate Surface Managing Agency.

Pursuant to Onshore Oil and Gas Order No. 1, lessees and operators have the responsibility to see that their exploration, development, production, and construction operations are conducted in a manner which conforms with applicable Federal laws and regulations and with the State and local laws, to the extent to which they are applicable, to operations on Federal or Indian lands.

BOP STACK





المحرب حائم عطوا

NBU #255 642' FSL & 2135' FWL SE/SW, SECTION 21-T9S-R21E UINTAH COUNTY, UTAH LEASE NUMBER: U-0576

ONSHORE ORDER NO. 1 MULTI-POINT SURFACE USE & OPERATIONS PLAN

Notification Requirements

Location Construction:

48 hours prior to construction of location and access roads.

Location Completion:

Prior to moving the drilling rig.

Spud Notice:

At least 24 hours prior to spudding the well.

Casing String & Cementing:

24 hours prior to running casing and cementing all casing strings.

BOP & Related Equipment Tests:

24 hours prior to initiating pressure tests.

First Production Notice:

Within 5 days after new well begins or production resumes after

well has been off production for more than 90 days.

The on-site inspection for this well was conducted on 11/26/96 at approximately 10:34 a.m. Weather conditions were cold and overcast. The following individuals were in attendance at the inspection:

Sheila Bremer

Coastal Oil & Gas Corporation Coastal Oil & Gas Corporation

Paul Breshears

BLM

Greg Darlington
Dale Hanberg

BIA

Alvin Ignacio Rober Kay Ute Tribe U.E.L.S. Inc.

Harley Jackson

Jackson Construction

Jim Justice

J-West

John Scott

Metcalf

Dulaney Barclay

Metcalf

1. Existing Roads:

The proposed well site is approximately 46.5 miles southwest of Vernal, Utah.

Directions to the location from Vernal, Utah, are:

Proceed in a westerly direction from Vernal, Utah, on U.S. Highway 40 approximately 14.0 miles to the junction of State Highway 88; turn left and proceed in a southerly direction approximately 17.0 miles on State Highway 88 to Ouray, Utah; proceed south from Ouray approximately 6.9

miles on the Seep Ridge Road to the junction of this road and an existing road to the east; turn left and proceed in an easterly direction approximately 5.0 miles to the junction of this road and an existing road to the north; turn left and proceed in a northerly direction approximately 0.3 miles to the junction of this road and an existing road to the northeast; turn right and proceed in a northeasterly direction approximately 1.7 miles to the junction of this road and an existing road to the northeast; turn left and proceed in a northeasterly direction approximately 0.6 miles to the junction of this road and an existing road to the west; turn left and proceed in an westerly direction approximately 0.6 miles to the beginning of the proposed access road; follow road flags in a westerly direction approximately 0.4 miles to the proposed location.

Refer to Topo Maps A and B for location of access roads within a 2 mile radius.

There will be no improvements to existing access roads.

All existing roads will be maintained and kept in good repair during all drilling and completion operations associated with this well.

2. Planned Access Roads:

Approximately 0.4 miles of new access will be required for this well. The new access road will be crowned and ditched with a running surface if 16 feet and a maximum disturbed width of 28 feet, as practicable. Appropriate water control will be installed to control erosion.

No pipelines will be crossed with the new construction.

The maximum grade will be less than 8%.

There will be no turnouts.

There will be no major cut and fills, culverts, or bridges.

The access road was centerline flagged during time of staking.

There will be no gates, cattle guards, fence cuts, or modifications to existing facilities.

Surfacing material may be necessary, depending upon weather conditions.

Surface disturbance and vehicular traffic will be limited to the approved location and approved access route. Any additional area needed will be approved in advance.

A BIA right-of-way application to be delivered under separate cover.

Access roads and surface disturbing activities will conform to standards outlined in the BLM and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, 1989.

The road surface and shoulders will be kept in a safe and usable condition and will be maintained in accordance with the original construction standards. All drainage ditches and culverts will be kept clear and free-flowing and will be maintained according to original construction standards.

The access road right-of-way will be kept free of trash during operations. All traffic will be confined to the approved right-of-way. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the drainages be blocked by the roadbed. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Should mud holes develop, they shall be filled in and detours around them avoided.

3. <u>Location of Existing Wells Within a 1-Mile Radius</u>: (See Map C)

- a. Water wells 0
- b. Producing wells 20
- c. Drilling wells 0
- d. Shut-in wells 0
- e. Temporarily abandoned wells 0
 - f. Disposal wells 0
 - g. Abandoned wells 0
- h. Injection wells 0

4. Location of Existing and Proposed Facilities:

The following guidelines will apply if the well is productive.

- a. A diagram showing the proposed production facilities will be submitted via Sundry Notice Form 3160-5 prior to facilities installation.
- b. All production facilities will be located on the disturbed portion of the well pad and at a minimum of 25 feet from the toe of the back slope or the top of the fill slope.
- c. A dike will be constructed completely around those production facilities which contain fluids (i.e., production tanks, produced water tanks). These dikes will be constructed of compacted subsoil, be impervious, hold 100% of the capacity of the largest tank, and be independent of the back cut.
- d. All permanent (on-site six months or longer) above the ground structures constructed or installed, including pumping units, will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the five state Rocky Mountain Inter-Agency Committee.

All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) will be excluded. The required color is Desert Brown, Munsell standard color number 10 YR 6/3.

- e. If, at any time, the facilities located on public land and authorized by the terms of the lease are no longer included in the lease (due to a contraction in the unit or other lease or unit boundary change), the BLM will process a change in authorization to the appropriate statute. The authorization will be subject to the appropriate rental or other financial obligation, as determined by the Authorized Officer.
- f. Any necessary pits will be properly fenced to protect livestock and prevent wildlife entry.
- g. The proposed pipeline will leave the well pad in an easterly direction for an approximate distance of 2,200' to tie into an existing CIG pipeline. Please see Map D.
- h. All production facilities will be enclosed.

5. <u>Location and Type of Water Supply:</u>

Water for drilling purposes will be obtained from Dalbo Inc.'s underground well located in Ouray, Utah, Section 32-T4S-R3E, Water User Claim #43-8496, Application #53617.

Water will be hauled to location over the roads marked on Maps A and B.

No water well is to be drilled on this lease.

6. Source of Construction Materials:

Surface and subsoil materials in the immediate area will be utilized.

Any gravel will be obtained from a commercial source.

The use of materials under BLM jurisdiction will conform with 43 CFR 3610.2.3. Construction material will not be located on lease.

No construction materials will be removed from Federal/Indian lands without prior approval from the appropriate surface management agency.

7. Methods of Handling Waste Materials:

- a. Drill cuttings will be contained and buried in the reserve pit.
- b. Drilling fluids, including salts and chemicals, will be contained in the reserve pit. Upon termination of drilling and completion operations, the liquid contents of the reserve pit will be removed and disposed of at an approved waste disposal facility within 120 days after drilling is terminated.
- c. The reserve pit will be constructed on the location and will not be located within natural drainages, where a flood hazard exists or surface runoff will destroy or damage the pit walls. The reserve pit will be constructed so that it will not leak, break, or allow discharge of liquids.

The reserve pit shall be lined and will be a minimum of 12 mil thick, with sufficient bedding used to cover any rocks. The liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash or scrap that could puncture the liner will be disposed of in the pit.

- d. After first production, produced waste water will be confined to the approved pit or storage tank for a period not to exceed 90 days. During the 90 day period, in accordance with Onshore Order No. 7, an application for approval of a permanent disposal method and location, along with the required water analysis, will be submitted for the Authorized Officer's approval.
- e. Any spills of oil, gas, salt water, or other noxious fluids will be immediately cleaned up and removed to an approved disposal site.
- f. A chemical porta-toilet will be furnished with the drilling rig.
- g. Garbage, trash, and other waste materials will be collected in a portable, self-contained, fully enclosed trash cage during operations. No trash will be burned on location.
- h. All debris and other waste material not contained in the trash cage will be cleaned up and removed from the location immediately after removal of the drilling rig.
 - Any open pits will be fenced during the operations. The fencing will be maintained until such time as the pits are backfilled.
- i. No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.

8. **Ancillary Facilities:**

None are anticipated.

9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

See the attached diagram to describe rig orientation, parking areas, and access roads.

- a. The reserve pit will be located on the north side of the location.
- b. The stockpiled topsoil (first six inches) will be stored on the southwest side of the location. All brush removed from the well pad during construction will be stockpiled separately from the topsoil.

- c. The flare pit will be located on the northeast side of the location, downwind from the prevailing wind direction.
- d. Access will be from the east.
- e. All pits will be fenced according to the following minimum standards:

39 inch net wire will be used with at least one strand of barbed wire on top of the net wire. Barbed wire is not necessary if pipe or some type of reinforcement rod is attached to the top of the entire fence.

The net wire shall be no more than two inches above the ground. The barbed wire shall be three inches over the net wire. Total height of the fence shall be at least 42 inches.

Corner posts shall be cemented and/or braced in such a manner to keep the fence tight at all times.

Standard steel, wood, or pipe posts shall be used between the corner braces. Maximum distance between any 2 fence posts shall be no greater than 16 feet.

All wire shall be stretched, by using a stretching device, before it is attached to corner posts.

f. The reserve pit fencing will be on three sides during drilling operations, and on the fourth side when the rig moves off location. Pits will be fenced and maintained until cleanup.

10. Plans for Reclamation of the Surface:

a. Producing Location:

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, materials, trash, and debris not required for production.

Immediately upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1.

If a plastic, nylon reinforced, liner is used, it shall be torn and perforated before backfilling of the reserve pit.

Before any dirt work associated with location restoration takes place, the reserve pit shall be as dry as possible. All debris in it will be removed. Other waste and spoil materials will be disposed of immediately upon completion of operations.

The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours. The reserve pit will be reclaimed within 90 days from the date of well completion, weather permitting.

To prevent surface water(s) from standing (ponding) on the reclaimed reserve pit area, final reclamation of the reserve pit will consist of "mounding" the surface three feet above surrounding ground surface to allow the reclaimed pit area to drain effectively.

Upon completion of backfilling, leveling, and recontouring, the stockpiled topsoil will be spread evenly over the reclaimed area(s).

The Authorized Officer of the appropriate surface management agency shall be contacted for the required seed mixture. Seed will be drilled on the contour to an appropriate depth.

b. Dry Hole/Abandoned Location:

On lands administered by the BLM, abandoned well sites, roads, and other disturbed areas will be restored as near as practical to their original condition. Where applicable, these conditions include the re-establishment of irrigation systems, the re-establishment of appropriate soil conditions, and the re-establishment of vegetation as specified.

All disturbed surfaces will be recontoured to the approximate natural contours, with reclamation of the well pad and access road to be performed as soon as practical after final abandonment. Reseeding operations will be performed after completion of other reclamation operations.

11. Surface Ownership:

- a. Access Roads The road is located on lands owned by the Uintah & Ouray Indian Tribes and administered in trust by:
 - Bureau of Indian Affairs
 Uintah & Ouray Agency
 P.O. Box 130
 Ft. Duchesne, UT 84026
- b. Well Pad The well is located on lands owned by the Uintah & Ouray Indian Tribes and administered in trust by:
 - Bureau of Indian Affairs
 Uintah & Ouray Agency

12. Other Information:

- a. All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice of Lessees. The Operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to ensure compliance.
- b. The Operator will control noxious weeds along right-of-ways for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds may be obtained from the BLM or the appropriate County Extension Office. On BLM administered land, it is

required that a Pesticide Use Proposal be submitted and approved prior to the application of herbicides or other pesticides or possibly hazardous chemicals.

- c. Drilling rigs and/or equipment used during drilling operations on this location will not be stacked or stored on Federal Lands after the conclusion of drilling operations or at any other time without BLM authorization. If BLM authorization is obtained, such storage is only a temporary measure.
- d. The BLM office shall be notified upon site completion and prior to moving drilling tools onto the location.
- f. A Class III archeological survey was conducted by Metcalf Archaeological Consultants, Inc. A copy of this report is attached.

13. <u>Lessee's or Operator's Representative and Certification</u>:

Bonnie Carson Senior Environmental Analyst Coastal Oil & Gas Corporation P.O. Box 749 Denver, CO 80201-0749 (303) 573-4476 John D. Martin Vice President Drilling (713) 877-6806

Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.


The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.


I hereby certify that I, or persons under my supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions that currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed by the operator, its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved.


Bonnie Carson

12/12/96

Date











DATE: 11-24-96 Drawn by: C.B.T.


UINTAH ENGINEERING & LAND SURVEYING 85 So. 200 East * Vernal, Utah 84078 * (801) 789-1017



NBU #255 SECTION 21, T9S, R21E, S.L.B.&M. 642, FSL 2135' FWL









MAC Metcalf Archaeological Consultants, Inc.

December 5, 1996

ENVER DISTRICT - E & S

Sheila Bremmer Coastal Oil & Gas Corporation P.O. Box 749 Denver, CO 80201-0749

DEC 1 1 1996

Dear Sheila.

Enclosed please find the first of your NBU reports located on property administered by the Uintah and Ouray Indian Tribes. No cultural resources were located within the area surveyed for NBU #252. Cultural resource clearance is recommended for this project as staked. NBU #254 was surveyed in October 1994 as NBU #227. Cultural resource clearance was recommended for the project as staked, with the stipulation that construction in the sandy areas be monitored by a qualified archaeologist. *** #255 is recommended for cultural resource clearance, as no cultural resources were located within the area surveyed. For NBU #256, cultural resource clearance is recommended for the proposed undertaking with the stipulation that construction along the access and pipeline corridor be monitored because of the thick dune deposits and presence of cultural materials in nearby areas. These recommendations are subject to approval by the Uintah and Ouray Energy and Minerals Department.

If you have any questions or concerns, please do not hesitate to call.

Sincerely,

Michael D. Metcalf

MDM/jig

CC: Betsie Chapoose, Cultural Rights & Protection Ferron Secakuku, Energy and Minerals Dale Hanberg, Superintendent - BIA, Ft. Duchesne

Amy Huslein, BIA, Phoenix

Ma Wittelf

ENVER DISTRICT - E & S

DEC 1 1 1996

Coastal Oil and Gas NBU-255 Well Pad and Access, Section 21, T9S, R21E, Uintah County, Utah

Prepared by,
Michael D. Metcalf
Metcalf Archaeological Consultants, Inc.
Eagle, Colorado

Prepared for, Coastal Oil and Gas Denver, CO

Utah State Project #U-96-MM-0653i

November 1996

INTRODUCTION

Metcalf Archaeological Consultants, Inc. (MAC), conducted a Class III cultural resource inventory of the Coastal Oil and Gas NBU 255 well pad, access and flow line. Survey included a 10 acre block centered on the staked well location. A proposed flow line and access corridor extend about 900 ft easterly outside the 10 acre block. The proposed well pad is located in the SE/SW (642' FSL, 2135' FWL) of Section 21, T9S, R21E, Uintah County, Utah (Figure 1). Access to the well pad will be from an Enron well pad in the SW/SE Section 21. The total acreage covered for this project was 12. Survey coverage was by pedestrian transects spaced not more than 15 meters apart.

This project is located on property administered by the Uintah and Ouray Indian Tribes. The survey was conducted on November 22, 1996 by Dulaney Barclay under a Ute access permit. The field technician was Alvin Ignacio. All field notes and maps are on file at the MAC office in Eagle, Colorado.

STATEMENT OF OBJECTIVES

Following the mandated policies implementing the National Historic Preservation Act (NHPA [Public Law 89-665]), as amended, this project was inventoried to locate any cultural resources within the potential area of effect. Any discovered cultural resources were to be evaluated for eligibility to the National Register of Historic Places (Register). To be eligible for the Register, the resource must retain essential aspects of integrity and meet one or more of the Criteria for Eligibility (36 CFR §60.4). For archaeological resources, eligibility is typically recommended under Criterion d, on the basis of the information potential of surface artifacts and features, and intact sub-surface cultural deposits. Historical resources may be evaluated under any of the four Criteria on the basis of information potential or significant historic associations.

ENVIRONMENT

This project is located in the Uintah Basin of northeastern Utah within the White River Drainage. This is an area of low dissected mesas and moderately incised drainages. The well pad is situated in eroded upland terrain within the basin of an unnamed wash that drains northwest into Cottonwood Wash and the White River. The well pad is located on a north facing bench overlooking a draw bounded by low ridges on the north and moderate slopes to the south. Local vegetation is predominantly a thin shadscale with scattered big sage, greasewood, rabbitbrush, snakeweed, saltbush, and grasses. Ground surface visibility is excellent with only about a 35% cover.

Surface sediments are mainly absent, with outcropping sandstone bedrock exposed, along with thin rocky sheet sands. There is very low potential for buried cultural materials.




Figure 1 Project area location, T9S, R21E, Section 21, USGS Ouray SE Quad, 7.5', 1964

FILE SEARCH

A files search was conducted through the Utah Division of State History. This search indicated numerous previous oil and gas surveys in the vicinity with at least four previously recorded sites in the vicinity. However, none are within or adjacent to the current survey.

FIELD METHODS


The 10 acre area surrounding the well pad center stake was surveyed by a series of parallel pedestrian transects walked at approximately 15-20 meter intervals. The access received two pedestrian transects, one on either side of centerline to cover a 100 ft width. Special attention was paid to areas of enhanced subsurface visibility, such as eroded areas, rodent backdirt piles, road cuts and animal trails.

RESULTS

No cultural resources were located within the area surveyed for this project.

RECOMMENDATION

Cultural resource clearance is recommended for the project as staked.



API NO. ASSIGNED: 43-047-32806 APD RECEIVED: 12/13/96 WELL NAME: NBU 255 OPERATOR: COASTAL OIL & GAS (N0230) INSPECT LOCATION BY: PROPOSED LOCATION: SESW 21 - T09S - R21E TECH REVIEW Initials SURFACE: 0642-FSL-2135-FWL Date BOTTOM: 0642-FSL-2135-FWL UINTAH COUNTY Engineering NATURAL BUTTES FIELD (630) Geology LEASE TYPE: FED Surface LEASE NUMBER: U - 0576 PROPOSED PRODUCING FORMATION: WSTC LOCATION AND SITING: RECEIVED AND/OR REVIEWED: / R649-2-3. Unit: NATURAL BUTTES ✓ Plat Bond: Federal M State[] Fee[] R649-3-2. General. (Number <u>U 606 3 % 2 - 9</u>) $\sqrt{\text{Potash}}$ (Y $\sqrt{\text{N}}$) R649-3-3. Exception. Oil shale (Y/N) Water permit (Number 43-8496 RDCC Review (Y/N) __ Drilling Unit. Board Cause no: Date: _____ (Date: COMMENTS: STIPULATIONS:

STATE OF UTAH, DIV OF OIL, GAS & MINERALS

Operator: COASTAL OIL & GAS | Well Name: NBU 255

Project ID: 43-047-32806 | Location: SEC. 21 - T9S - R21E

Design Parameters:		<u>Design Factors:</u>			
Mud weight (8.90 ppg) : 0.462	psi/ft	Collapse	:	1.125	
Shut in surface pressure : 2775	psi	Burst	:	1.00	
Internal gradient (burst) : 0.072	psi/ft	8 Round	:	1.80	(J)
Annular gradient (burst) : 0.000	psi/ft	Buttress	:	1.60	(J)
Tensile load is determined using air	weight	Other	:	1.50	(J)
Service rating is "Sweet"		Body Yield	:	1.50	(B)

	Length (feet)	Size (in.)	Weight (lb/ft)		e Joir		Depth (feet)	Drift (in.)	Cost
1	7,100	4.500	11.60	K- 5	5 LT&(5	7,100	3.875	
	Load (psi)	Collapse Strgth (psi)	S.F.	Burst Load (psi)	Min Int Strgth (psi)			Tension Strgth (kips)	
1	3283	4960	1.511	3283	5350	1.63	82.36	180	2.19 J

Prepared by : MATTHEWS, Salt Lake City, Utah

Date : 01-16-1997

Remarks

GREEN RIVER

WASATCH

Minimum segment length for the 7,100 foot well is 1,500 feet.

SICP is based on the ideal gas law, a gas gravity of 0.69, and a mean gas

temperature of 124°F (Surface 74°F , BHT 173°F & temp. gradient 1.400°/100 ft.)

String type: Production

The mud gradient and bottom hole pressures (for burst) are 0.462 psi/ft and 3,283 psi, respectively.

NOTE:

The design factors used in this casing string design are as shown above. As a general guideline, Lone Star Steel recommends using minimum design factors of 1.125 - collapse (with evacuated casing), 1.0 - (uniaxial) burst, 1.8 - API 8rd tension, 1.6 - buttress tension, 1.5 - body yield tension, and 1.6 - EUE 8rd tension. Collapse strength under axial tension was calculated based on the Westcott, Dunlop and Kemler curve. Engineering responsibility for use of this design will be that of the purchaser.

Costs for this design are based on a 1987 pricing model. (Version 1.07)



Michael O. Leavitt Ted Stewart Executive Director

1594 West North Temple, Suite 1210 Box 145801 Salt Lake City, Utah 84114-5801 801-538-5340 801-359-3940 (Fax) James W. Carter Division Director 801-359-3940 (Fax) 801-538-7223 (TDD)

January 16, 1997

Coastal Oil & Gas Corporation P.O. Box 749 Denver, Colorado 80201-0749

NBU 255 Well, 642' FSL, 2135' FWL, SE SW, Sec. 21, T. 9 S., Re: R. 21 E., Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-32806.

Sincerely,

Associate Director

lwp

Enclosures

Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:	Coastal Oil & Gas Corporation						
Well Name & Number:	NBU 255						
API Number:	43-047-32806						
Lease:	U-0576						
Location: SE SW	Sec 21	1 E.					

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. Notification Requirements

Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jimmie Thompson at (801)538-5336.

Notify the Division prior to commencing operations to plug and abandon the well. Contact Frank Matthews at (801)538-5334 or Mike Hebertson at (801)538-5333.

3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

	-	
•		
•		
•		

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993 5. Lease Designation and Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS	II 0576
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.	U-0576 6. If Indian, Alottee or Tribe Name
Use "APPLICATION FOR PERMIT" - for such proposals	o. Il main, motion of miso harmo
	Tito
	Ute 7. If Unit or CA, Agreement Designation
SUBMIT IN TRIPLICATE	Natural Buttes Unti
1. Type of Well	8. Well Name and No.
Oil Well X Gas Well Other	NBU #255
2. Name of Operator	9. API Well No.
0	
Coastal Oil & Gas Corporation 3. Address and Telephone No.	43-047-32806
STATE OF THE POST	10. Field and Pool, Or Exploratory Area
P. O. Box 749, Denver, CO 80201-0749 (303) 573-4476	Natural Buttes
4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)	11. County or Parish, State
642' FSL & 1235' FWL	
Section 21, T9S-R21E	Hintoh County Hish
Section 21, 195-R21E	Uintah County, Utah
12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACT	· · · · · · · · · · · · · · · · · · ·
	Change of Plans
Recompletion	New Construction
Subsequent Report Plugging Back	Non-Routine Fracturing
Casing Repair	Water Shut-Off
Final Abandonment Notice Altering Casing	Conversion to Injection
X Other <u>Variance</u> : Automatic ignitor	Dia144-4
X One variance, Automatic ignitor	Dispose Water
Omer Variance, Automatic ignitor	(NOTE: Report results of multiple completion on We
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date	(NOTE: Report results of multiple completion on W. Completion or Recompletion Report and Log form
	(NOTE: Report results of multiple completion on W. Completion or Recompletion Report and Log form
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date	(NOTE: Report results of multiple completion on W. Completion or Recompletion Report and Log form
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)*	(NOTE: Report results of multiple completion on Wi Completion or Recompletion Report and Log form of starting any proposed work. If well is directionally
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an	(NOTE: Report results of multiple completion on Wi Completion or Recompletion Report and Log form of starting any proposed work. If well is directionally
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)*	(NOTE: Report results of multiple completion on Wi Completion or Recompletion Report and Log form of starting any proposed work. If well is directionally
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an	(NOTE: Report results of multiple completion on Wi Completion or Recompletion Report and Log form of starting any proposed work. If well is directionally
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium.	(NOTE: Report results of multiple completion on We Completion or Recompletion, Report and Log form of starting any proposed work. If well is directionally automatic ignitor.
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM.	(NOTE: Report results of multiple completion on We Completion or Recompletion, Report and Log form of starting any proposed work. If well is directionally automatic ignitor.
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium.	(NOTE: Report results of multiple completion on We Completion or Recompletion, Report and Log form of starting any proposed work. If well is directionally automatic ignitor.
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM 1/22/97.	(NOTE: Report results of multiple completion on We Completion or Recompletion, Report and Log form of starting any proposed work. If well is directionally automatic ignitor.
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM 1/22/97.	(NOTE: Report results of multiple completion on We Completion or Recompletion, Report and Log form of starting any proposed work. If well is directionally automatic ignitor.
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM 1/22/97.	(NOTE: Report results of multiple completion on We Completion or Recompletion, Report and Log form of starting any proposed work. If well is directionally automatic ignitor.
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM 1/22/97.	NOTE: Report results of multiple completion on We Completion or Recompletion Report and Log form of starting any proposed work. If well is directionally automatic ignitor.
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM 1/22/97.	(NOTE: Report results of multiple completion on We Completion or Recompletion, Report and Log form of starting any proposed work. If well is directionally automatic ignitor.
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM 1/22/97.	NOTE: Report results of multiple completion on We Completion or Recompletion Report and Log form of starting any proposed work. If well is directionally automatic ignitor.
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM 1/22/97.	Note: Report results of multiple completion on We Completion or Recompletion Report and Log form of starting any proposed work. If well is directionally automatic ignitor. I office, on FEB 0 3 1997
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM 1/22/97.	NOTE: Report results of multiple completion on We Completion or Recompletion Report and Log form of starting any proposed work. If well is directionally automatic ignitor.
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM 1/22/97.	Note: Report results of multiple completion on We Completion or Recompletion Report and Log form of starting any proposed work. If well is directionally automatic ignitor. I office, on FEB 0 3 1997
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM 1/22/97.	Note: Report results of multiple completion on We Completion or Recompletion Report and Log form of starting any proposed work. If well is directionally automatic ignitor. I office, on FEB 0 3 1997
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM 1/22/97.	NOTE: Report results of multiple completion on We Completion or Recompletion Report and Log form of starting any proposed work. If well is directionally automatic ignitor. I office, on FEB 0 3 1997 7. OF OIL, GAS & MINING
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM 1/22/97. 14. Thereby certify that the foregoing is true and correct Signed The Senior Environmental Analyst	Note: Report results of multiple completion on We Completion or Recompletion Report and Log form of starting any proposed work. If well is directionally automatic ignitor. I office, on FEB 0 3 1997
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM 1/22/97. 14. I hereby certify that the foregoing is true and correct Signed The Senior Environmental Analyst	NOTE: Report results of multiple completion on We Completion or Recompletion Report and Log form of starting any proposed work. If well is directionally automatic ignitor. I office, on FEB 0 3 1997 7. OF OIL, GAS & MINING
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM 1/22/97. 14. Thereby certify that the foregoing is true and correct Signed The Senior Environmental Analyst (This space for Federal or State office use)	NOTE: Report results of multiple completion on We Completion or Recompletion Report and Log form of starting any proposed work. If well is directionally automatic ignitor. I office, on FEB 0 3 1997 7. OF OIL, GAS & MINING
13. Describe Proposed or Completed Operations (Clearly state all perlinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM 1/22/97. 14. Thereby certify that the foregoing is true and correct Signed Divinited The Senior Environmental Analyst Boginic Carson (This space for Federal or State office use)	NOTE: Report results of multiple completion on We Completion or Recompletion Report and Log form of starting any proposed work. If well is directionally automatic ignitor. I office, on FEB 0 3 1997 7. OF OIL, GAS & MINING
13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM 1/22/97. 14. Thereby certify that the foregoing is true and correct Signed The Senior Environmental Analyst (This space for Federal or State office use)	NOTE: Report results of multiple completion on We Completion or Recompletion Report and Log form of starting any proposed work. If well is directionally automatic ignitor. I office, on FEB 0 3 1997 OF OIL, GAS & MINING Dat 01/29/97
13. Describe Proposed or Completed Operations (Clearly state all perlinent details, and give pertinent dates, including estimated date drilled, give subsurface locations and measured and tru vertical depths for all markets and zones pertinent to this work.)* The Operator requests a variance to the stipulation for air drilling that requires installation of an Drilling on the referenced well will be conducted with an air/ mist medium. Verbal approval to proceed without an automatic ignitor was given by Ed Forsman, Vernal BLM 1/22/97. 14. Thereby certify that the foregoing is true and correct Signed Divinited The Senior Environmental Analyst Boginic Carson (This space for Federal or State office use)	NOTE: Report results of multiple completion on We Completion or Recompletion Report and Log form of starting any proposed work. If well is directionally automatic ignitor. I office, on FEB 0 3 1997 OF OIL, GAS & MINING Dat 01/29/97

Form 3160-3 (November 1983) (formerly 9-331C)

UNITED STATES DEPARTMENT OF THE INTERIOR

(Other instructions on reverse side)

Form approved.

Budget Bureau No. 1004-0136
Expires August 31, 1985

(Totales)		T OF THE		OR .		5. LEASE DESIGNATION	AND SERIAL NO.
	· ·	F LAND MANAG				U-0576	OD MOIDS NAME
APPLICATION	Y FOR PERMIT	TO DRILL, I	DEEPEN	, OR PLU	G BACK	Ute	OR TRIBE NAME
1a. TIPE OF WORK	LL 🛛	DEEPEN [7	PLUG	BACK [7. UNIT AGREEMENT N	
b. TIPE OF WELL	LL M				ULTIPLE	Natural But	
	ELL X OTHER		ZONE		ONE	8. FARM OR LEASE NAI	KB .
2. NAME OF OPERATOR	Cac Componat:	ion				NBU 9. WELL NO.	
LOGSTAL UTL &	Gas Corporat	1011				#255	
P.O. Box 749	, Denver, CO	30201-0749		(/	572 - 1121		
LOCATION OF WELL (R	eport location clearly as	nd in accordance wit	h any Stat	e requirements.*)	Natural But	
642	' FSL & 2135'	FWL				AND SURVEY OR AS	EBA
At proposed prod. son	e			e.		Section 21-	T9S-R2lE
4. DISTANCE IN MILES						12. COUNTY OR PARISH	18. STATE Utah
	y 46.5 miles s	outhwest of	Vernal	, Utah.	(17)	Uintah	Utan
15. DISTANCE FROM PROPO LOCATION TO NEAREST	r .	07051		F ACRES IN LEAS		O THIS WELL N/A	
PROPERTY OR LEASE I (Also to nearest dr); [8. DISTANCE FROM PROP	unit line, if any)	See Topo	148 19. PROPO	OSED DEPTH	20. 1	N/A	
TO NEAREST WELL, D OR APPLIED FOR, ON TH	RILLING, COMPLETED,	Map C	710	0'	F	Rotary	v ,
21. ELEVATIONS (Show who	ether DF, RT, GR, etc.)	1.0.12				22. APPROX. DATE WO	_
Ungraded GR	- 4883'					Upon Appro	
23.		PROPOSED CASIN	NG AND C	EMENTING PR	OGRAM	· · · · · · · · · · · · · · · · · · ·	
BIZE OF HOLE	SIZE OF CASING	WEIGHT PER FO	00T	SETTING DEPTH	·	QUANTITY OF CEME	NT
	1 - 1 - 1 Dazz 3.7 da	Duggeram -			-		
<u>Please see a</u>	ttached Drilli	ng Program.					
		-			1		
If productive and abandone	e, casing will d as per BLM a	be run and nd State of	the we Utah r	equirement	ed. IT	proposed TD as s dry, the well wi ions Plan, attach	iii be piugged
agrees to be conducted up is being pro	responsible u	nder the ter lands. Bond al bonds: B	ms and	condition age pursua	nt to 4: 605382-	r of the subject e lease for opera 3 CFR 3104 for le 9. BIA Nationwide	ease activitie
						DEC 1 3 1996	
IN ABOVE SPACE DESCRIBE one. If proposal is to reventer program, if an	drill or deepen directio	f proposal is to deep nally, give pertinent	en or plug t data on s	back, give data ubsurface location	on present ons and mean	productive sone and propose sured and true vertical depti	ed new productive hs. Give blowout
24.				ie Carson		12/12	2/96
BIGNED Dann	e Caron	TIT	Sr.	Environme	ntal Ana	lyst DATE 12/12	1 ' -
(This space for Fede	ral or State office use)		<u> </u>				
DESTITE VA		1		PROVAL DATE			
PERMIT NO.	///////		FMI	雪柳霏	d Manage	r IAN 2	2 2 1997
APPROVED BY	MALIER VOI	WEEGHT M		- Mineral Me	pources		
CONDITIONS OF APPROV	TICE OF APPE	HOVAL	FEB	0 4 1997	CONFITICE TIC	nies of approval at O operator's copy	TACHED

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CONDITIONS OF APPROVAL APPLICATION FOR PERMIT TO DRILL

Company/Operator: Coastal Oil & Gas Corporation

Well Name & Number: NBU 255

days.

Equipment Tests

First Production

Notice

API Number	:43-047-32806
Lease Numb	er: <u>U-0576</u>
Location: S	ESW Sec. 21 T. 9S R. 21E
	NOTIFICATION REQUIREMENTS
Location Construction -	at least forty-eight (48) hours prior to construction of location and access roads.
Location Completion -	prior to moving on the drilling rig.
Spud Notice -	at least twenty-four (24) hours prior to spudding the well.
Casing String and - Cementing	at least twenty-four (24) hours prior to running casing and cementing all casing strings.
BOP and Related -	at least twenty-four (24) hours prior to initiating pressure tests.

within five (5) business days after new well begins, or production

resumes after well has been off production for more than ninety (90)

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

COA's Page 2 of 8 Well: NBU 255

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with applicable laws, regulations (43 CFR 3100), Onshore Oil and Gas Orders, and the approved plan of operations. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative by the operator to insure compliance.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. <u>Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered</u>

Report <u>ALL</u> water shows and water-bearing sands to Tim Ingwell of this office **prior to** setting the next casing string or requesting plugging orders. Faxed copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling, will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a 2M system and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

If an air compressor is on location and is being utilized to provide air for the drilling medium while drilling, the special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to. If a mist system is being utilized then the requirement for a deduster shall be waived.

Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint.

If conductor pipe is set it will be cemented to surface. If drive pipe is used it will be pulled prior to cementing surface casing.

As a minimum, the usable water shall be isolated and/or protected by having a cement top for the production casing at least 200 ft. above the base of the Usable Water identified at ± 2323 ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vaporproof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

The Gamma Ray and Induction Logs need to be pulled from TD to the Surface Shoe.

A cement bond log (CBL) will be run from the production casing shoe to \pm 2123 ft. and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

The Vernal District Office shall be notified, during regular work hours (7:45 a.m.-4:30 p.m., Monday through Friday except holidays), at least 24 hours **prior** to spudding the well.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

<u>Immediate Report</u>: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig.

The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-5 (b.9. d.), and shall be submitted to the appropriate District Office within sixty (60) days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-5 (b. 4).

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries. Tests for meter accuracy will be conducted following initial installation and at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office. All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

COA's Page 6 of 8 Well: NBU 255

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approval or notification is necessary, please contact one of the following individuals:

Wayne Bankert Petroleum Engineer	(801) 789-4170
Ed Forsman Petroleum Engineer	(801) 789-7077
Jerry Kenczka Petroleum Engineer	(801) 789-1190
RIM FAX Machine	(801) 781-4410

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

- Unused fracturing fluids or acids
- Gas plant cooling tower cleaning wastes
- Painting wastes
- Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spend solvents, spilled chemicals, and waste acids
- Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste
- Refinery wastes
- Liquid and solid wastes generated by crude oil and tank bottom reclaimers
- Used equipment lubrication oils
- Waste compressor oil, filters, and blowdown
- Used hydraulic fluids
- Waste solvents
- Waste in transportation pipeline-related pits
- Caustic or acid cleaners
- Boiler cleaning wastes
- Boiler refractory bricks
- Incinerator ash
- Laboratory wastes
- Sanitary wastes
- Pesticide wastes
- Radioactive tracer wastes
- Drums, insulation and miscellaneous solids.

COA's Page 8 of 8 Well: NBU 255

SURFACE CONDITIONS OF APPROVAL

These Surface Use Conditions of Approval come from the BIA Concurrence Letter and Environmental Analysis Mitigation Stipulations.

The Ute Tribe Energy and Mineral Department is to be notified 48 hours prior to construction. A qualified Paleontologist is to remove some bone fragments prior to construction and monitor the construction of the well location, access road and pipeline in the approved right-of-way.

Coastal Oil & Gas Corp. will assure the Ute Tribe that any/all contractors and subcontractors have acquired a Tribal Business License and have access permits prior to construction.

All vehicular traffic, personnel movement, construction, and restoration activities shall be confined to the areas examined, as referenced in report, and to the existing roadways and/or evaluated access routes.

All personnel should refrain from collecting artifacts and from disturbing any significant cultural resources in the area.

The Ute Tribe Energy & Mineral Department shall be consulted if cultural remains from subsurface deposits are exposed or identified during construction.

Upon completion of APD and Right-of-way construction, the Ute Tribe Energy & Mineral Department will be notified by Coastal Oil & Gas, so that a Tribal Technician can verify an Affidavit of Completion.

Before the site is abandoned, the company will be required to restore the well site and right-of-ways to near their original state. The disturbed areas will be reseeded with desirable perennial vegetation.

Although the road rights-of-way will be 30 feet in width, the graded area will be limited in most places to 21 feet between the two outer edges of the barrow pits. Where deep cuts are required for road construction, or where intersections or sharp curves occur the road may be wider than 21 feet to accommodate large equipment.

Noxious weeds will be controlled on the well site and rights-of-way. If noxious weeds spread from the project area onto adjoining land, the company will also be responsible for their control.

Within 90 days after the well is completed, excess fluids will be removed from the reserve pits and hauled to an approved disposal site. The pits will then be backfilled.

Coastal plans on using an open drilling system for the project.

Use a closed production system. The BIA notes that Coastal has agreed to use a closed system for this well.

Production fluids will be contained in leak proof tanks. All production fluids will be disposed of at approved disposal sites. The indiscriminate dumping of production fluids on roads, wellsites or other areas will not be allowed.

Form 3160-5 (June 1990)

representations as to any matter within its jurisdiction.

DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

Budget	Bureau	No.	1004-013

FORM APPROVED

prager	Bure	au	NO.	IW	4-013	Ç

	Expires:	March	31,	1993
Lease	Designation	and S	eria	No.

SUNDRY NOTICES AND Do not use this form for proposals to drill or to Use "APPLICATION FOR F	See Attached List 6. If Indian, Alottee or Tribe Name	
		See Attached List 7. If Unit or CA, Agreement Designation
SUBMIT IN TI	RIPLICATE	Natural Buttes Unit
1. Type of Well		8. Well Name and No.
Oil Well X Gas Well Other		See Attached List
2. Name of Operator		9. API Well No. 43.047.3280 U
Coastal Oil & Gas Corporation		See Attached List
3. Address and Telephone No.	•	10. Field and Pool, Or Exploratory Area
P. O. Box 749, Denver, CO 80201-0749	(303) 573-4476	Natural Buttes
4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)		11. County or Parish, State
See Attached List		Uintah County, Utah
12. CHECK APPROPRIATE BOX(S) TO) INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF AC	CTION
X Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other Blooie Line variance	Dispose Water (NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all pedrilled, give subsurface locations and measured and tru vertical deposition. The operator requests a variance from a straight.	rths for all markets and zones pertinent to this work.)* -run blooie line for the subject wells on the atta	ched list.
14. Thereby contify that the foregoing is true and correct Signed		FEB 2 1 1997 FOIL, GAS & MINING
(This space for Federal or State office use)		
APPROVED BY	Titl	Dat
Conditions of approval, if any:		

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, ficticious or fraudulent statements or

Well	Lease Designation & Serial Number	If Indian, Allottee or Tribe Name	API #	Location of Well at Surface	Section, Township & Range
CIGE #186-35-9-22	U-010954-A	N/A	43-047-32590	1632' FSL & 1911' FEL	Section 35-T9S-R22E
CIGE #187-13-10-20	U-4485	N/A	43-047-32607	900' FNL & 2200' FWL	Section 13-T10S-R20E
CIGE #197-7-9-21	USA U-0149767	Ute	43-047-32798	854' FNL & 2178' FEL	Section 7-T9S-R21E
CIGE #198-9-9-21	USA U-01188	Ute	43-047-32799	2502' FSL & 772' FEL	Section 9-T9S-R21E
CIGE #199-14-9-21	USA U-01193	Ute	43-047-32801	959' FNL & 1760' FWL	Section 14-T9S-R21E
CIGE #200-16-9-21	USA U-38409	Ute	43-047-32802	1950' FNL & 2500' FWL	Section 16-T9S-R21E
CIGE #201-18-9-21	USA U-0575	Ute	43-047-32804	1814' FNL & 944' FEL	Section 18-T9S-R21E
CIGE #202-21-9-21	USA U-0576	Ute	43-047-32805	785' FSL & 471' FEL	Section 21-T9S-R21E
NBU #252	USA U-0141315	Ute	43-047-32800	641' FNL & 1845' FWL	Section 10-T9S-R21E
NBU #255 **	USA U-0576	Ute	43-047-32806	642' FSL & 1235' FWL	Section 21-T9S-R21E

.


Form 3160-5 (June 1990)

UNITED STATES DEPART NT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED				
Budget Bureau No. 1004-013	5			

Expires: March 31, 1993

		5. Lease Designation and Serial No.	
SUNDRY NOTICES AND	U-0576		
Do not use this form for proposals to drill or to	6. If Indian, Alottee or Tribe Name		
Use "APPLICATION FOR F	PERMIT" - for such proposals		
		Ute	
		7. If Unit or CA, Agreement Designation	
SUBMIT IN TI	RIPLICATE	Natural Buttes Unti	
1. Type of Well		8. Well Name and No.	
Oil Well X Gas Well Other		NBU #255	
2. Name of Operator		9. API Well No.	
Coastal Oil & Gas Corporation		43-047-32806	
3. Address and Telephone No.		10. Field and Pool, Or Exploratory Area	
P. O. Box 749, Denver, CO 80201-0749	(303) 573-4455	Natural Buttes	
Location of Well (Footage, Sec., T., R., M., Or Survey Description)		11. County or Parish, State	
642' FSL & 1235' FWL		†	
Section 21, T9S-R21E		Uintah County, Utah	
2. CHECK APPROPRIATE BOX(S) TO	INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF AC		
Notice of Intent	Abandonment	Change of Plans	
	Recompletion	New Construction	
X Subsequent Report	Plugging Back	Non-Routine Fracturing	
-	Casing Repair	Water Shut-Off	
Final Abandonment Notice	Altering Casing	Conversion to Injection	
	X Other <u>Culvert Installation on</u>	Dispose Water	
	Access Road	(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	
3. Describe Proposed or Completed Operations (Clearly state all per	rtinent details, and give pertinent dates, including estimated date	e of starting any proposed work. If well is directionally	
drilled, give subsurface locations and measured and tru vertical dep	ths for all markets and zones pertinent to this work.)*		
A culvert was installed on the access road of the	subject well during construction of the location	1.	
	-		
		a a contraction	
	\(\sigma\)	ECEIVEIN	
	111))5		



14. I hereby certify that the foregoing is true and correct Signed Sheila Bremer	Titl	Environmental & Safety Analyst	Dat	03/26/97
(This space for Federal or State office use)				
APPROVED BY Conditions of approval, if any:	Titl		Dat	
Conditions of approval, if any:				

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, ficticious or fraudulent statements or representations as to any matter within its jurisdiction.

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Com	pany: <u>COASTA</u>	L OIL &	GAS CO	RP.	
Well Name:_	NBU 255	· 			· -
Api No. 43	-047-32806				
Section: 21	_ Township:_	9S Rai	nge: <u>21</u>	E County:_	UINTAH
Drilling Co	ntractor	CAZ	ZA		
Rig # <u>16</u>					
SPUDDED:					
Dat	ce <u>4/8/97</u>				
Tin	ne				
How	N_ROTARY				
Drilling wi	ll commence_	<u>-</u>		·	<u>-</u> .
Reported by	D. HACKF	ORD			-
Telephone #		· 			_
Date:	4/7/97	Si	gned:	JLT	-

STATE OF UTAH		
DIVISION OF OIL,	GAS AND	MINING

ENTITY ACTION FORM - FORM 6

OPERATOR Coastal Oil & Gas Corporation

OPERATOR ACCT. NO. N 0230

ADDRESS P.O. Box 749

Denver, CO 80201-0749

ACTION	CURRENT	NEW	451 444555			WELL LOCATION			SPUD EFF	EFFECTIVE	
CODE	ENTITY NO.	ENTITY NO.	API NUMBER	WELL NAME	QQ	SC	TP	RG	COUNTY	DATE	DATE
В	99999	02900	43-047-32806	NBU #255	SESW	21	98	21E	Uintah	3/31/97	3/31/97
WELL 1 C	OMMENTS:	(Coastal)	Entity add	ded 4-10-97. Lec (Natura	1 Buttes	Uni	P				
							-				
WELL 2 C	OMMENTS:						R	E (GEIVE		
							Ш	A	11000		
WELL 3 C	OMMENTS:						DIV	OF O	e, gas & Minin	g	
WELL 4 C	OMMENTS:										
WELL 5 C	OMMENTS:							700	,		
ACTION CO	DDES (See ins	structions on b	ack of form)						Sheile T	Bunua	7

A - Establish new entity for new well (single well only)

B - Add new well to existing entity (group or unit well)

C - Re-assign well from one existing entity to another existing entity

D - Re-assign well from one existing entity to a new entity

E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

Signature Sheila Bremer

Environ. & Safety Analyst

4/8/97

Title

Date

Phone No. <u>(303</u>)573-4455

Form 3160-5 (June 1990)

UNITED STATES				
DEPARTMENT OF THE INTERIOR				
RIPEAU OF LAND MANAGEMENT				

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

	Ex	pires:	Mar	ch 31,	1993	
_						-

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT -" for, such proposals SUBMIT IN TRIPLICATE Type of Wild Vision BUREAU OF L	5. Lease Designation and Serial No.		
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use			
SUBMIT IN TRIPLICATE Type of Well Well Well Other			6. If Indian, Allottee or Tribe Name
SUBMIT IN TRIPLICATE 1. Type of Youl	• •	•	lite
SUBMIT IN TRIPLICATE Type of Well Gas Well Name and No. 255	USE AFFI.ICATION FOR	-FAMILE - TOL SUCH PROPOSAIS	
Number of Operators S. Well Name and No. N			
2. Name of Operators Coastal Oil & Gas Corporation 3. Address and Telephones No. P. O. Box 749. Deriver. CO. 80201-0749 4. Location of Well (Foolage, Sec., T., R., M., or Survey Description) 42. Existing a Transport of Well (Foolage, Sec., T., R., M., or Survey Description) 43. Existing a Transport of Well (Foolage, Sec., T., R., M., or Survey Description) 44. Existing a Country of Well (Foolage, Sec., T., R., M., or Survey Description) 45. Existing a Location of Well (Foolage, Sec., T., R., M., or Survey Description) 45. Existing a Location of Well (Foolage, Sec., T., R., M., or Survey Description) 45. Existing a Location of Well (Foolage, Sec., T., R., M., or Survey Description) 45. Existing a Location of Well (Foolage, Sec., T., R., M., or Survey Description) 45. Existing a Location of Well (Foolage, Sec., T., R., M., or Survey Description) 45. Existing a Location of Well (Foolage, Sec., T., R., M., or Survey) 45. Existing a Location of Well (Foolage, Sec., T., R., M., or Survey) 46. Location of Well (Foolage, Sec., T., R., M., or Survey) 47. Existing a Location of Well (Foolage, Sec., T., R., M., or Survey) 48. Location of Well (Foolage, Sec., T., R., M., or Survey) 49. Existing a Location of Well (Foolage, Sec., T., R., M., or Survey) 40. Existing a Location of Well (Foolage, Sec., T., R., M., or Survey) 40. Existing a Location of Particular Survey Country of Particular Survey) 40. Existing a Location of Particular Survey Country of Part	1. Type of Well Oil Well Well Other		8. Well Name and No.
3. Address and Tsupelmone No. P. O. Box 749. Denver. CO 80201-0749 4. Location of Well (Footage, Sec., T., R. M., or Survey Description) 4. Location of Well (Footage, Sec., T., R. M., or Survey Description) 4. Location of Well (Footage, Sec., T., R. M., or Survey Description) 4. Location of Well (Footage, Sec., T., R. M., or Survey Description) 4. Location of Well (Footage, Sec., T., R. M., or Survey Description) 4. Location of Well (Footage, Sec., T., R. M., or Survey Description) 4. Location of Well (Footage, Sec., T., R. M., or Survey Description) 4. Location of Well (Footage, Sec., T., R. M., or Survey Description) 4. Location of Well (Footage, Sec., T., R. M., or Survey Description) 4. Location of Well (Footage, Sec., T., R. M., or Survey) 5. Describe Proposed of Completed Description of Mean of Mellin (Mellin of Mellin (Mellin of Mellin of Mellin of Mellin of Mellin (Mellin of Mellin of	•		
P. D. Box 749 Deriver CO 80201-0749 4. Location of Well (Footage, Sec., T. R., M., or Survey Description) 642 FSL & 1235 FML SESW Section 21-T9S-R2IE 11. County or Parish, State Uintah Co. Utah 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 13. Subsequent Report 14. I hareby certify that the foreguings is trug, and correct Signar and of SS x Type V w/2% CaClz, wt 15.6, yld 1.18. Dropped plug & displ w/13.5 bbls water, 14. I hareby certify that the foreguings is trug, and correct Signar. 15. County or Parish, State Uintah Co. Utah 16. Change of Plans Recompletion			
4. Location of Well (Focuses, Sec. T. A., M., or Survey Description) 642° FSL & 1235° FML SESW Section 21-T9S-R2IE 11. County or Parish, State Uintah Co. Utah 12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF SUBMISSION Recompletion Notice of Intent Subsequent Report Final Abandonment Notice Final Abandonment Notice Recompletion Plugging Back Non-Routine Fracturing Water Shart-Off Convertion to Injection Dispose Water Convertion to Injection Dispose water Convertion to Convertion to Injection Dispose water Convertion to details, and give partinent dates, including estimated date of starting any proposed wox. If well is directionally give submirince locations and measured and true vertical displict for all markers and cones pertinent to this work.)* 13/331/973 RU Bill Martin Jr. (air rig) & drill to 255' W/11" bit. Spud Well © 10:30 a.m. on 3/31/97. 4/1/97: Ran 6 jts 8-5/8", 24#. K-55 csg w/Howco shoe, total 253.10'. Cmt w/Halliburton. Pmpd 20 bbls gel water ahead of 85 sx Type V w/2% CaClz, wt 15.6, yld 1.18. Dropped plug & displ w/13.5 bbls water, +/- 3.5 bbls cmt to pit. Title Environmental & Safety Analyst Date Approved by Title Date	•	(303) 573-4455	
SESW Section 21-T9S-R21E CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Abandonmust Recompletion New Construction New Construction New Construction Non-Rositise Fracturing Water Shut-Off Chonge of Plans Non-Rositise Fracturing Water Shut-Off Convertion to Injection Dispose Water Convertion to Injection Convertion to Injection Convertion to Injection Convertion to Injection Dispose Water Convertion to Injection Dispose Water Convertion to Injection Convertion to Injection Convertion to Injection Convertion to Injection Dispose Water Convertion to Injection Dispose Water Convertion to Injection Dispose Water Convertion to Injection Convertion to Injection Convertion to Injection Dispose Water Convertion to Injection Dispose Water Convertion to Injection Convertion to Injection Dispose Water Convertion to Injection Convertion to Injection Dispose Water Convertion to Injection Dispose Water Convertion to Injection Convertion to Injection Dispose Water Convertion to Injection Convertion to Injection Convertion to Injection Dispose Water Convertion to Injection Dispose Water Convertion to Injection Convertio	4. Location of Well (Footage, Sec., T., R., M., or Survey Des		
Uintah Co. Utah CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Subsequent Report Final Abandonment Notice Casing Repair Altering Casing Other Spud Notice Convertion to Injection Altering Casing Discribe Proposed or Completed Operations (Clearly mate all pertinent details, and give pertinent datas, including critimated date of starting any proposed work. If well is directionally give subsurface locations and measured and time vertical depths for all markers and zones pertinent to this work.) 13/331/97a RU Bill Martin Jr. (air rig) & drill to 255' w/11" bit. Spud well 0 10:30 a.m. on 3/31/97. 4/1/97: Ran 6 jts 8-5/8", 24#, K-55 csg w/Howco shoe, total 253.10'. Cmt w/Halliburton. Pmpd 20 bbls gel water ahead of 85 sx Type V w/2½ CaClz. wt 15.6, yld 1.18. Dropped plug & displ w/13.5 bbls water, +/- 3.5 bbls cmt to pit. Sheila Bremer Title Environmental & Safety Analyst Date 4/8/97 Title Chiefs space for Federal or State office use) Approved by Title Date 4/8/97		•	
TYPE OF SUBMISSION TYPE OF ACTION Abandomment Recompletion Non-Routine Fracturing Non-Routine Fra	SESW Section 21-T9S-R21E		
TYPE OF SUBMISSION Notice of Intent			
Notice of Intent	2. CHECK APPROPRIATE BOX(s)	TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
Recompletion New Construction Non-Routine Fracturing Water Shut-Off Casing Repair Water Shut-Off Convertion to Injection Dispose Water (None: Report metalls of multiple completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* 3/34/973	TYPE OF SUBMISSION	TYPE OF ACTIO	ON
Subsequent Report Plugging Back Casing Repair Water Shut-Off Convertion to Injection Convertion to Injection Convertion to Injection Dispose Water Convertion to Injection Convertion to Injection Dispose Water Convertion of Propose Water Convertion of	Notice of Intent	Abandonment	Change of Plans
Prince Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* 3/31/974 RU Bill Martin Jr. (air rig) & drill to 255' w/11" bit. Spud well @ 10:30 a.m. on 3/31/97. 4/1/97: Ran 6 jts 8-5/8", 24#, K-55 csg w/Howco shoe, total 253.10'. Cmt w/Halliburton. Pmpd 20 bbls gel water ahead of 85 sx Type V w/2% CaClz, wt 15.6, yld 1.18. Dropped plug & displ w/13.5 bbls water, +/- 3.5 bbls cmt to pit. 14. I hereby certify that by foregoing is true and correct Sheila Bremer Environmental & Safety Analyst Date 4/8/97 Date Da		Recompletion	New Construction
Altering Casing Other Spud Notice Dispose Water (Note: Report results of multiple completion on Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* 13/31/974 RU Bill Martin Jr. (air rig) & drill to 255' w/11" bit. Spud well © 10:30 a.m. on 3/31/97. 4/1/97: Ran 6 jts 8-5/8", 24#, K-55 csg w/Howco shoe, total 253.10'. Cmt w/Halliburton. Pmpd 20 bbls gel water ahead of 85 sx Type V w/2% CaClz, wt 15.6, yld 1.18. Dropped plug & displ w/13.5 bbls water, +/- 3.5 bbls cmt to pit. 14. I hereby certify that by foregoing is true and correct Signed Title Environmental & Safety Analyst Date 4/8/97 [This space for Federal or State office use) Approved by	X Subsequent Report	Plugging Back	Non-Routine Fracturing
Altering Casing Other Spud Notice Other Starting any proposed work. If well is directionally give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* 13/31/974 RU Bill Martin Jr. (air rig) & drill to 255' w/11" bit. Spud Well © 10:30 a.m. on 3/31/97. 4/1/97: Ran 6 jts 8·5/8", 24#, K-55 csg w/Howco shoe, total 253.10'. Cmt w/Halliburton. Pmpd 20 bbls gel water ahead of 85 sx Type V w/2% CaClz, wt 15.6, yld 1.18. Dropped plug & displ w/13.5 bbls water, +/- 3.5 bbls cmt to pit. 14. I hereby certify that the foregoing is true and correct Signed Summary Title Summary Other State office use) Approved by Title Title Date Title Date		Casing Repair	Water Shut-Off
Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* 18/31/97 RU Bill Martin Jr. (air rig) & drill to 255' w/11" bit. Spud well © 10:30 a.m. on 3/31/97. 4/1/97: Ran 6 jts 8-5/8", 24#, K-55 csg w/Howco shoe, total 253.10'. Cmt w/Halliburton. Pmpd 20 bbls gel water ahead of 85 sx Type V w/2% CaClz, wt 15.6, yld 1.18. Dropped plug & displ w/13.5 bbls water, +/- 3.5 bbls cmt to pit. 14. I hereby certify that by foregoing is true and correct Signed Title Environmental & Safety Analyst Title Environmental & Safety Analyst Date 4/8/97 Title Date	Final Abandonment Notice	Altering Casing	Conversion to Injection
Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* 13/31/97% RU Bill Martin Jr. (air rig) & drill to 255' w/11" bit. Spud Well © 10:30 a.m. on 3/31/97. 4/1/97: Ran 6 jts 8-5/8", 24#, K-55 csg w/Howco shoe, total 253.10'. Cmt w/Halliburton. Pmpd 20 bbls gel water ahead of 85 sx Type V w/2% CaClz, wt 15.6, yld 1.18. Dropped plug & displ w/13.5 bbls water, +/- 3.5 bbls cmt to pit. 14. I hereby certify that the foregoing is true and correct Signed Title Environmental & Safety Analyst (This space for Federal or State office use) Approved by Title Date		X Other Spud Notice	Dispose Water
Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* 3/31/974 RU Bill Martin Jr. (air rig) & drill to 255' w/11" bit. Spud well @ 10:30 a.m. on 3/31/97. 4/1/97: Ran 6 jts 8-5/8", 24#, K-55 csg w/Howco shoe, total 253.10'. Cmt w/Halliburton. Pmpd 20 bbls gel water ahead of 85 sx Type V w/2% CaClz, wt 15.6, yld 1.18. Dropped plug & displ w/13.5 bbls water, +/- 3.5 bbls cmt to pit. 14. I hereby certify that by foregoing is true and correct Signed Title Environmental & Safety Analyst Date			(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
4/1/97: Ran 6 jts 8-5/8", 24#, K-55 csg w/Howco shoe, total 253.10'. Cmt w/Halliburton. Pmpd 20 bbls gel water ahead of 85 sx Type V w/2% CaClz, wt 15.6, yld 1.18. Dropped plug & displ w/13.5 bbls water, +/- 3.5 bbls cmt to pit. 14. I hereby certify that the foregoing is true and correct Signed Title Environmental & Safety Analyst Date 4/8/97 [Title Date Date Date Date Date Date Date Dat	Describe Proposed or Completed Operations (Clearly state all give subsurface locations and measured and true vertice)	pertinent details, and give pertinent dates, including estimated date of s al depths for all markers and zones pertinent to this work.)*	starting any proposed work. If well is directionally drif
gel water ahead of 85 sx Type V w/2% CaClz, wt 15.6, yld 1.18. Dropped plug & displ w/13.5 bbls water, +/- 3.5 bbls cmt to pit. 14. I hereby certify that the foregoing is true and correct Signed Title Environmental & Safety Analyst Date 4/8/97 (This space for Federal or State office use) Approved by Title	13/31/974 RU Bill Martin Jr. (air ri	g) & drill to 255' w/11" bit. Spud well	@ 10:30 a.m. on 3/31/97.
Signed Tyula Town Title Environmental & Safety Analyst Date 4/8/97 (This space for Federal or State office use) Approved by Title Date	gel water ahead of 85 sx Type V w/2%		
Signed Title Environmental & Safety Analyst (This space for Federal or State office use) Approved by			
Signed Title Environmental & Safety Analyst (This space for Federal or State office use) Approved by			A Commence of the Commence of
Signed Tyula Town Title Environmental & Safety Analyst Date 4/8/97 (This space for Federal or State office use) Approved by Title Date			ga 10 607 (//g
Signed Title Environmental & Safety Analyst (This space for Federal or State office use) Approved by			Expression contains to the contains and
Signed Title Environmental & Safety Analyst (This space for Federal or State office use) Approved by		2013年	Head of the Section o
Signed Title Environmental & Safety Analyst (This space for Federal or State office use) Approved by		/ Shaila Rnomon	
Approved by Date Date	All in Brame	-/	t
	(This space for Federal or State office use)		
Conditions of approval, if any:		Title	Date

STATE OF UTAH DIVISION OF OIL, GAS AND MINING DRILLING INSPECTION FORM

OPERATOR: COASTAL OIL & GAS CORP. COMPANY REP: SCOTT SEELY
WELL NAME <u>NBU 255</u> API NO <u>43-047-32806</u>
QTR/QTR: SE/SW SECTION: 21 TWP: 9S RANGE: 21E
CONTRACTOR: CAZA DRILLING CO. RIG NUMBER: 16
INSPECTOR: DAVID HACKFORD TIME: 1:00 PM DATE: 4/10/97
SPUD DATE: DRY:3/31/97 ROTARY: 4/8/97 PROJECTED TD 7100'
OPERATIONS AT TIME OF VISIT: RUNNING WIRELINE SURVEY AT 1940'.
WELL SIGN: Y MUD WEIGHT 8.3 LBS/GAL BOPE: Y
BLOOIE LINE: Y FLARE PIT: Y H2S POTENTIAL: N
ENVIRONMENTAL:
RESERVE PIT: Y FENCED: Y LINED: Y PLASTIC; Y
RUBBER: N BENTONITE: N SANITATION: Y
BOPE TEST RECORDED IN THE RIG DAILY TOUR BOOK: Y
REMARKS:
DRILLING WITH AIR MIST. SURVEY AT 1365' WAS 3/4 DEGREES. REMOTE
CLOSING UNIT ON FLOOR. BOPE TEST CHART POSTED. NIPPLED UP WITH
DOUBLE GATE, ANNULAR AND ROTATING HEAD.

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SLINDRY	NOTICES	AND	REPORTS	ON	WELLS

o not use this form for proposals to drill or to deepen or reentry to a different reservoir.

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

_				
5.	Lease	Designation	and Serial	l No

U-0576

6. If Indian, Allottee or Tribe Name

Use "APPLICATION FOR	Ute	
SUBMIT	7. If Unit or CA, Agreement Designation Natural Buttes Unit	
Type of Well Oil Well X Gas Well Other Name of Operator Coastal Oil & Gas Corporation Address and Telephone No.	(000) F70 MFF	8. Well Name and No. NBU 255 9. API Well No. 43-047-32806
P.O. Box 749, Denver, CO 80201-074 Location of Well (Footage, Sec., T., R., M., or Survey De 642' FSL & 1235' FWL SESW Section 21-T9S-R21E		10. Field and Pool, or exploratory Area Natural Buttes 11. County or Parish, State Uintah Co. Utah
. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT	, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent X Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on V Completion or Recompletion Report and Log for

Please see the attached chronological history for drilling operations performed on the subject well.

DIV. OF OIL, GAS & MINING

· · · · · · · · · · · · · · · · · · ·		OMA DESTRUCTION OF THE SECOND
14. I hereby certify that the foregoing is true and correct Signed Mull Cush	Bonnie Carson Title Senior Environmental Analyst	Date 4/25/97
(This space for Federal or State office use)		
Approved by Conditions of approval, if any:	Title	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Today's Date:

4/24/97

WELL CHRONOLOGICAL REPORT

WELL NAME: NBU #255

FIELD NAME: NATURAL BUTTES

COUNTY:

UINTAH

AFE#:

26981

OPERATOR: COASTAL OIL & GAS CORP.

SPUD DATE:

WI%:

DATE: 4/2/97

DEPTH:

255

ACTIVITY AT REPORT TIME: WORT

HOURS:

0.00

PROGRESS:

O ft

MW:

0.0

DAILY COST: \$12,220.60

CUMM COST:

\$12,220.60

ACTIVITY LAST 24 HOURS:

3/31/97 RU BILL MARTIN JR (AIR RIG) & DRILL TO 255' W/11" BIT. 4/1/97 RAN 6 JTS 8 5/8" 24# K55 CSG W/HOWCO SHOE. TOTAL 253.10'. CMT W/HALLIBURTON. PMPD 20 BBLS GEL WTR AHEAD OF 85 SX TYPE V W/2% CACL2. WT 15.6, Y 1.18. DROP PLUG & DISPL W/13.5 BBLS WTR +/- 3.5 BBLS CMT TO PIT.

SPUD 10:30 AM 3/31/97.

DATE: 4/9/97

DEPTH:

270

ACTIVITY AT REPORT TIME: PU BHA

HOURS:

MW:

0.00 0.0

PROGRESS:

0 ft

CUMM COST:

\$50,223.40

ACTIVITY LAST 24 HOURS:

MI & RU RT PRESS TEST BOP'S TO 2000, HYDRIL TO 1500. 8 5/8" CSG TO 1500. WITNESSED BY

DAILY COST: \$38,002.80

CAROL KUBLEY W/BLM

DATE: 4/10/97

DEPTH:

1415

ACTIVITY AT REPORT TIME: DRLG

HOURS:

16.00

PROGRESS:

1145 ft

MW:

0.0

DAILY COST: \$26,193.20

CUMM COST:

\$76,416.60

ACTIVITY LAST 24 HOURS:

PU BHA. TAG CMT @ 230' INSTALL ROT HEAD & UNLOAD HOLE DRILL CMT & SHOE TO 270' DRLG 270-384' SURVEY @ 324' 0 DEGS DRLG 384-890' SURVEY @ 830' 3/4 DEGS DRLG 890-1199' TRIP FOR PLUGGED BIT DRLG 1190-1415'

PERC		WELL CHRONOLOGICAL REPORT			
WELL NAME: NBU # AFE#: 26981		FIELD NAME: NATURAL BUTTES COUNTY: UIN OPERATOR: COASTAL OIL & GAS CORP. SPUD DATE:			
WI%:	· · · · · · · · · · · · · · · · · · ·				
DATE: 4/11/97	DEPTH:	3000 ACTIVITY AT REPORT TIME: DRLG			
	HOURS:	22.00 PROGRESS: 1585 ft			
	MW:	8.3 DAILY COST: \$29,470.30 CUMM	COST: \$105,886.90		
ACTIVITY LAST 24 HOURS:	SURVEY @ 1365' 3/ SURVEY @ 2383'	DEGS DRLG 1415-1943' SURVEY @ 1883' 1 DEG DRLG 2443-3000'	RS DRLG 1943-2443'		
		e en			
DATE: 4/12/97	DEPTH:	4007 ACTIVITY AT REPORT TIME: TIH W/BIT #2			
	HOURS:	13.50 PROGRESS: 4007 ft			
	MW:	8.5 DAILY COST: \$24,284.70 CUMM	COST: \$130,171.60		
ACTIVITY LAST 24 HOURS:	SURVEY@ 2943' 1 1 DEG RS DRLG 3 @ 3947' 1 DEG TF	8-4007' SHORT TRIP F/STRING FLOAT REPOSITIO	N KELLY HOSE "SURVEY		
DATE: 4/13/97	DEPTH:	5009 ACTIVITY AT REPORT TIME: RIG SERVICE	.		
	HOURS:	19.00 PROGRESS: 1002 ft			
	MW:	8.8 DAILY COST: \$18,963.00 CUMM	COST: \$149,134.60		
ACTIVITY LAST 24 HOURS:		CIRC W&R 3945-4007' DRLG 4007-4506' SURVEY ② 4949' 1 1/2 DEGS & RS	@ 4446' 2 DEGS DRLG		

WELL CHRONOLOGICAL REPORT **FIELD NAME: NATURAL BUTTES** COUNTY: WELL NAME: NBU #255 **UINTAH OPERATOR:** COASTAL OIL & GAS CORP. SPUD DATE: 26981 AFE#: WI%: **ACTIVITY AT REPORT TIME: DRLG DATE: 4/14/97** DEPTH: 6003 PROGRESS: 994 ft HOURS: 23.00 **CUMM COST:** \$169,549.30 **DAILY COST:** \$20,414.70 MW: 8.7 DB: 4632-44', 4649-79', 4913-**ACTIVITY LAST** DRLG 5007-5508' SURVEY 5448' 1 1/4 DEGS RS DRLG 5508-6003' 24 HOURS: 30', 5098-104', 5322-29', 5808-70', 5880-908' **DATE: 4/15/97 DEPTH:** 6730 **ACTIVITY AT REPORT TIME: DRLG** PROGRESS: 727 ft 22.00 HOURS: \$186,218,90 **DAILY COST: \$16,669.60 CUMM COST:** MW: 8.8 DRLG 6003-6455' UNLOAD HOLE DRLG 6455-6505' SURVEY @ 6445' 3/4 DB: 5808-70', 5880-908', 6020-25', 6250-70', 6320-30', 6380-85', 6395-401', 6563-ACTIVITY LAST 24 HOURS: SURVEY @ 5943' 1 DEG DEGS DRLG 6505-6730' 74', 6595-600', 6640-51' **DATE: 4/16/97 DEPTH:** 6900 **ACTIVITY AT REPORT TIME: POOH PROGRESS:** 170 ft HOURS: 6.50 DAILY COST: **CUMM COST:** \$9,257.60 \$195,476.50 MW: 8.9 6730-6900' CIRC SHORT TRIP TO 4500' TIH. BRIDGE @ 5500' & 5800' W&R 6750-6900', 100' CIRC. PACKED OFF & TIGHT ON BTM WORK TIGHT HOLE 6900-6800' WASH 100' TO BTM & **ACTIVITY LAST** DRLG 6730-6900' 24 HOURS: CIRC POOH TO LOG. SLM

PERC WELL CHRONOLOGICAL REPORT WELL NAME: NBU #255 FIELD NAME: NATURAL BUTTES COUNTY: UINTAH **OPERATOR:** COASTAL OIL & GAS CORP. SPUD DATE: AFE#: 26981 WI%: **DATE: 4/17/97** DEPTH: 6900 **ACTIVITY AT REPORT TIME: CIRC & COND F/LOGS** PROGRESS: HOURS: 0.00 O ft MW: 9.7 **DAILY COST:** \$9,015.00 **CUMM COST:** \$204,491.50 F/LOGS LOGGING W/SCHLUMBERGER PLATFORM EXPRESS F/6000' HOLE TIGHT @ 6050' TIH 10' BROKE CIRC & MUD UP 10# BRINE WTR TO 32 VIS TIH TO 5500' BROKE CIRC & MIX SEA TIH & W&R BRIDGES @ 5650', 5970', 6168', 6220', 6550' & 6650-6900' CIRC & COND **ACTIVITY LAST** POOH F/LOGS 24 HOURS: **DATE: 4/18/97** DEPTH: 6900 **ACTIVITY AT REPORT TIME: LD DRILL STRING** PROGRESS: HOURS: 0.00 MW: 9.7 **DAILY COST:** \$22,814.00 **CUMM COST:** \$227,305.50 **ACTIVITY LAST** CIRC & SPOT 65 VIS PILL ON BTM POOH TRY TO LOG W/SCHLUMBERGER. SET DWN @ 5215' (NO LOGS) TIH TO 6900' - 3' FILL CIRC LD 4 1/2" DP & 6" DC 24 HOURS:

DATE: 4/19/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: RDRT

HOURS:

0.00

0.0

PROGRESS:

MW:

DAILY COST: \$107,693.60

CUMM COST:

\$334,999.10

ACTIVITY LAST 24 HOURS:

RU T&M CASERS & RAN 161 JTS 4 1/2" 11.6# N80 W/GEMACO FLOAT EQUIP (1 SHOE JT). TOTAL STRING 6903.68' - 30 CENT. 1 ON EVERY OTHER JT. CIRC & COND. WASH 10' TO BTM CMT W/DOWELL. PMPD 10 BBL GEL WTR, 80 BBL WTR + 1/1000 F75N. LEAD 570 SXS HI LIFT "G" W/6% D26, 2% D79, .75% D112, .2% D46, 5% D44, .2% B71, .2% D65. WT 12 PPG, Y 2.66, 270 BBLS. TAIL 912 SXS SELFSTRESS "G" W/10% D53, .75% B14, .25% D65, .2% D46. WT 14.5, Y 1.53, 249 BBLS. DROP PLUG & DISPL W/15 BBL ACETIC ACID & 91 BBLS WTR + 1/1000 F75N, L64 & 2% KCL. HAD RET TILL 1/2 THRU DISP. PLUG BUMPED, FLOATS HELD. PIPE RECP 10'. JOB COMP @ 14:50 SET 4 1/2" SLIPS W/74,000. ND CLEAN MUD TANKS RIG REL FASED @ 19:00 4/18/97

RIG RELEASED @ 19:00 4/18/97 MUD TANKS

Form 3160-5 (June 1990)

DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

SUNDRY NOTICES AND REPORTS ON WELLS

Budget Bureau No. 1004-0135 Expires: March 31, 1993

_					
i.	Lease	Desig	nation	and Se	rial No.

FORM APPROVED

U-0576

-	7 E T	-4:	A 11 _ 44	or Tribe	MT
U.		uunan.	Allonee	or ime	: tvaine

Do not use this form for proposals to drill Use "APPLICATION FOR		
USE AT EIGHTION TON	remini - Tor such proposals	7. If Unit or CA, Agreement Designation
SUBMIT 1. Type of Well	IN TRIPLICATE	Natural Buttes Unit
Oil Well Gas Well Other 2. Name of Operator		8. Well Name and No. NBU 255
Coastal Oil & Gas Corporation 3. Address and Telephone No.		9. API Well No.
P.O. Box 749, Denver, CO 80201-074	9 (303) 573-44	43-047-32806
4. Location of Well (Footage, Sec., T., R., M., or Survey De 642' FSL & 1235 ' FWL SESW Section 21-T9S-R21E		Natural Buttes 11. County or Parish, State
CUECK APPROPRIATE POY) TO INDICATE MATURE OF MOTIOE IS	Uintah Co. Utah
12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, F	REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF	ACTION
Notice of Intent X Subsequent Report Final Abandonment Notice 13. Describe Proposed or Completed Operations (Clearly state all give subsurface locations and measured and true vertices)	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other First Produce	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
First production for the subject we	Noccurred on 6/10/97.	NECEIVEN
		JUN 25 1997 DIV. OF OIL, GAS & MINING
14. I hereby certify that the foregoing is true and correct Signed Aleila Enemy	Sheila Bremer Title Environmental & Safety An	nalyst Date 6/23/97
(This space for Federal or State office use)		Daw -
Approved by	Title	
Conditions of approval, if any:		Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

BUREAU OF LAND MANAGEMENT


F	DRM	ΑP	P	RO	٧E
F	DRM	ΑP	P	RO	VΕ

Budget Bureau No. 1004-0135

Expires:	March 31	, 1993

The state of the s		Expired: March 61, 1000
		5. Lease Designation and Serial No.
SUNDRY NOTICES AND	REPORTS ON WELLS	U-0576
Do not use this form for proposals to drill or to		6. If Indian, Alottee or Tribe Name
Use "APPLICATION FOR F	PERMIT" - for such proposals	
		Ute
		7. If Unit or CA, Agreement Designation
SUBMIT IN TE	RIPLICATE	Natural Buttes Unit
1. Type of Well		8. Well Name and No.
Oil Well X Gas Well Other		NBU #255
2. Name of Operator		9. API Well No.
Coastal Oil & Gas Corporation		43-047-32806
3. Address and Telephone No.		10. Field and Pool, Or Exploratory Area
P. O. Box 749, Denver, CO 80201-0749	(303) 573-4455	Natural Buttes
4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)		11. County or Parish, State
642' FSL & 1235 ' FWL		
Section 21, T9S-R21E		Uintah County, Utah
2. CHECK APPROPRIATE BOX(S) TO	INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF A	CTION
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
X Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X other Completion Operations	Dispose Water
· 	•	(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
3. Describe Proposed or Completed Operations (Clearly state all per	tinent details, and give pertinent dates, including estimated da	ate of starting any proposed work. If well is directionally
drilled, give subsurface locations and measured and true vertical de	puns for all markets and zones pertinent to this work.)*	
		•
Please see attached chronological history for one	rations performed on the subject well	

representations as to any matter within its jurisdiction.



	alteria, and a second		
			·
4. I hereby certify that the foregoing is true and correct			
Signed Mula Forem	Title Environmental & Safety Analyst	Date	07/07/97
Sheila Bremer			
(This space for Federal or State office use)			
APPROVED BY	Title	Date	
Conditions of approval, if any:			
	<u> </u>		
tle 18 U.S.C. Section 1001, makes it a crime for any person knowingly	and willfully to make to any department or agency of the United	States any false ficticious or fra	audulent statements or

PERC		WELL	CHRONOLO	OGICAL REI	PORT	
WELL NAME: NBU AFE#: 2698 WI%:			FIELD NAME: NA		COUNTY: S CORP. SPUD DAT	UINTAH [E:
DATE: 4/22/97	DEPTH: HOURS:	6900 0.00	ACTIVITY AT I	REPORT TIME: C	LEANING UP LOCATION	1
	MW:	0.00	DAILY COST:	\$0.00	CUMM COST:	\$334,999.10
ACTIVITY LAST 24 HOURS:	APRIL 22ND THF	ROUGH APRIL 231	RD - CLEANING U	P LOCATION		
DATE: 4/24/97	DEPTH:	6900	ACTIVITY AT F	REPORT TIME: SE	ETTING SURFACE FACI	LITIES
	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$334,999.10
ACTIVITY LAST 24 HOURS:	APRIL 24TH THR	OUGH JUNE 4TH	-CONTINUING S	ETTING SURFAC	E FACILITIES	
DATE: 6/5/97	DEPTH:	6900	ACTIVITY AT R	EPORT TIME: PF	REP TO PERF	
	HOURS:	0.00	PROGRESS:	O ft		
	MW:	0.0	DAILY COST:	\$3,168.00	CUMM COST:	\$338,167.10
ACTIVITY LAST 24 HOURS:	MIRU COLORADO FLOOR & PU TO	O WELL SERVICE NGS. SOFN	(CWS) RIG #70.	ND WH. NU BOP	. TEST CSG TO 5000 P	SI-OK. RU

PERG WELL CHRONOLOGICAL REPORT WELL NAME: NBU #255 FIELD NAME: NATURAL BUTTES COUNTY: **UINTAH** AFE#: 26981 OPERATOR: COASTAL OIL & GAS CORP. SPUD DATE: WI%: **DATE: 6/6/97** DEPTH: 6900 ACTIVITY AT REPORT TIME: PREP TO BREAK DOWN W/ ACID HOURS: 0.00 PROGRESS: 0 ft MW: 0.0 DAILY COST: \$4,641.00 **CUMM COST:** \$342,808.10 MIRU SCHLUMBERGER CORRELATE PERF @ 5582'-83' - 88'-89', 5819'-20' - 31'-32' - 5978'-79', 6268'-69'. NO PRESSURE BEFORE OR AFTER ANY SHOT. STRAP & PU 2-3/8" J-55 TO 6268'. SDFN **ACTIVITY LAST** 24 HOURS: **DATE: 6/7/97** DEPTH: 6900 **ACTIVITY AT REPORT TIME:** HOURS: 0.00 PROGRESS: O ft MW: 0.0 **DAILY COST:** \$22,511.00 **CUMM COST:** \$365,319,10 SITP 50 PSI, SICP 100 PSI. RU DOWELL - HELD SAFETY MEETING. TEST LINES TO 5960 PSI, SPOT ACID ACROSS PERFS. PULL 24 JTS, LAND @ 5543' W/ NC 1 JT, SN, 177 JTS, BLAST SUB HANGER. ND BOP. NU WH. BREAK DOWN PERFS W/ 900 GALS 15% HCL W/ADDITIVES + 18 - 1.3 PPG BALL SEALERS. AVG RATE 4200 PSI @ 6 BPM, MAX PRESS 5800 PSI. GOT GOOD BALL ACTION, NEVER DID BALL CLEAR OFF SURGE BALLS. RE-ESTABLISH INJECTION RATE 4800 PSI @ 8 BPM. ISIP 1000 PSI, 5/10/15 = 851/790/715 PSI. RD DOWELL & COLORADO WELL SERVICE RIG. MI SWAB RIG, IFL @ SURFACE. MADE 5 RUNS, REC 55 BBLS - WELL KICKED OFF. WELL FLOWING 10 BPH @ 7 PM, TRY 18" CHK. KILL WELL, LEFT FLOWING ON 28" CHK, FTP 80 PSI, FCP 300 PSI. PMPD 190 BLWTR, REC 70 BLW, 120 BLWTR. **ACTIVITY LAST 24 HOURS:**

DATE: 6/8/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: ON PRODUCTION

HOURS:

0.00 PROGRESS:

0 ft

CUMM COST:

MW:

0.0 DAILY COST:

\$0.00

\$365,319.10

ACTIVITY LAST 24 HOURS: FLWG ON 20/64" CHK, FTP 110 PSI, 390 PSI, LIGHT MIST (15 BBLS).

PERC		WELL	CHRONOLOG	SICAL REF	PORT	
WELL NAME: NBU AFE#: 2698 WI%:			FIELD NAME: NATURAL BUTTES COUNTY: OPERATOR: COASTAL OIL & GAS CORP. SPUD DATE			
DATE: 6/9/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME: W	ELL FLOWING	
	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$365,319.10
ACTIVITY LAST 24 HOURS:	FLWG ON 20/64"	' CHK, FTP 115 P	SI, 260 PSI, LIGHT N	1IST (8 BBLS).		
	·					
DATE: 6/10/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME: ON	N PRODUCTION	
	HOURS:	0.00	PROGRESS:	0 ft		•
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$365,319.10
ACTIVITY LAST 24 HOURS:	FLWG 0 MCF, 3 I	BC, FTP 100 PSI,	CP 315 PSI ON 20/6	4" CHK.		
•						
DATE: 6/11/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME: ON	PRODUCTION	
	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$365,319.10
ACTIVITY LAST 24 HOURS:	FLWG 180 MCF,	5 BC, FTP 100 PS	SI, CP 300 PSI ON 20)/64" CHK P	LAN TO FRAC FRIDAY.	



WELL CHRONOLOGICAL REPORT

WELL NAME: NBU #255

FIELD NAME: NATURAL BUTTES

COUNTY:

AFE#:

26981

OPERATOR: COASTAL OIL & GAS CORP.

SPUD DATE:

WI%:

DATE: 6/12/97

DEPTH:

6900

0 ACTIVITY AT REPORT TIME: WO FRAC

HOURS:

MW:

0.00

PROGRESS:

DAILY COST:

Oft.

υn

\$0.00

CUMM COST:

\$365,319.10

UINTAH

ACTIVITY LAST 24 HOURS:

FROM 06/12/97 THROUGH 06/13/97 WAITING FOR FRAC

DATE: 6/14/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: TRY TO FLOW BACK

HOURS:

MW:

0.00

PROGRESS:

0 ft

• ...

CUMM COST: \$439,669.10

ACTIVITY LAST 24 HOURS:

SET TANKS AND HAUL WTR. RU DOWELL & FRAC PERFS 5582'-6204', 12 HOLES W/ 196,366# 20/40 SD, 1948 BBLS GEL & 95 TONS OF CO2, ARO 22 BPM @ 4200 PSI, MAX PRESS 4630 PSI, REVERSE SAND OUT OF CSG. SI FOR 3 HRS, CO 18/64" DIED IN 2 HRS, RU SWAB, IFL 900'. PULL APPROX 10 BBLS, VERY SANDY, COULDN'T GET BELOW 1200', NO FLOW ALL NIGHT. 1054 BLWTR, REC 10 BLW, 1044 BLLTR.

DAILY COST: \$74,350.00

WELL CHRONOLOGICAL REPORT

WELL NAME: NBU #255

FIELD NAME: NATURAL BUTTES

COUNTY: UINTAH

AFE#:

26981

OPERATOR: COASTAL OIL & GAS CORP.

SPUD DATE:

WI%:

DATE: 6/15/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: PU & RIH W/TBG. CO TO PBTD.

HOURS:

0.00

PROGRESS:

0 ft

MW:

0.0

DAILY COST: \$6,496.00

CUMM COST:

\$446,165.10

ACTIVITY LAST 24 HOURS:

. 8:00. . 720. . 0. . 14. . 4. . M . 9:00. . 720. . 0. . 14. . 5. . M 10:00. . 720. . 0. . 14. . 8. . L 11:00. . 675. . 0. . 14. . 8. . L 12:00A.658. 0. . 14. . 8. . L . 1:00. . 600. . 0. . 14. . 8. . NON . 2:00. . 600. . 0. . 14. . 8. . NON . 3:00. . 550. . 0. . 14. . 8. . T 4:00. .550. .0. .14. .8. .T

. 5:00. .575. .0. .14. .8. .T 6:00. .600. .0. .14. .8.

. 6:00. .600. .0. .14. .8. .T GAS RATE 600 MCF, PMPD 744 BLWTR, REC 90 BLW, 654 BLLTR

DATE: 6/16/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: WELL FLOWING TO PIT

HOURS:

0.00

PROGRESS:

MW:

0.0

DAILY COST:

\$1,538.00

CUMM COST:

\$447,703.10

ACTIVITY LAST 24 HOURS:

SICP 600 PSI. FLOWING ON 16/64" CHK, SITP 0 PSI. BLOW WELL DN. PU HANGER & BLAST JT. LAND TBG W/ 178 JTS 2-3/8" 4.7 J55 W/ NC & SN, EOT @ 5543' & SN @ 5510'. RD FLOOR & ND BOPS W/HYDRIL & SH. NU WH & FLOW WELL TO PIT ON 20/64" CHK @ 9:00 AM. RDMO & PU. PMPD 0 BLWTR, REC 63 BLW, 591 BLLTR.

TIME. .CP. .TP.CHK. BWPH. SD . 9:00. .475. .375. .18. .5. .HI 11:30A.475. .375. .18. .5. .HVY

. 3:00. .425. .350. .18. .5. .HVY . 5:30. .375. .300. .18. .5. .HVY GAS RATE 450 MCF, 5 BW, FTP 300 PSI, CP 375 PSI ON 18/64" CHK. 591 BLLTR

WELL CHRONOLOGICAL REPORT

WELL NAME: NBU #255

FIELD NAME: NATURAL BUTTES

COUNTY:

UINTAH

AFE#:

26981

OPERATOR: COASTAL OIL & GAS CORP.

SPUD DATE:

WI%:

DATE: 6/17/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: WELL FLOWING TO PIT

HOURS:

MW:

0.00

PROGRESS: DAILY COST:

0.0

\$0.00

CUMM COST:

\$447,703.10

ACTIVITY LAST 24 HOURS:

TIME. .CP. .TP.CHK. BWPH. SD 18:00P. 350. 325. 20. 5. M 9:30A. 325. 250. 20. 5. M 11:00P. 300. 250. 20. 5. L-M 12:00P. 325. 250. 20. 5. L-M 2:00P. 300. 250. 20. 5. L-M 2:00P. 325. 250. 20. 5. L-M

GAS RATE 400 MCF, 3 BW, FTP 285 PSI, CP 350 PSI, 466 BLLTR

DATE: 6/18/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: FLOW BACK REPORT

HOURS:

MW:

0.00

0.0

PROGRESS:

DAILY COST:

O ff

\$0.00

CUMM COST:

\$447,703.10

ACTIVITY LAST 24 HOURS:

BLLTR

DATE: 6/19/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: PLACED ON SALES @ 11:45 AM.

HOURS:

0.00

PROGRESS:

0 ft

MW:

0.0 DAILY COST: \$0.00

CUMM COST:

\$447,703.10

ACTIVITY LAST 24 HOURS:

FLWG 380 MCF, 3 BW, FTP 700 PSI, CP 700 PSI ON 12/64" CHK, 322 BLLTR. PLACED ON SALES @ 11:45

AM

PERC		WELL	CHRONOLO	GICAL REI	PORT	,
WELL NAME: NB AFE#: 269 WI%:		FIELD NAME: NATURAL BUTTES COUNTY: UINTAH OPERATOR: COASTAL OIL & GAS CORP. SPUD DATE:				
DATE: 6/20/97	DEPTH: HOURS:	6900 0.00	ACTIVITY AT RE	EPORT TIME: D	N 6 HRS - FIRE OUT ON	N DEHYDRATOR.
ACTIVITY LAST 24 HOURS:	MW: FLWG 226 MCF, DEHYDRATOR.	0.0 0 BW, FTP 800 P	DAILY COST: SI, CP 775 PSI ON	\$0.00 15/64" CHK, 322	CUMM COST: BLLTR. DOWN 6 HRS	\$447,703.10 - FIRE OUT ON
				 -	·	
DATE: 6/21/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME:	•	
	HOURS: MW:	0.00 0.0	PROGRESS: DAILY COST:	0 ft \$0.00	CUMM COST :	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 228 MCF, 3	3 BW, FTP 850 P	SI, CP 850 PSI ON 1	6/64" CHK.		
	.	• • • • •				
DATE: 6/22/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME:		
	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 261 MCF, 2	BW, FTP 1200 F	SI, CP 1100 PSI ON	i 16/64" CHK.		

PERC		WELL	CHRONOLOG	GICAL REF	PORT	
WELL NAME: NBU AFE#: 2698 W1%:			FIELD NAME: NATE		COUNTY: S CORP. SPUD DA	UINTAH TE:
DATE: 6/23/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME: O	N PRODUCTION	
	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 256 MCF, 0 E	3W, FTP 950 P	SI, CP 950 PSI ON 1	6/64" CHK.		:
DATE: 6/24/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME: ON	PRODUCTION	
·	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 361 MCF, 1 B	8W, FTP 675 P	SI, CP 680 PSI ON 1	7/64" CHK.		
DATE: 6/25/97	DEPTH:	6900	ACTIVITY AT REI	PORT TIME: ON	PRODUCTION	
	HOURS:	0.00	PROGRESS:	O ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 419 MCF, 0 B	W, FTP 260 PS	SI, CP 380 PSI ON 17	7/64" CHK.		

WELL CHRONOLOGICAL REPORT **WELL NAME: NBU #255 FIELD NAME: NATURAL BUTTES** COUNTY: **UINTAH** 26981 AFE#: OPERATOR: COASTAL OIL & GAS CORP. SPUD DATE: W1%: DATE: 6/26/97 **DEPTH:** 6900 **ACTIVITY AT REPORT TIME: ON PRODUCTION** HOURS: 0.00 PROGRESS: 0 ft MW: 0.0 **DAILY COST:** \$0.00 **CUMM COST:** \$447,703.10 **ACTIVITY LAST** FLWG 414 MCF, 0 BW, FTP 340 PSI, CP 360 PSI ON 17/64" CHK. **24 HOURS: DATE: 6/27/97** DEPTH: 6900 **ACTIVITY AT REPORT TIME: PRODUCING** HOURS: PROGRESS: 0.00 0 ft MW: 0.0 **DAILY COST:** \$0.00 **CUMM COST:** \$447,703.10 **ACTIVITY LAST** FLWG 398 MCF, 23 BW, FTP 310 PSI, CP 335 PSI ON 17/64" CHK, 679 BLLTR. 24 HOURS:

DATE: 6/28/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: ON PRODUCTION

HOURS:

0.00

....

0 ft

MW:

0.00

PROGRESS: DAILY COST:

\$0.00

CUMM COST:

\$447,703.10

ACTIVITY LAST 24 HOURS:

FLWG 382 MCF, 10 BW, FTP 275 PSI, CP 310 PSI ON 17/64" CHK.

WELL CHRONOLOGICAL REPORT WELL NAME: NBU #255 FIELD NAME: NATURAL BUTTES COUNTY: UINTAH AFE#: 26981 OPERATOR: COASTAL OIL & GAS CORP. SPUD DATE: WI%: **DATE: 6/29/97** DEPTH: 6900 **ACTIVITY AT REPORT TIME: ON PRODUCTION HOURS: PROGRESS:** 0.00 0 ft MW: 0.0 **DAILY COST:** \$0.00 **CUMM COST:** \$447,703.10 ACTIVITY LAST 24 HOURS: FLWG 374 MCF, 0 BW, FTP 280 PSI, CP 305 PSI ON 17/64" CHK. DATE: 6/30/97 DEPTH: 6900 **ACTIVITY AT REPORT TIME: ON PRODUCTION** HOURS: PROGRESS: 0 ft 0.00 MW: 0.0 DAILY COST: \$0.00 **CUMM COST:** \$447,703.10 ACTIVITY LAST 24 HOURS: FLWG 369 MCF, 6 BW, FTP 280 PSI, CP 305 PSI ON 17/64* CHK. PRIOR PRODUCTION: FLWD 374 MCF, 0 BW, FTP 280 PSI, CP 305 PSI ON 17/64* CHK. FINAL REPORT.

Form 3160-4 (July 1992)

UNITED STATES DEPARTMENT OF THE INTERIOR

SUBMIT IN DUPLICATE*

BUREAU OF LAND MANAGEMENT

(See other structions

•				PROVED 1004-0137						
in-	1			ruary 28, 1995						
on de)				AND SERIAL NO.						
G*		LLC	TTEE	OR TRIBE NAME						
	7. UNIT AGREE	EME	NT NA	ME						
	Natural Buttes Unit									
	8. FARM OR LI	EASE	NAM	E, WELL NO.						
	NBU		_	#255 						
	9. API WELL NO.									
55	43-047-32806 10. FIELD AND POOL, OR WILDCAT									
Natural Buttes Field 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA										
	11. SEC., T., R., M., OR BLK.									
	Section 2									
	12. COUNTY OR		150	13. STATE						
	PARISH Uintah			litah						
	R, ETC.)*	10	. FLE	Utah W. CASINGHEAD						
		"		··· January Calledon						
S IY	ROTARY TO	OLS		CABLE TOOLS						
				WAS DIRECTIONAL						
				SURVEY MADE						
			r i	Single Shot						
. ,		27.	WAS	WELL CORED						
<u>-6</u>	-97		,	No						
				No						
NT, CI	EMENTING RECO		7	NO AMOUNT PULLED						
NT, CI	EMENTING RECO	/9								
NT, CI	EMENTING RECO	/9								
NT, CI	EMENTING RECO	/9								
NT, CI	ementing reco hrono4/2 hrono4/1	9/9 .9/	97							
NT, CI	EMENTING RECO	9/9 .9/	97							
NT, CI	ementing reco hrono 4/2 hrono 4/1 TUBING RECO DEPTH SET (MD	9/9 .9/	97							
NT, CI	ementing reco hrono4/2 hrono4/1	9/9 .9/	97							
NT, CE	EMENTING RECO hrono 4/2 hrono 4/1 TUBING RECO DEPTH SET (MD 6268'	0.79 0.97	97	AMOUNT PULLED PACKER SET (MD) ETC.						
NT, CI	ementing reconhrono 4/2 hrono 4/1 TUBING RECONEPTH SET (MD 6268') E, CEMENT SCOUNT AND KINE	ORI	97	PACKER SET (MD) ETC. RIAL USED						
NT, CI	EMENTING RECO hrono 4/2 hrono 4/1 TUBING RECO DEPTH SET (MD 6268'	ORI	97	PACKER SET (MD) ETC. RIAL USED						
NT, CI	ementing reconhrono 4/2 hrono 4/1 TUBING RECONEPTH SET (MD 6268') E, CEMENT SCOUNT AND KINE	ORI	97	PACKER SET (MD) ETC. RIAL USED						
NT, CI	ementing reconhrono 4/2 hrono 4/1 TUBING RECONEPTH SET (MD 6268') E, CEMENT SCOUNT AND KINE	ORI	97	PACKER SET (MD) ETC. RIAL USED						
NT, CI	ementing reconhrono 4/2 hrono 4/1 TUBING RECONEPTH SET (MD 6268') E, CEMENT SCOUNT AND KINE	ORI	97	PACKER SET (MD) ETC. RIAL USED						
NT, CI	EMENTING RECO hrono 4/2 hrono 4/1 TUBING RECO DEPTH SET (MD 6268' E, CEMENT SO TOUNT AND KINE ttached ch	ORI OUE OOF	97	AMOUNT PULLED PACKER SET (MD) ETC. ERIAL USED -6/7/97						
NT, CI	EMENTING RECO hrono 4/2 hrono 4/1 TUBING RECO DEPTH SET (MD 6268' E, CEMENT SO TOUNT AND KINE ttached ch	ORI ORI OUE OOF	97 EZE, MATE	AMOUNT PULLED PACKER SET (MD) ETC. ERIAL USED -6/7/97						
NT, CI	TUBING RECO DEPTH SET (MD 6268' E, CEMENT SO OUNT AND KINE ttached ch	ORI ORI OUE O OF	97 EZE, MATE	AMOUNT PULLED PACKER SET (MD) ETC. RIAL USED -6/7/97 oducing or ducing or ducing						
NT, CI	EMENTING RECO hrono 4/2 hrono 4/1 TUBING RECO DEPTH SET (MD 6268' E, CEMENT SC IOUNT AND KINE ttached ch	ORI ORI OUE O OF	97 EZE, MATE	AMOUNT PULLED PACKER SET (MD) ETC. ERIAL USED -6/7/97						
NT, CI	TUBING RECO hrono 4/2 hrono 4/1 TUBING RECO DEPTH SET (MD 6268' E, CEMENT SO LOUNT AND KINE ttached ch WELLS: shut-	ORI OUE OOF	97 EZE, MATE no	AMOUNT PULLED PACKER SET (MD) ETC. RIAL USED -6/7/97 oducing or ducing or ducing						
ed Cl	TUBING RECO hrono 4/2 hrono 4/1 TUBING RECO DEPTH SET (MD 6268' E, CEMENT SO LOUNT AND KINE ttached ch WELLS: shut-	ORI OUE OOF	97 EZE, MATE no	PACKER SET (MD) ETC. ERIAL USED -6/7/97 oducing or ducing services of the control of the contr						
NT, CP C C C C C C C C C C C C C C C C C C	TUBING RECO hrono 4/2 hrono 4/1 TUBING RECO DEPTH SET (MD 6268' E, CEMENT SO LOUNT AND KINE ttached ch WELLS: shut-	OUE OORI OORI OORI OORI OORI OORI OORI OOR	97 EZZE, MATE no	PACKER SET (MD) ETC. ERIAL USED -6/7/97 oducing or ducing services of the control of the contr						
NT, CP C C C C C C C C C C C C C C C C C C	TUBING RECO hrono 4/2 hrono 4/1 TUBING RECO DEPTH SET (MD) 6268' E, CEMENT SC OUNT AND KINE ttached ch WELL'S shut- WATER - BBL. 0	OUE OORI OORI OORI OORI OORI OORI OORI OOR	97 EZZE, MATE no	PACKER SET (MD) ETC. ERIAL USED -6/7/97 oducing or ducing services of the control of the contr						

WELL COM	IPLE	TION O	R RECO	MPL	ETION	I RE	PORT	Γ /	AND	LOG*	6. IP		ALLOTTE	E OR TRIBE NAME	
1a. TYPE OF WELL		OIL WELL	GAS WELL	X	DRY 🗆	Other -					7. U	NIT AGRE			
b. TYPE OF COME											Na ⁻	tural	Butte	s Unit	
WELL X	WORK OVER	DEEP- EN	PLUG BACK		ESVR.	Other_					1		EASE NAN	ME, WELL NO.	
2. NAME OF OPERATO											NBI	J		<i>#</i> 255	
Coastal Oil &			"[C_716	COL	BUUL	715	M				9. Al	PI WELL N	0.		
P.O. Box 749,			201-071915	اس	<u>ch</u> ∧		W = W = W	(30	03) 57	3-4455		-047-3			
4. LOCATION OF WELL At Surface 642' FSL & 123	35' FWL	,	ly and it accorda	JUL				-			Nat	tural	Butte	RWILDCAT S Field	
At top prod. interval	l reported b	elow					2410				11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA				
At total depth			DIV. O	FQIL	GAS &	M	NING	re is	SUED			ction DUNTY OR		S-R21E 13. state	
			L			2006			2/97		P/	arish	•		
15. DATE SPUDDED	16. DATI	E T.D. REACHI	ED 17. DATE		3-047-32 Ready to prod					F, RKB, RT,	GR. ETC		10 FT	Utah EV. CASINGHEAD	
3/31/97	6/8			••			.5' GR			·· ·	IV. DEGIT CROSSOSIES				
20. TOTAL DEPTH, MD 6	& TVD	21. PLUG, BA	ACK T.D., MD & T	VD 2	2. IF MULTIF		APL.,			ERVALS LLED BY	RO	OTARY TO	OLS	CABLE TOOLS	
24. PRODUCING INTERV	AL(S), OF T	HIS COMPLET	ION - TOP, BOTTO	M, NAME	(MD AND TV	D)*							25.	WAS DIRECTIONAL SURVEY MADE	
Wasatch, 5582-			5819-20',	5831-	32', 59	78-79	9', 6268	3-6	69 <i>'</i>				r	Single Shot	
26. TYPE ELECTRIC AND HALS/LDT/CNL/			/GR A2 11	רו אור	ta L	LAT	EROL	(26	VaR.	5-0	(-9·	27. WAS WELL COR			
28.					ORD (Repo			_							
CASING SIZE/GRADE		IGHT, LB./FT.	DEPTH SET	(MD)		LE SIZE		Ļ		CEMENT,				AMOUNT PULLED	
3-5/8", K-55	24#	. 11	255'		11"			$\overline{}$			chrono4/2/97			<u> </u>	
1-1/2", N-80	11.6)# <u> </u>	6900'		7-7/8"			130	ee att	ached	cnron	04/	9/9/		
	- 			 	 	-		╁╴		· · · · · · ·				 	
29.		LIN	VER RECORD						30		TUBI	NG REC	ORD		
SIZE	TOP (M	D) B	OTTOM (MD)	SACKS	CEMENT*	sc	REEN (MD)		SIZ		DEPT	H SET (MI))	PACKER SET (MD)	
									2-3/	/8"	6	268'			
41. PRINCON INVOLVENCE	nn (T (
31. PERFORATION RECOI	•		•	2, 20	70,70,	32. DI	PTH INTERV			FRACTU				, ETC. ERIAL USED	
					•		82'-626							-6/7/97	
6268-69' 3	0-3/6	esg gun,	1 Sp1, 12	nores	•										
					DD OD HOUSE	<u> </u>				_L					
33.* DATE FIRST PRODUCTION	v	PRODUCTIO	ON METHOD (Flow		PRODUCTI		nd type of n	,,,,,,,,,,	.)			WELLS	TATUS (P	roducing or	
6/8/97	,	Flowing	•				————		, 		·	shut		oducing	
6/25/97	HOURS TI	ESTED	17/64"		'N. FOR PERIOD	OIT-	BBL.		GAS - MC 419	F.	0 WATE	ER - BBL,	G	AS - OIL RATIO	
LOW. TUBING PRESS. CASING PRESSURE CAL 380#		CALCULATED 24-HOUR RATE	CULATED OIL - BBL.			GAS - MCF. 419			WATER - BBL		L. OIL GRAV		TTY - API (CORR.)		
34. disposition of gas Sold	(Sold, used	for fuel, vent	ed, etc.)								TEST V	VITNESSE	D BY		
35. LIST OF ATTACHMEN															
Chronological 36. Thereby certify that the fo			ion is complete and a	OFFeet no de	termined from	11 avail-1	ale seconde			 ,			-		
20. I helety centry that the fo	negoing and a	. Z	Ion is complete and d		She	ila	Bremer								
SIGNED	pula	<0/2	mer		TITLE Env	iron	mental :	<u>& S</u>	Safety	Analy	st	DAT	_E _7/3	0/97	

		TRUE VERT. DEPTH				•		
GEOLOGIC MARKERS	dOT.	MEAS, DEPTH	4944.		MINISTER STATE OF THE STATE OF			
38. GEOLC		NAME	Wasatch		DIV. OF OIL, GAS & MINING			
recoveries):	DESCRIPTION, CONTENTS, ETC.							
used, time tool open, f	ă							
	BOTTOM							
	TOP							
recoveries):	FORMATION							

Today's Date:

7/2/97

WELL CHRONOLOGICAL REPORT

WELL NAME: NBU #255

FIELD NAME: NATURAL BUTTES

COUNTY:

UINTAH

AFE#:

26981

OPERATOR: COASTAL OIL & GAS CORP.

SPUD DATE:

WI%:

DATE: 4/2/97

DEPTH:

255

ACTIVITY AT REPORT TIME: WORT

HOURS:

0.00

PROGRESS:

O ff

MW:

0.0

DAILY COST: \$12,220.60

CUMM COST:

\$12,220.60

ACTIVITY LAST 24 HOURS:

3/31/97 RU BILL MARTIN JR (AIR RIG) & DRILL TO 255' W/11" BIT. 4/1/97 RAN 6 JTS 8 5/8" 24# K55 CSG W/HOWCO SHOE. TOTAL 253.10'. CMT W/HALLIBURTON. PMPD 20 BBLS GEL WTR AHEAD OF 85 SX TYPE V W/2% CACL2. WT 15.6, Y 1.18. DROP PLUG & DISPL W/13.5 BBLS WTR +/- 3.5 BBLS CMT TO PIT. SPUD 10:30 AM 3/31/97.

DATE: 4/9/97

DEPTH:

270

ACTIVITY AT REPORT TIME: PU BHA

HOURS:

0.00

PROGRESS:

0 ft

MW:

0.0 **DAILY COST:** \$38,002.80 **CUMM COST:**

\$50,223.40

** ACTIVITY LAST **24 HOURS:**

MI & RU RT PRESS TEST BOP'S TO 2000, HYDRIL TO 1500. 8 5/8" CSG TO 1500. WITNESSED BY CAROL KUBLEY W/BLM

DATE: 4/10/97

DEPTH:

1415

ACTIVITY AT REPORT TIME: DRLG

HOURS:

16.00

PROGRESS:

1145 ft

MW:

0.0

DAILY COST: \$26,193.20

CUMM COST:

\$76,416.60

ACTIVITY LAST 24 HOURS:

PU BHA. TAG CMT @ 230' INSTALL ROT HEAD & UNLOAD HOLE DRILL CMT & SHOE TO 270' DRLG 270-384' SURVEY @ 324' 0 DEGS DRLG 384-890' SURVEY @ 830' 3/4 DEGS DRLG 890-1199' TRIP FOR PLUGGED BIT DRLG 1190-1415'

WELL CHRONOLOGICAL REPORT **WELL NAME: NBU #255** FIELD NAME: NATURAL BUTTES UINTAH COUNTY: AFE#: 26981 OPERATOR: COASTAL OIL & GAS CORP. SPUD DATE: WI%: **DATE: 4/11/97 DEPTH:** 3000 **ACTIVITY AT REPORT TIME: DRLG HOURS:** 22.00 PROGRESS: 1585 ft MW: 8.3 **DAILY COST:** \$29,470.30 **CUMM COST:** \$105,886.90 **ACTIVITY LAST** SURVEY @ 1365' 3/4 DEGS DRLG 1415-1943' SURVEY @ 1883' 1 DEG RS DRLG 1943-2443' SURVEY @ 2383' DRLG 2443-3000' 24 HOURS: DATE: 4/12/97 **DEPTH:** 4007 **ACTIVITY AT REPORT TIME: TIH W/BIT #2** HOURS: **PROGRESS:** 4007 ft 13.50 MW: DAILY COST: 8.5 \$24,284.70 **CUMM COST:** \$130,171.60 **ACTIVITY LAST** SURVEY@ 2943' 1 1/4 DEGS DRLG 3000-3508' SHORT TRIP F/STRING FLOAT SURVEY @ 3440' 1 DEG RS DRLG 3508-4007' SHORT TRIP F/STRING FLOAT REPOSITION KELLY HOSE SURVEY @ 3947' 1 DEG TRY TO UNPLUG BIT POOH CHANGE BIT & RIG SERVICE TIH W/BIT #2 24 HOURS: **DATE: 4/13/97** DEPTH: 5009 **ACTIVITY AT REPORT TIME: RIG SERVICE PROGRESS: HOURS:** 19.00 1002 ft MW: **DAILY COST:** \$18,963.00

8.8

CUMM COST:

\$149,134.60

ACTIVITY LAST 24 HOURS:

TIH W/BIT #2 BREAK CIRC W&R 3945-4007' 4506-5009' SURVEY @ 4949' 1 1/2 DEGS & RS

DRLG 4007-4506'

SURVEY @ 4446' 2 DEGS DRLG

Page 2

WELL CHRONOLOGICAL REPORT WELL NAME: NBU #255 FIELD NAME: NATURAL BUTTES COUNTY: UINTAH 26981 AFE#: OPERATOR: COASTAL OIL & GAS CORP. SPUD DATE: WI%: **DATE: 4/14/97 DEPTH:** 6003 **ACTIVITY AT REPORT TIME: DRLG** HOURS: PROGRESS: 994 ft 23.00 MW: 8.7 **DAILY COST:** \$20,414.70 **CUMM COST:** \$169,549.30 **ACTIVITY LAST** DRLG 5007-5508' SURVEY 5448' 1 1/4 DEGS RS DRLG 5508-6003' DB: 4632-44', 4649-79', 4913-**24 HOURS:** 30', 5098-104', 5322-29', 5808-70', 5880-908' **DATE: 4/15/97** DEPTH: 6730 **ACTIVITY AT REPORT TIME: DRLG HOURS: PROGRESS:** 727 ft 22.00 MW: 8.8 **DAILY COST:** \$16,669.60 **CUMM COST:** \$186,218.90 **ACTIVITY LAST** SURVEY @ 5943' 1 DEG DEGS DRLG 6505-6730' 74', 6595-600', 6640-51' DRLG 6003-6455' UNLOAD HOLE DRLG 6455-6505' SURVEY @ 6445' 3/4 DB: 5808-70', 5880-908', 6020-25', 6250-70', 6320-30', 6380-85', 6395-401', 6563-SURVEY @ 6445' 3/4 **24 HOURS: DATE: 4/16/97 DEPTH:** 6900 **ACTIVITY AT REPORT TIME: POOH HOURS:** PROGRESS: 170 ft 6.50

MW:

8.9

DAILY COST:

CUMM COST:

\$195,476.50

ACTIVITY LAST 24 HOURS:

DRLG 6730-6900' CIRC SHORT TRIP TO 4500' TIH. BRIDGE @ 5500' & 5800' W&R 6750-6900', 100' FILL CIRC. PACKED OFF & TIGHT ON BTM WORK TIGHT HOLE 6900-6800' WASH 100' TO BTM & CIRC POOH TO LOG. SLM

\$9,257.60

WELL CHRONOLOGICAL REPORT WELL NAME: NBU #255 FIELD NAME: NATURAL BUTTES COUNTY: **UINTAH** AFE#: 26981 **OPERATOR:** COASTAL OIL & GAS CORP. SPUD DATE: WI%: **DATE: 4/17/97** DEPTH: 6900 **ACTIVITY AT REPORT TIME: CIRC & COND F/LOGS HOURS:** 0.00 PROGRESS: 0 ft MW: 9.7 DAILY COST: \$9,015.00 **CUMM COST:** \$204,491.50 F/LOGS LOGGING W/SCHLUMBERGER PLATFORM EXPRESS F/6000' HOLE TIGHT @ 6050' TIH 0' BROKE CIRC & MUD UP 10# BRINE WTR TO 32 VIS TIH TO 5500' BROKE CIRC & MIX SEA TIH & W&R BRIDGES @ 5650', 5970', 6168', 6220', 6550' & 6650-6900' CIRC & COND **ACTIVITY LAST** POOH F/LOGS 24 HOURS: TO 4500' **DATE: 4/18/97** DEPTH: 6900 **ACTIVITY AT REPORT TIME: LD DRILL STRING** HOURS: 0.00 PROGRESS: Oft. MW: 9.7 **DAILY COST:** \$22,814.00 **CUMM COST:** \$227,305.50 **ACTIVITY LAST** CIRC & SPOT 65 VIS PILL ON BTM POOH TRY TO LOG W/SCHLUMBERGER. SET DWN @ 5215' (NO LOGS) TIH TO 6900° - 3' FILL CIRC LD 4 1/2" DP & 6" DC **24 HOURS:**

DATE: 4/19/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: RDRT

HOURS:

0.00

PROGRESS:

O ft

MW:

0.0

DAILY COST: \$107,693.60

CUMM COST:

\$334,999.10

ACTIVITY LAST 24 HOURS:

RU T&M CASERS & RAN 161 JTS 4 1/2" 11.6# N80 W/GEMACO FLOAT EQUIP (1 SHOE JT). TOTAL STRING 6903.68' - 30 CENT. 1 ON EVERY OTHER JT. CIRC & COND. WASH 10' TO BTM CMT W/DOWELL. PMPD 10 BBL GEL WTR, 80 BBL WTR + 1/1000 F75N. LEAD 570 SXS HI LIFT "G" W/6% D26, 2% D79, .75% D112, .2% D46, 5% D44, .2% B71, .2% D65. WT 12 PPG, Y 2.66, 270 BBLS. TAIL 912 SXS SELFSTRESS "G" W/10% D53, .75% B14, .25% D65, .2% D46. WT 14.5, Y 1.53, 249 BBLS. DROP PLUG & DISPL W/15 BBL ACETIC ACID & 91 BBLS WTR + 1/1000 F75N, L64 & 2% KCL. HAD RET TILL 1/2 THRU DISP. PLUG BUMPED, FLOATS HELD. PIPE RECP 10'. JOB COMP @ 14:50 SET 4 1/2" SLIPS W/74,000. ND CLEAN MUD TANKS RIG RELEASED @ 19:00 4/18/97

Page 4

PERC'		WELL	CHRONOLO	GICAL REI	PORT	<u> </u>
WELL NAME: NBU			FIELD NAME: NAT		COUNTY:	UINTAH
AFE#: 2698 WI%:			OPERATOR: COA	ASTAL OIL & GA	S CORP. SPUD DA	TE:
DATE: 4/22/97	DEPTH:	6900	ACTIVITY AT R	EPORT TIME: C	LEANING UP LOCATIO	N
	HOURS:	0.00	PROGRESS:	0 ft	, -	
	MVV:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$334,999.10
ACTIVITY LAST 24 HOURS:	APRIL 22ND THR	OUGH APRIL 23	RD - CLEANING UP	LOCATION		
			·			·
DATE: 4/24/97	DEPTH:	6900	ACTIVITY AT R	EPORT TIME: S	ETTING SURFACE FAC	ILITIES
	HOURS:	0.00	PROGRESS:	0 ft		•
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$334,999.10
ACTIVITY LAST 24 HOURS:	APRIL 24TH THRO	OUGH JUNE 4TH	ICONTINUING SI	ETTING SURFAC	CE FACILITIES	
	÷	4.				
		·				
DATE: 6/5/97	DEPTH:	6900	ACTIVITY AT R	EPORT TIME: P	REP TO PERF	
	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$3,168.00	CUMM COST:	\$338,167.10
ACTIVITY LAST 24 HOURS:	MIRU COLORADO FLOOR & PU TON	WELL SERVICE	E (CWS) RIG #70.	ND WH. NU BOI	P. TEST CSG TO 5000	PSI-OK. RU

WELL CHRONOLOGICAL REPORT **WELL NAME: NBU #255** FIELD NAME: NATURAL BUTTES COUNTY: **UINTAH** AFF#: 26981 **OPERATOR:** COASTAL OIL & GAS CORP. SPUD DATE: WI%: **DATE: 6/6/97 DEPTH:** 6900 ACTIVITY AT REPORT TIME: PREP TO BREAK DOWN W/ ACID PROGRESS: **HOURS:** 0.00 O ft MW: 0.0 DAILY COST: \$4,641.00 **CUMM COST:** \$342,808.10 **ACTIVITY LAST** MIRU SCHLUMBERGER CORRELATE PERF @ 5582'-83' - 88'-89', 5819'-20' - 31'-32' - 5978'-79', 6268'-69'. NO PRESSURE BEFORE OR AFTER ANY SHOT. STRAP & PU 2-3/8" J-55 TO 6268'. SDFN 24 HOURS: **DATE: 6/7/97** DEPTH: 6900 **ACTIVITY AT REPORT TIME: PROGRESS:** 0 ft **HOURS:** 0.00 MW: **DAILY COST:** \$22,511.00 0.0 **CUMM COST:** \$365,319.10 SITP 50 PSI, SICP 100 PSI. RU DOWELL - HELD SAFETY MEETING. TEST LINES TO 5960 PSI, SPOT ACID ACROSS PERFS. PULL 24 JTS, LAND @ 5543' W/ NC 1 JT, SN, 177 JTS, BLAST SUB HANGER. ND BOP. NU WH. BREAK DOWN PERFS W/ 900 GALS 15% HCL W/ADDITIVES + 18 - 1.3 PPG BALL SEALERS. AVG RATE 4200 PSI @ 6 BPM, MAX PRESS 5800 PSI. GOT GOOD BALL ACTION, NEVER DID BALL CLEAR OFF SURGE BALLS. RE-ESTABLISH INJECTION RATE 4800 PSI @ 8 BPM. ISIP 1000 PSI, 5/10/15 = 851/790/715 PSI. RD DOWELL & COLORADO WELL SERVICE RIG. MI SWAB RIG, IFL @ SURFACE. MADE 5 RUNS, REC 55 BBLS - WELL KICKED OFF. WELL FLOWING 10 BPH @ 7 PM, TRY 18" CHK. KILL WELL, LEFT FLOWING ON 28" CHK, FTP 80 PSI, FCP 300 PSI. 190 BBLS TLTR, REC 70 BLW, 120 BLWTR. **ACTIVITY LAST** 24 HOURS:

DATE: 6/8/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: ON PRODUCTION

HOURS:

0.00

PROGRESS:

0 ft

MW:

0.0

DAILY COST:

\$0.00

CUMM COST: \$365.319.10

ACTIVITY LAST 24 HOURS:

FLWG ON 20/64" CHK, FTP 110 PSI, 390 PSI, LIGHT MIST (15 BBLS).

PERC		WELL	CHRONOLOG	ICAL REP	PORT		
WELL NAME: NBU AFE#: 2698 WI%:					COUNTY: CORP. SPUD DAT		
DATE: 6/9/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME: WI	ELL FLOWING		
	HOURS:	0.00	PROGRESS:	0 ft			
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$365,319.10	
ACTIVITY LAST 24 HOURS:	FLWG ON 20/64"	CHK, FTP 115 P	SI, 260 PSI, LIGHT M	IIST (8 BBLS).			
DATE: 6/10/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME: ON	PRODUCTION		
	HOURS:	0.00	PROGRESS:	0 ft			
	MVV:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$365,319.10	
ACTIVITY LAST 24 HOURS:	FLWG 0 MCF, 3 B	C, FTP 100 PSI,	CP 315 PSI ON 20/6	4" CHK.			
	. .						
DATE: 6/11/97	DEPTH:	6900	ACTIVITY AT REI	PORT TIME: ON	PRODUCTION		
	HOURS:	0.00	PROGRESS:	0 ft			
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$365,319.10	
ACTIVITY LAST 24 HOURS:	FLWG 180 MCF, 5	BC, FTP 100 PS	61, CP 300 PSI ON 20	/64" CHK P	LAN TO FRAC FRIDAY.		

WELL CHRONOLOGICAL REPORT WELL NAME: NBU #255 FIELD NAME: NATURAL BUTTES COUNTY: 26981 OPERATOR: COASTAL OIL & GAS CORP. AFE#: SPUD DATE: WI%: **DATE: 6/12/97** DEPTH: 6900 **ACTIVITY AT REPORT TIME: WO FRAC** HOURS: PROGRESS: 0 ft 0.00 MW: 0.0 DAILY COST: \$0.00 **CUMM COST:** ACTIVITY LAST 24 HOURS: FROM 06/12/97 THROUGH 06/13/97 WAITING FOR FRAC

DATE: 6/14/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: TRY TO FLOW BACK

HOURS:

0.00

PROGRESS:

0 ft

MW:

0.0

DAILY COST: \$74,350.00

CUMM COST:

\$439,669.10

UINTAH

\$365,319.10

ACTIVITY LAST 24 HOURS:

SET TANKS AND HAUL WTR. RU DOWELL & FRAC PERFS 5582'-6204', 12 HOLES W/ 196,366# 20/40 SD, 1948 BBLS GEL & 95 TONS OF CO2, ARO 22 BPM @ 4200 PSI, MAX PRESS 4630 PSI, REVERSE SAND OUT OF CSG. SI FOR 3 HRS, CO 18/64" DIED IN 2 HRS, RU SWAB, IFL 900'. PULL APPROX 10 BBLS, VERY SANDY, COULDN'T GET BELOW 1200', NO FLOW ALL NIGHT. 1054 BLWTR, REC 10 BLW, 1044 BLLTR.

WELL CHRONOLOGICAL REPORT

WELL NAME: NBU #255

FIELD NAME: NATURAL BUTTES

COUNTY:

UINTAH

AFE#:

26981

OPERATOR: COASTAL OIL & GAS CORP.

SPUD DATE:

WI%:

DATE: 6/15/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: PU & RIH W/TBG. CO TO PBTD.

HOURS:

PROGRESS: 0.00

O ff

MW:

0.0

DAILY COST:

\$6,496.00

CUMM COST:

\$446,165.10

ACTIVITY LAST 24 HOURS:

.....THIS DAY'S REPORT IS TWO PAGES.....ROAD RIG FROM NBU #223 TO NBU #255. MIRU & PU. SICP 0 PSI, FTP 0 PSI. ND WH. NU BOPS W/HYDRIL & SH. RU FLOOR. PU & LD HANGER & BLAST JT. PMP 10 BBLS DN TBG, PRESS UP 1200 PSI & BREAK CIRC & CIRC HOLE W/3% H20. CIRC OUT GEL WTR & SD. RU SWIVEL & BREAK CIRC W/ AIR-FOAM @ 5541'. CO FROM 5541' TO 5666'. WELL UNLOAD SD, WTR & CO2. RD SWIVEL. POOH TO FLOAT, EOT @ 5533'. INSTALL TIW VLV & CLOSE RAMS. LOCK IN. LEAVE WELL FLOWING TO PIT ON 14/64" CHK. PMP 200 BLWTR, REC 300 BLW, 744 BLLTR TIME..CP. TP.CHK. BWPH. SD. 6:00. 400. 0. 14. 4. L. 7:00. 750. 0. 14. 5. L. 8:00. 720. 0. 14. 5. M

. 9:00. .720. .0. .14. .5. .M 10:00. .720. .0. .14. .8. .L 11:00. .675. .0. .14. .8. .L

12:00A.658.0. 14.8.L 1:00.600.0.14.8.NON 2:00.600.0.14.8.NON 3:00.550.0.14.8.T

. 4:00. .550. .0. .14. .8. . 5:00. .575. .0. .14. .8. . 6:00. .600. .0. .14. .8.

GAS RATE 600 MCF, PMPD 744 BLWTR, REC 90 BLW, 654 BLLTR

DATE: 6/16/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: WELL FLOWING TO PIT

HOURS:

0.00

PROGRESS:

O ft

MW:

0.0

DAILY COST:

\$1,538.00

CUMM COST:

\$447,703.10

ACTIVITY LAST 24 HOURS:

SICP 600 PSI. FLOWING ON 16/64" CHK, SITP 0 PSI. BLOW WELL DN. PU HANGER & BLAST JT. LAND TBG W/ 178 JTS 2-3/8" 4.7 J55 W/ NC & SN, EOT @ 5543' & SN @ 5510'. RD FLOOR & ND BOPS W/HYDRIL & SH. NU WH & FLOW WELL TO PIT ON 20/64" CHK @ 9:00 AM. RDMO & PU. PMPD 0 BLWTR, REC 63

BLW, 591 BLLTR.
TIME. .CP. .TP.CHK. BWPH. SD . 9:00. .475. .375. .18. .5. .HI
11:30A.475. .375. .18. .5. .HVY .3:00. .425. .350. .18. .5. .HVY

. 5:30. .375. .300. .18. .5. .HVY GAS RATE 450 MCF, 5 BW, FTP 300 PSI, CP 375 PSI ON 18/64" CHK. 591 BLLTR

PERC		WELL	CHRONOLOG	ICAL REP	ORT	
WELL NAME: NBU	#255		FIELD NAME: NATU	RAL BUTTES	COUNTY:	UINTAH
AFE#: 2698	1	•	OPERATOR: COAS	STAL OIL & GAS	CORP. SPUD DAT	E:
W1%:						
DATE: 6/17/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME: WE	ELL FLOWING TO PIT	
	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	TIMECPTP.CHI . 8:00P. 350325 . 9:30A325250. 11:00P. 300250 12:00P. 325250 . 2:00P300250 . 4:30P325250. GAS RATE 400 MC	205M .205M 205L-M 205L-M .205L-M .205L-M	85 PSI, CP 350 PSI,	466 BLLTR 		
DATE: 6/18/97	DEPTH:	6900	ACTIVITY AT REI	PORT TIME: FL	OW BACK REPORT	
	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	TIMECPTP.CHI .4:30P. 300360 .6:30P. 300250 .8:30A300250 10:30P. 300250 12:30P. 300250 .2:30P. 300250 .4:30P300250 .6:30P300250 GAS RATE 400 MC BLLTR	203L 203 .L .203. L 203L 203L 205T .203T	50 PSI, CP 300 PSI,	ON 20/64" CHK.	PMPD 466 BLWTR, RE	EC 72 BLW, 394
DATE: 6/19/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME: PL	ACED ON SALES @ 11:	45 AM.
	HOURS:	0.00	PROGRESS:	0 ft		
	58147.	. 0.0	DAIL V. COCT.	#A AA	OLUMN COST	M447 700 40

ACTIVITY LAST 24 HOURS:

FLWG 380 MCF, 3 BW, FTP 700 PSI, CP 700 PSI ON 12/64" CHK, 322 BLLTR. PLACED ON SALES @ 11:45 AM

PERC		WELL	CHRONOLOG	SICAL REP	PORT	
WELL NAME: NBU AFE#: 2698 WI%:			FIELD NAME: NATU OPERATOR: COAS		COUNTY:	UINTAH [E:
DATE: 6/20/97	DEPTH: HOURS:	6900	PROGRESS:	0 ft	N 6 HRS - FIRE OUT ON	DEHYDRATOR.
ACTIVITY LAST 24 HOURS:	MW: FLWG 226 MCF, 0 I DEHYDRATOR.	0.0 3W, FTP 800 P	DAILY COST: SI, CP 775 PSI ON 1	\$0.00 5/64" CHK, 322	CUMM COST: BLLTR. DOWN 6 HRS	\$447,703.10 FIRE OUT ON
		- - _! -				
DATE: 6/21/97	DEPTH:	6900	ACTIVITY AT REI	PORT TIME:		
	HOURS:	0.00	PROGRESS:	O ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 228 MCF, 3 E	3W, FTP 850 P	SI, CP 850 PSI ON 16	5/64" CHK.		
DATE: 6/22/97	DEPTH:	6900	ACTIVITY AT REP	PORT TIME:		
	HOURS:	0.00	PROGRESS:	O ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 261 MCF, 2 E	BW, FTP 1200 F	PSI, CP 1100 PSI ON	16/64" CHK.		

PERC		WELL	CHRONOLOG	SICAL REF	PORT	
WELL NAME: NBU	#255	······································	FIELD NAME: NATU	JRAL BUTTES	COUNTY:	UINTAH
AFE#: 2698	1		OPERATOR: COA	STAL OIL & GAS	S CORP. SPUD DAT	Œ:
WI%:		· · · · · · · · · · · · · · · · · · ·				
DATE: 6/23/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME: O	N PRODUCTION	
	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 256 MCF, C) BW, FTP 950 P	SI, CP 950 PSI ON 1	6/64" CHK.		
			•			
		·	·			
DATE: 6/24/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME: O	N PRODUCTION	
	HOURS:	0.00	PROGRESS:	O ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 361 MCF, 1	BW, FTP 675 P	SI, CP 680 PSI ON 1	7/64" CHK.		
DATE: 6/25/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME: OI	N PRODUCTION	
	HOURS:	0.00	PROGRESS:	n o		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 419 MCF, 0	BW, FTP 360 P	SI, CP 380 PSI ON 1	7/64" CHK.		

PERC		WELL	CHRONOLOG	SICAL REP	ORT	
WELL NAME: NBU	#255		FIELD NAME: NATU	RAL BUTTES	COUNTY:	UINTAH
AFE#: 2698	1		OPERATOR: COAS	STAL OIL & GAS	CORP. SPUD DAT	E:
WI%:	·					
DATE: 6/26/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME: ON	N PRODUCTION	
	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 414 MCF, 0 B	W, FTP 340 P	SI, CP 360 PSI ON 1	7/64" CHK.		
DATE: 6/27/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME: PR	RODUCING	
	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 398 MCF, 23 I	BW, FTP 310 F	PSI, CP 335 PSI ON	17/64" CHK, 679	9 BLLTR.	
DATE: 6/28/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME: ON	PRODUCTION	
· · · · · · · · · · · · · · · · · · ·	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 382 MCF, 10 I	BW, FTP 275 F	PSI, CP 310 PSI ON	17/64" CHK.		

WELL CHRONOLOGICAL REPORT FIELD NAME: NATURAL BUTTES COUNTY: UINTAH WELL NAME: NBU #255 OPERATOR: COASTAL OIL & GAS CORP. SPUD DATE: AFE#: 26981 WI%: DEPTH: **ACTIVITY AT REPORT TIME: ON PRODUCTION DATE: 6/29/97** 6900 HOURS: 0.00 PROGRESS: 0 ft MW: DAILY COST: \$0.00 **CUMM COST:** \$447,703.10 0.0 ACTIVITY LAST 24 HOURS: FLWG 374 MCF, 0 BW, FTP 280 PSI, CP 305 PSI ON 17/64" CHK. **DATE: 6/30/97** DEPTH: 6900 **ACTIVITY AT REPORT TIME: ON PRODUCTION PROGRESS:** 0 ft HOURS: 0.00 \$447,703.10 MW: **DAILY COST:** \$0.00 **CUMM COST:** 0.0 FLWG 369 MCF, 6 BW, FTP 280 PSI, CP 305 PSI ON 17/64" CHK. PRIOR PRODUCTION: FLWD 374 MCF, 0 BW, FTP 280 PSI, CP 305 PSI ON 17/64" CHK. FINAL REPORT. **ACTIVITY LAST**

24 HOURS:

Form 3160-5 (June 1990)

TED STATES **BUREAU OF LAND MANAGEMENT**

43-047-328	06			
FORM APPROVED				

Budget Bureau No. 1004-0135

-				
Evniree	March	31	1003	

Expires:	March 31, 1993	

5.	Lease	Designation	and	Serial No.	
1					

	See	attached	spreadsheet

SUNDKT NOTICES AND		See attached spreadsheet
Do not use this form for proposals to drill or t	6. If Indian, Alottee or Tribe Name	
Use "APPLICATION FOR	PERMIT" - for such proposals	·
		See attached spreadsheet
	CATE TO BE SEEN THE	7. If Unit or CA, Agreement Designation
CUDAITIA		
SUBMIT IN T		Natural Buttes Unit
1. Type of Well	TOUR NOT US TO	8. Well Name and No.
Oil Well X Gas Well Other	1881 - Balling	See attached spreadsheet
2. Name of Operator	LOCAL GAD S	9. API Well No.
Coastal Oil & Gas Corporation	DIV. OF OIL GAD B	See attached spreadsheet
3. Address and Telephone No.	Carl Hart Land Line State Comments	10. Field and Pool, Or Exploratory Area
P. O. D 740. D	(202) 572 4476	
P. O. Box 749, Denver, CO 80201-0749 4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)	(303) 573-4476	Natural Buttes
		11. County or Parish, State
See attached spreadsheet		
		Uintah County, Utah
2. CHECK APPROPRIATE BOX(S) TO	O INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF AC	~
Notice of Intent	Abandonment	Change of Plans
	Recompletion	
X Subsequent Report	· ·	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
[]	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	Other	X Dispose Water
	_	(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
13. Describe Proposed or Completed Operations (Clearly state all pe	artinent details, and give pertinent dates, including estimated date	e of starting any proposed work. If well is directionally
drilled, give subsurface locations and measured and true vertical de	epths for all markets and zones pertinent to this work.)*	•
		•
The Operator requests approved to approve and to	and water into tanks on the listed leasting.	and deep description of the
The Operator requests approval to empty produ		
then be transported by truck to the underground	. IIIICUIUII WEII NBU #139. IOCATEG AT NE/SW Se	COOD 15. TYN-RZIE for

disposal. Furthermore, the Operator requests approval for the presence of small unlined pits, approximate dimensions of 7' x 7' x 4' deep, to be located immediately adjacent to the stock tanks on the listed locations. The small pits may be necessary to drain off water from the stock tanks at the time of condensate sales. The water will be emptied from the small pit and trucked to the NBU #159 disposal well. The volume of water to be disposed of at each facility will not exceed an average of 5 barrels per day on a monthly basis, in conformance with the requirements of Onshore Order #7.

The listed locations include all wells listed in a Request to Dispose Water sundry dated 10/11/96, as well as all wells drilled to date in the Operator's 1997 drilling program in the Natural Buttes field.

> Accepted by the State of Utah Division of Oil, Gas and Mining Senior Environmental Analyst

303-670-3077 14. I hereby certify that the foregoing is true and correct

Bonnie Carson (This space for Federal or State office use)

APPROVED BY Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person department or agency of the United States any false, ficticious or fraudulent statements or representations as to any matter within its jurisdiction.

Wel	ll Name & No.	API No.	Lease Designation	If Indian,	Footages	Qtr/Qtr	Section	Township	Range	Field	County
			& Serial Number	Allottee or		X == X ==	555000	1041151115	runge	110/4	County
				Tribe Name		1			· · · · · · · · · · · · · · · · · · ·		
' CIGE #	105D-1-10-22E	43-047-31758	U-011336	N/A	842' FNL & 2095' FWL	NENW	1	10	22	Natural Buttes	Uintah
· CIGE #1	114-34-9-21	43-047-31915	ST U-01194-A	N/A .	1931' FSL & 535' FEL	NESE	34	9	. 21	Natural Buttes	Uintah
CIGE#	118-35-9-22	43-047-32025	U-010954-A	N/A	2116' FSL & 615' FEL	NESE	35	9	22	Natural Buttes	Uintah
· CIGE #	124-9-9-21	43-047-32045	U-01188	Ute Tribe Surface	1854' FSL & 1819' FEL	NWSE	9	9	21	Natural Buttes	Uintah
· CIGE #1	129-18-9-21	43-047-32043	U-0581	Ute Tribe Surface	928' FNL & 1837' FWL	NENW	18	9	21	Natural Buttes	Uintah
· CIGE #	130-19-9-21	43-047-32030	U-0581	Ute Tribe Surface	772' FNL & 714' FEL	NENE	19	9	21	Natural Buttes	Uintah
· CIGE #1	140-16-10-21	43-047-31977	ST ML-10755	N/A	380' FNL & 591' FEL	NENE	16	10	21	Natural Buttes	Uintah
	144-2-10-22	43-047-32022	ST ML-22651	N/A	1501' FNL & 1719' FEL	SWNE	2	10	22	Natural Buttes	Uintah
	149-8-10-21	43-047-32056	U-01791	N/A	833' FNL & 2011' FEL	NWNE	8	10	21	Natural Buttes	Uintah
CIGE #1	161-2-10-22	43-047-32168	ST ML-22651	N/A	297' FSL & 1033' FEL	SESE	2	10	22	Natural Buttes	Uintah
· CIGE #1	164-34-9-22	43-047-32353	U-0149077	N/A	660' FNL & 1739' FWL	NENW	34	9	22	Natural Buttes	Uintah
	178-5-10-22	43-047-32330	U-01195	N/A	926' FWL & 685' FNL	NWNW	5	10	22	Natural Buttes	Uintah
· CIGE #1	180-16-9-21	43-047-32478	ST ML-3141	N/A	333' FSL & 2557' FWL	SESW	16	9	21	Natural Buttes	Uintah
CIGE #1	183-20-9-21	43-047-32656	U-0575	Ute Tribe Surface	1725' FSL & 2386' FEL	SWSE	20	9	21	Natural Buttes	Uintah
	187-13-10-20	43-047-32607	U-4485	N/A	900' FNL & 2200' FWL	NENW	13	10	20	Natural Buttes	Uintah
· CIGE #1	189-29-9-22	43-047-32863	USA U-462	N/A	1574' FNL & 720' FWL	SWNW	29	9	22	Natural Buttes	Uintah
	194-1-10-22	43-047-32932	USA U-011336	N/A	2017' FNL & 61' FWL	SWNW	1	10	22	Natural Buttes	Uintah
	197-7-9-21	43-07-32798	U-0149747	N/A	854' FNL & 2178' FEL	NWNE	7	9	21	Natural Buttes	Uintah
	198-9-9-21	43-047-32799	U-01188	Ute Tribe Surface	2502' FSL & 772' FEL	NESE	9	9	21	Natural Buttes	Uintah
	199-14-9-21	43-047-32801	U-01193	Ute Tribe Surface	959' FNL & 1760' FWL	NENW	14	9	21	Natural Buttes	Uintah
		43-047-32802	U-38409	Ute Tribe Surface	1950' FNL & 2500' FWL	SENW	16	9	21	Natural Buttes	Uintah
	201-18-9-21	43-047-32804	U-0575	Ute Tribe Surface	1814' FNL & 944' FEL	SENE	18	9	21	Natural Buttes	Uintah
	202-21-9-21	43-047-32805	U-0575	Ute Tribe Surface	785' FSL & 471' FEL	SESE	21	9	21	Natural Buttes	Uintah
	204-35-9-21	43-047-32794	ML-22582	N/A	2055' FNL & 1604' FEL	SWNE	35	9	21	Natural Buttes	Uintah
	205-1-10-21	43-047-32795	ML-23612	N/A	2110' FNL & 2607' FEL	SWNE	1	10	21	Natural Buttes	Uintah
	221-36-9-22	43-047-32868	ML-22650	N/A	550' FSL & 514' FEL	NESW	13	9	21	Natural Buttes	Uintah
	235-25-9-21	43-047-32858	U-01194-ST	N/A	1900' FSL & 1800' FEL	NWSE	25	9	21	Natural Buttes	Uintah
	236-34-9-21	43-047-32861	U-01194-A-ST	N/A	428' FSL & 882' FEL	SESE	34	9	21	Natural Buttes	Uintah
	23-7-10-22	43-047-30333	ST ML-23609	N/A	1573' FNL & 1024' FEL	SENE	7	10	22	Natural Buttes	Uintah
	25-34-9-22	43-047-30737	U-0149077	N/A	2037' FNL & 1608' FWL	SENW	34	9	22	Natural Buttes	Uintah
	3-32-9-22	43-047-30320	ST ML-22649	N/A	2270' FNL & 900' FEL	SENE	32	9	22	Natural Buttes	Uintah
	43-14-10-22	43-047-30491	U-01197-A-ST	N/A	1437' FWL & 1416' FNL	NW	14	10	22	Natural Buttes	Uintah
	59-21-10-21	43-047-30548	U-02278	N/A	809' FSL & 1081' FWL	SWSW	21	10	21	Natural Buttes	Uintah
		43-047-30356	U-0581	N/A	1122' FSL & 1542' FEL	SWSE	19	9	21	Natural Buttes	Uintah
	63D-29-9-22P	43-047-30949	U-462	N/A	521' FNL & 977' FWL	NWNW	29	9	22	Natural Buttes	Uintah
		43-047-30419	ST ML-22650	N/A	2090' FSL & 1852' FEL	NWSE	36	9	22	Natural Buttes	Uintah
		43-047-31729	U-01530-A-ST	N/A	548' FSL & 907' FEL	SESE	31	9	22	Natural Buttes	Uintah
		43-047-32816	ML-22265	N/A	1794' FNL & 649' FEL	SENE	36	9	21	Natural Buttes	Uintah
		43-047-32813	ML-22265	N/A	1943' FSL & 1843' FEL	NESW	36	9	21	Natural Buttes	Uintah
		43-047-32814	ML-22265	N/A	1992' FSL & 722' FEL	NESE	36	9	21	Natural Buttes	Uintah
		43-047-32817	ML-22265	N/A	540' FSL & 815' FEL	SESE	36	9	21	Natural Buttes	Uintah
	State #2-36		ST ML-22265	N/A	900' FNL & 804' FWL	NWNW	36	9	21	Natural Buttes	Uintah
		· · · · · · · · · · · · · · · · · · ·	ST ML-22265	N/A	1912' FSL & 649' FWL	NWSW	36	9	21	Natural Buttes	Uintah
			ST ML-22265	N/A	2100' FSL & 1800' FEL	NWSE	36	9	21	Natural Buttes	Uintah
			ML-22265	N/A	650' FNL & 690' FEL	NENE	36	9	21	Natural Buttes	Uintah
	State #9-36	43-047-32815	ML-22265	N/A	1894' FNL & 1978' FEL	SWNE	36	9	21	Natural Buttes	Uintah
NBU #1		43-047-32302	U-0575	N/A	1026' FSL & 1011' FWL	SWSW	17	9	21	Natural Buttes	Uintah
NBU #1		43-047-31931	U-0149077	N/A	580 FSL & 854' FEL	SESE	34	9	22	Natural Buttes	Uintah
NBU #1			U-5077-B		1700' FNL & 660' FEL	SENE	22	9	20	Natural Buttes	Uintah
NBU #1	12	43-047-30119	U-461	N/A	1563' FSL & 2328' FEL	NWSE	18	9	22	Natural Buttes	Uintah

NBU #121	43-047-32086	UTU-01193	Ute Tribe Surface	819' FNL & 2163' FEL	NWNE	13	9	21	Natural Buttes	Uinta
NBU #123	43-047-31974	U-01188	N/A	827' FNL & 916' FWL	NWNW	15	9	21	Natural Buttes	Uinta
NBU #131	43-047-31966	U-0149075	Ute Tribe Surface	1699' FSL & 800' FWL	NWSW	23	9	21	Natural Buttes	Uinta
NBU #134	43-047-32011	U-0576	N/A	138' FSL & 836' FWL	swsw	28	9	21	Natural Buttes	Uinta
NBU #140	43-047-31947	U-01191-A	N/A	1031' FNL & 1879' FEL	NWNE	5	10	22	Natural Buttes	Uinta
NBU #148	43-047-31983	U-01191	N/A	279' FSL & 2127' FWL	SESW	4	10	22	Natural Buttes	Uinta
NBU #150	43-047-31992	U-01196-B	N/A	2042' FNL & 2002' FWL	SENW	9	10	22	Natural Buttes	Uinta
NBU #152	43-047-31990	U-01196-D	N/A	815' FSL & 754' FEL	SESE	9	10	22	Natural Buttes	Uinta
NBU #153	43-047-31975	ST U-01197-A	N/A	2500' FNL & 974' FWL	SWNW	11	10	22	Natural Buttes	Uinta
NBU #18	43-047-30221	U-025187	N/A	2401' FWL & 2337' FSL	SWNE	10	10	22	Natural Buttes	Uinta
NBU #180	43-047-32113	U-025187 .	N/A	843' FSL & 2075' FEL	SWSE	10	10	22	Natural Buttes	Uinta
NBU #182	43-047-32162	U-0141315	N/A	1809' FNL & 1519' FWL	SENW	11	9	21	Natural Buttes	Uinta
NBU #185	43-047-32171	U-01191-A	N/A	2132' FNL & 2126' FEL	SWNE	3	10	22	Natural Buttes	Uinta
NBU #187	43-047-32230	U-0149077	N/A	1057' FSL & 2321' FWL	SESW	34	9	22	Natural Buttes	Uinta
NBU #188	43-047-32234	U-01196-C	N/A	699' FWL & 1248' FSL	swsw	10	10	22	Natural Buttes	Uinta
NBU #189	43-047-32236	U-0149075	Ute Tribe Surface	1551' FWL & 1064' FSL	SESW	23	9	21	Natural Buttes	Uinta
YBU #198	43-047-32357	U-010950-A	N/A	2041' FEL & 2107' FSL	NWSE	22	9	21	Natural Buttes	
BU #201	43-047-32364	U-0149767	Ute Tribe Surface	2310' FNL & 500' FWL	SWNW	9	9	21		Uinta
NBU #206	43-047-32341	U-01196-C	N/A	2209' FNL & 303' FWL	SWNW	10	10	22	Natural Buttes	Uinta
NBU #207	43-047-32329	ST U-01197	N/A	912' FNL & 1685' FWL	NENW	10	10	22	Natural Buttes	Uinta
NBU #208	43-047-32343	U-01191	N/A	790' FSL & 569' FEL	SESE	4	10		Natural Buttes	Uint
NBU #210	43-047-32340	U-01196-C	N/A	1956' FSL & 2060' FWL	NESW	10	10	22	Natural Buttes	Uint
NBU #216	43-047-32487	U-010950-A	Ute Tribe Surface	1875' FSL & 1665' FWL	NESW	15	9		Natural Buttes	Uint
NBU #223	43-047-32517	U-01194-ST	N/A	514' FNL & 2174' FWL	NENW	26	9	21	Natural Buttes	Uinta
NBU #228	43-047-32636	U-0575	Ute Tribe Surface	660' FSL' & 1843' FEL	SWSE	17	9	21	Natural Buttes	Uinta
NBU #229	43-47-32594	U-01191-A	N/A	1019' FNL & 1712' FEL	NWNE	3		21	Natural Buttes	Uinta
NBU #230A	43-047-32908	U-01191-A	N/A	1849' FNL & 677' FEL	SENE		10	22	Natural Buttes	Uinta
NBU #231	43-047-32561	U-01191-A-ST	N/A	9.66' FNL & 1539' FEL	NWNE	10	10	22	Natural Buttes	Uinta
NBU #252	43-047-32800	U-0141315	Ute Tribal Surface	641' FNL & 1845' FWL	NENW	10	10	22	Natural Buttes	Uinta
NBU #254	43-047-32803	U-0575	Ute Tribal Surface	1840' FNL & 2014' FWL			9	21	Natural Buttes	Uint
NBU #255	43-047-32806	U-0575	Ute Tribal Surface	642' FSL & 1235' FWL	NESW SESW	17	9	21	Natural Buttes	Uint
NBU #256	43-047-32807	U-0147566		2213' FNL & 2312' FWL		21	9	21	Natural Buttes	Uint
NBU #257	43-047-32790	ST U-01194	N/A	1756' FNL & 2150' FWL	SENW	22	9	21	Natural Buttes	Uinta
NBU #258	43-047-32791	ST U-01194	N/A N/A		SENW	25	9	21	Natural Buttes	Uint
NBU #259	43-047-32792	ST U-01194	N/A	1880' FNL & 211' FEL	SENE	26	9	21	Natural Buttes	Uinta
NBU #263	43-047-32792	ST U-01194-A		2300' FNL & 1850' FEL	SWNE	26	9	21	Natural Buttes	Uinta
BU #265	43-047-32796	ML-13826	N/A N/A	1641' FNL & 1832' FWL	SENW	34	9	21	Natural Buttes	Uinta
BU #203	43-047-32798	ML-23608	N/A N/A	1953' FSL & 632' FEL	NESE	2	10	21	Natural Buttes	Uinta
NBU #280	43-047-32865	ML-32935-A		1963' FNL & 801' FWL	SWNW	13	10	21	Natural Buttes	Uinta
NBU #289	43-047-32910	U-01191	N/A	2596' FSL & 1459' FWL	NESW	31	9	22	Natural Buttes	Uinta
NBU #291	43-047-32911	U-1196-D	N/A	463' FSL & 2023' FWL	SESW	3	10	22	Natural Buttes	Uinta
NBU #38N2	43-047-32911		N/A	457' FNL & 570' FEL	NENE	9	10	22	Natural Buttes	Uinta
NBU #80V		U-08512-ST	N/A	1752' FWL & 1768' FSL	CSW	13	10	22	Natural Buttes	Uinta
	43-047-31240	U-0149077	N/A	2042' FSL & 984' FWL	NWSW	34	9	22	Natural Buttes	Uinta
NBU #86J	43-047-31251	U-01191-A	N/A	492' FNL & 722' FEL	NENE	3	10	22	Natural Buttes	Uinta



November 20, 1997

State of Utah Division of Oil, Gas & Mining 1594 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

Gentlemen:


Enclosed please find an amended well completion report for the NBU #255, and for the Morgan State #11-36. The footage on the NBU #255 was corrected to 2135' FWL, and the footage on the Morgan State #11-36 was corrected to 1843' FWL. If you have any questions, please feel free to contact me.

Sincerely,

Bonnie Carson

Senior Environmental Analyst

BC/jg



Form 3160-4 (July 1992)

UNITED STATES
DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB NO. 1004-0137

Expires: February 28, 1995

(See other in-

		BURE	AU (OF LAND	MANAG	EMENT					erse side)		:ASE DESI 0576	GNATION	AND SERIAL NO.
WELL COM	APLE	FION	OR	RECO	MPL	ETION	RE	PORT	A	ND I	_OG*	1		LLOTTE	OR TRIBE NAME
1a. TYPE OF WELL b. TYPE OF COMP		OIL WEI	ᄔ	GAS WELL		DKI —	Other –						or AGREE		
NEW WELL X 2. NAME OF OPERATO	OVER L	EN	<u>_!_</u>	BACK	R	IFF. ESVR.	Other _					8. FA		EASE NAM	ie, well no. #255
Coastal Oil &			ion			****						O AD	I WELL N		
P.O. Box 749.			0201	-0749				(30:	3) 573	3-4455	i i	047-3		
4. LOCATION OF WEL At surface 642' FSL & 21 At top prod. interva	L (Report	location cle			nce with a	iny State requ	uiremen			<u> </u>	. 100	10. FI	ELD AND ural	POOL, OF Buttes	R WILDCAT S Field
At top prod. Interva	n reported b	CIOW										An An	EC., T., R. ND SURVE	Y OR ARE	A.
At total depth					1	RMIT NO.		DATI				12. CC	tion (OUNTY OR RISH		13. STATE
15. DATE SPUDDED	1 16 75 100	302 221		T		<u>3-047-32</u>			-	/97		Uint		T	Utah
3/31/97	4/1	6/97		6/8/	97	Ready to prod	.)			.5' GF	, RKB, RT,	GR, ETC		19. EL	EV. CASINGHEAD
20. TOTAL DEPTH, MD 6900'	& TVD	21. PLUG, 6810		T.D., MD & T	/D 2:	2. IF MULTIP HOW MANY	LE COM	iPL., -		23. INTE	RVALS LED BY	RC	TARY TO	OLS	CABLE TOOLS
24. PRODUCING INTERV	VAL(S), OF T	HIS COMPL	ETION	- тор, вотто	M, NAME	(MD AND TVI	D)*								WAS DIRECTIONAL SURVEY MADE
Wasatch, 5582	-83', 5	588-89	, 5	819-20',	5831-	32', 597	78-79	', 6268	-69	,					Single Shot
26. TYPE ELECTRIC AN HALS/LDT/CNL/			BL/G	R										27. WAS	well cored No
28.						ORD (Repo		rings set in w	vell)						
5/8", K-55	24#	IGHT, LB./F	т.	255'	(MD)	11"	LE SIZE		2		cement, cached				AMOUNT PULLED
1/2", N-80	11.6	 -	-	6900'		7-7/8"					ached (
										<u> </u>	<u></u>	<u>9111 011</u>	<u>y 17 3</u>		
												<i>.</i> 5.			
· · · · · · · · · · · · · · · · · · ·				RECORD					7	30			NG REC		
SIZE	TOP (M	(D)	BOTT	TOM (MD)	SACKS	CEMENT*	sc	REEN (MD)	1	2-3/			1 SET (MD 268')	PACKER SET (MD)
	~ .						1								
i. perforation reco 5582-83', 55					, EU	70 70'	32. DE	PTH INTERV			FRACTU				ETC.
							-	32'-6269	-						-6/7/97
6268-69' 3	5-3/6 (esg gur	i, 1	Sp1, 12	nores										
											 				
.*		1				PRODUCTION									
ATE FIRST PRODUCTION 18/97	N	PRODUC Flowi		METHOD (Flow	ing, gas l	ift, pumping	- size aı	nd type of pu	ump)				WELL S shut-		roducing or oducing
ATE OF TEST 5/25/97	HOURS TI	ESTED	1	ноке size .7/64"		'N. FOR PERIOD	OIL - I	BBL.		gas - mci 419	F.	WATE 0	R - BBL.	G	AS - OIL RATIO
ow. tubing press.	CASING P 380#	RESSURE		ALCULATED -HOUR RATE	OIL - 1	BBL.		gas - mcf. 419			water - e	BBL.		OIL GRAV	ITY - API (CORR.)
. disposition of gas	(Sold, used	for fuel, ve	ented,	etc.)	<u> </u>		1.					TEST W	/ITNESSEI) BY	· · · · · · · · · · · · · · · · · · ·
. LIST OF ATTACHMEN	VTS								-						
Chronological						· · · · · · · · · · · · · · · · · · ·									
. I hereby certify that the fi	egoing and a	ttached inform	nation	s) complete and co		Bon	nie (Carson	1	A vs 7 -	, a.b.			7 (0:	0.707
SIGNED				محسامه		title <u>Sr</u>	FUA.	ironment	لة	Analy	VST		DATE	<u>. 7/3</u>	1/9/

	ي.	TRUE VERT. DEPTH			
	dOT.	MEAS. DEPTH	4944.		
		NAME	Wasatch		
DESCRIPTION, CONTENTS, ETC.	Carrier and the contract of the carrier and th				
BOTTOM					
TOP					-
FORMATION					

Today's Date:

7/2/97

WELL CHRONOLOGICAL REPORT

WELL NAME: NBU #255

FIELD NAME: NATURAL BUTTES

COUNTY: **UINTAH**

AFE#:

26981

OPERATOR: COASTAL OIL & GAS CORP.

SPUD DATE:

WI%:

DATE: 4/2/97

DEPTH:

255

ACTIVITY AT REPORT TIME: WORT

HOURS:

0.00

PROGRESS:

MW:

0.0

DAILY COST: \$12,220.60

CUMM COST:

\$12,220.60

ACTIVITY LAST 24 HOURS:

3/31/97 RU BILL MARTIN JR (AIR RIG) & DRILL TO 255' W/11" BIT. 4/1/97 RAN 6 JTS 8 5/8" 24# K55 CSG W/HOWCO SHOE. TOTAL 253.10'. CMT W/HALLIBURTON. PMPD 20 BBLS GEL WTR AHEAD OF 85 SX TYPE V W/2% CACL2. WT 15.6, Y 1.18. DROP PLUG & DISPL W/13.5 BBLS WTR +/- 3.5 BBLS CMT TO PIT. SPUD 10:30 AM 3/31/97.

DATE: 4/9/97

DEPTH:

270

ACTIVITY AT REPORT TIME: PU BHA

HOURS:

MW:

0.00 0.0

PROGRESS:

CUMM COST:

\$50,223.40

ACTIVITY LAST 24 HOURS:

MI & RU RT PRESS TEST BOP'S TO 2000, HYDRIL TO 1500. 8 5/8" CSG TO 1500. WITNESSED BY

DAILY COST: \$38,002.80

CAROL KUBLEY W/BLM

DATE: 4/10/97

DEPTH:

1415

ACTIVITY AT REPORT TIME: DRLG

HOURS:

16.00

PROGRESS:

1145 ft

MW:

0.0

DAILY COST: \$26,193,20

CUMM COST:

\$76,416.60

ACTIVITY LAST 24 HOURS:

PU BHA. TAG CMT @ 230' INSTALL ROT HEAD & UNLOAD HOLE DRILL CMT & SHOE TO 270' 1270-384' SURVEY @ 324' 0 DEGS DRLG 384-890' SURVEY @ 830' 3/4 DEGS DRLG 890-1199' TRIP FOR PLUGGED BIT DRLG 1190-1415' DRLG

WELL CHRONOLOGICAL REPORT WELL NAME: NBU #255 FIELD NAME: NATURAL BUTTES COUNTY: UINTAH 26981 AFE#: **OPERATOR:** COASTAL OIL & GAS CORP. SPUD DATE: WI%: **DATE: 4/11/97** DEPTH: 3000 **ACTIVITY AT REPORT TIME: DRLG** HOURS: 22.00 PROGRESS: 1585 ft MW: 8.3 **DAILY COST: \$29,470,30 CUMM COST:** \$105,886.90 SURVEY @ 1365' 3/4 DEGS DRLG 1415-1943' SURVEY @ 1883' 1 DEG RS DRLG 1943-2443' SURVEY @ 2383' DRLG 2443-3000' **ACTIVITY LAST 24 HOURS: DATE: 4/12/97** DEPTH: 4007 **ACTIVITY AT REPORT TIME: TIH W/BIT #2 HOURS:** PROGRESS: 4007 ft 13.50 MW: 8.5 DAILY COST: \$24,284.70 **CUMM COST:** \$130,171.60 **ACTIVITY LAST** SURVEY@ 2943' 1 1/4 DEGS DRLG 3000-3508' SHORT TRIP F/STRING FLOAT SURVEY @ 3440' 1 DEG RS DRLG 3508-4007' SHORT TRIP F/STRING FLOAT REPOSITION KELLY HOSE SURVEY @ 3947' 1 DEG TRY TO UNPLUG BIT POOH CHANGE BIT & RIG SERVICE TIH W/BIT #2

24 HOURS:

DATE: 4/13/97

DEPTH:

5009

ACTIVITY AT REPORT TIME: RIG SERVICE

HOURS:

19.00 PROGRESS:

1002 ft

MW:

8.8

DAILY COST: \$18,963.00

CUMM COST:

\$149,134.60

ACTIVITY LAST 24 HOURS:

TIH W/BIT #2 BREAK CIRC W&R 3945-4007' 4506-5009' SURVEY @ 4949' 1 1/2 DEGS & RS

DRLG 4007-4506'

SURVEY @ 4446' 2 DEGS DRLG

Page 2

WELL CHRONOLOGICAL REPORT WELL NAME: NBU #255 FIELD NAME: NATURAL BUTTES COUNTY: UINTAH AFE#: 26981 OPERATOR: COASTAL OIL & GAS CORP. SPUD DATE: W1%: **DATE: 4/14/97** DEPTH: 6003 **ACTIVITY AT REPORT TIME: DRLG** HOURS: 23.00 PROGRESS: 994 ft MW: 8.7 **DAILY COST: \$20,414.70 CUMM COST:** \$169,549.30 DRLG 5007-5508' SURVEY 5448' 1 1/4 DEGS RS DRLG 5508-6003' 30', 5098-104', 5322-29', 5808-70', 5880-908' **ACTIVITY LAST** DB: 4632-44', 4649-79', 4913-24 HOURS: **DATE: 4/15/97 ACTIVITY AT REPORT TIME: DRLG** DEPTH: 6730 **HOURS:** 22.00 **PROGRESS:** 727 ft MW: 8.8 DAILY COST: \$16,669,60 **CUMM COST:** \$186,218.90 DRLG 6003-6455' UNLOAD HOLE DRLG 6455-6505' SURVEY @ 6445' 3/4 DB: 5808-70', 5880-908', 6020-25', 6250-70', 6320-30', 6380-85', 6395-401', 6563-**ACTIVITY LAST** SURVEY @ 5943' 1 DEG DEGS DRLG 6505-6730' 74', 6595-600', 6640-51' **24 HOURS:**

DATE: 4/16/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: POOH

HOURS:

6.50

170 ft

MW:

8.9

DAILY COST:

PROGRESS:

\$9,257.60

CUMM COST:

\$195,476.50

ACTIVITY LAST 24 HOURS:

6730-6900' CIRC SHORT TRIP TO 4500' TIH. BRIDGE @ 5500' & 5800' W&R 6750-6900', 100' CIRC. PACKED OFF & TIGHT ON BTM WORK TIGHT HOLE 6900-6800' WASH 100' TO BTM & POOH TO LOG. SLM DRLG 6730-6900' FILL

WELL CHRONOLOGICAL REPORT

WELL NAME: NBU #255

FIELD NAME: NATURAL BUTTES

COUNTY: UINTAH

AFE#:

26981

OPERATOR: COASTAL OIL & GAS CORP.

SPUD DATE:

WI%:

DATE: 4/17/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: CIRC & COND F/LOGS

HOURS:

0.00

PROGRESS:

MW:

9.7

DAILY COST:

\$9,015.00

CUMM COST :

\$204,491.50

ACTIVITY LAST 24 HOURS:

F/LOGS LOGGING W/SCHLUMBERGER PLATFORM EXPRESS F/6000' HOLE TIGHT @ 6050' TIH 10' BROKE CIRC & MUD UP 10# BRINE WTR TO 32 VIS TIH TO 5500' BROKE CIRC & MIX SEA TIH & W&R BRIDGES @ 5650', 5970', 6168', 6220', 6550' & 6650-6900' CIRC & COND POOH F/LOGS

DATE: 4/18/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: LD DRILL STRING

HOURS:

MW:

0.00 9.7 **PROGRESS:**

0 ft

CUMM COST:

\$227,305.50

ACTIVITY LAST 24 HOURS:

CIRC & SPOT 65 VIS PILL ON BTM POOH TRY TO LOG W/SCHLUMBERGER. SET DWN @ 5215' (NO LOGS) TIH TO 6900' - 3' FILL CIRC LD 4 1/2" DP & 6" DC

DAILY COST: \$22,814,00

DATE: 4/19/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: RDRT

HOURS:

0.00

PROGRESS:

0 ft

MW:

0.0

DAILY COST: \$107,693.60

CUMM COST:

\$334,999.10

ACTIVITY LAST 24 HOURS:

RU T&M CASERS & RAN 161 JTS 4 1/2" 11.6# N80 W/GEMACO FLOAT EQUIP (1 SHOE JT), TOTAL STRING 6903.68' - 30 CENT. 1 ON EVERY OTHER JT. CIRC & COND. WASH 10' TO BTM CMT W/DOWELL. PMPD 10 BBL GEL WTR, 80 BBL WTR + 1/1000 F75N. LEAD 570.5XS HI LIFT "G" W/6% D26, 2% D79, .75% D112, .2% D48, 5% D44, .2% B71, .2% D65. WT 12 PPG, Y 2.66, 270 BBLS. TAIL 912 SXS SELFSTRESS "G" W/10% D53, .75% B14, .25% D65, .2% D46. WT 14.5, Y 1.53, 249 BBLS. DROP PLUG & DISPL W/15 BBL ACETIC ACID & 91 BBLS WTR + 1/1000 F75N, L64 & 2% KCL. HAD RET TILL 1/2 THRU DISP. PLUG BUMPED, FLOATS HELD. PIPE RECP 10'. JOB COMP @ 14:50 SET 4 1/2" SLIPS W/74,000. ND CLEAN MUD TANKS RIG RELEASED @ 19:00 4/18/97

WELL CHRONOLOGICAL REPORT WELL NAME: NBU #255 FIELD NAME: NATURAL BUTTES COUNTY: **UINTAH** 26981 AFE#: OPERATOR: COASTAL OIL & GAS CORP. SPUD DATE: WI%: **DATE: 4/22/97** DEPTH: 6900 **ACTIVITY AT REPORT TIME: CLEANING UP LOCATION HOURS:** 0.00 PROGRESS: 0 ft MW: 0.0 DAILY COST: \$0.00 **CUMM COST:** \$334,999.10 **ACTIVITY LAST** APRIL 22ND THROUGH APRIL 23RD - CLEANING UP LOCATION 24 HOURS: **DATE: 4/24/97 ACTIVITY AT REPORT TIME: SETTING SURFACE FACILITIES DEPTH:** 6900 PROGRESS: **HOURS:** 0.00 0 ft MW: 0.0 **DAILY COST:** \$0.00 **CUMM COST:** \$334,999.10 ACTIVITY LAST 24 HOURS: APRIL 24TH THROUGH JUNE 4TH -- CONTINUING SETTING SURFACE FACILITIES **DATE: 6/5/97** DEPTH: 6900 **ACTIVITY AT REPORT TIME: PREP TO PERF PROGRESS:**

HOURS:

0.00

0 ft

MW:

0.0

DAILY COST:

\$3,168.00

CUMM COST:

\$338,167.10

ACTIVITY LAST 24 HOURS:

MIRU COLORADO WELL SERVICE (CWS) RIG #70. ND WH. NU BOP. TEST CSG TO 5000 PSI - OK. RU FLOOR & PU TONGS. SDFN

WELL CHRONOLOGICAL REPORT **WELL NAME: NBU #255 FIELD NAME: NATURAL BUTTES** COUNTY: UINTAH AFE#: 26981 **OPERATOR:** COASTAL OIL & GAS CORP. SPUD DATE: WI%: **DATE: 6/6/97** DEPTH: 6900 **ACTIVITY AT REPORT TIME: PREP TO BREAK DOWN W/ ACID** HOURS: 0.00 PROGRESS: O ft MW: 0.0 DAILY COST: \$4,641.00 **CUMM COST:** \$342,808.10 **ACTIVITY LAST** MIRU SCHLUMBERGER CORRELATE PERF @ 5582'-83' - 88'-89', 5819'-20' - 31'-32' - 5978'-79', 6268'-69'. NO PRESSURE BEFORE OR AFTER ANY SHOT. STRAP & PU 2-3/8" J-55 TO 6268'. SDFN 24 HOURS: **DATE: 6/7/97** DEPTH: 6900 **ACTIVITY AT REPORT TIME:** PROGRESS: HOURS: 0.00 n # MW: 0.0 **DAILY COST: \$22,511.00 CUMM COST:** \$365,319.10 SITP 50 PSI, SICP 100 PSI. RU DOWELL - HELD SAFETY MEETING. TEST LINES TO 5960 PSI, SPOT ACID ACROSS PERFS. PULL 24 JTS, LAND @ 5543' W/ NC 1 JT, SN, 177 JTS, BLAST SUB HANGER. ND BOP. NU WH. BREAK DOWN PERFS W/ 900 GALS 15% HCL W/ADDITIVES + 18 - 1.3 PPG BALL SEALERS. AVG RATE 4200 PSI @ 6 BPM, MAX PRESS 5800 PSI. GOT GOOD BALL ACTION, NEVER DID BALL CLEAR OFF SURGE BALLS. RE-ESTABLISH INJECTION RATE 4800 PSI @ 8 BPM. ISIP 1000 PSI, 5/10/15 = 851/790/715 PSI. RD DOWELL & COLORADO WELL SERVICE RIG. MI SWAB RIG, IFL @ SURFACE. MADE 5 RUNS, REC 55 BBLS - WELL KICKED OFF. WELL FLOWING 10 BPH @ 7 PM, TRY 18" CHK. KILL WELL, LEFT FLOWING ON 28" CHK, FTP 80 PSI, FCP 300 PSI. 190 BBLS TLTR, REC 70 BLW, 120 BLWTR. **ACTIVITY LAST** 24 HOURS:

DATE: 6/8/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: ON PRODUCTION

\$0.00

HOURS:

MW:

0.00

0.0

PROGRESS:
DAILY COST:

0 ft

CUMM COST :

\$365,319.10

ACTIVITY LAST 24 HOURS:

FLWG ON 20/64" CHK, FTP 110 PSI, 390 PSI, LIGHT MIST (15 BBLS).

PERC		WELL	CHRONOLOG	ICAL REP	ORT	
WELL NAME: NBU	#255		FIELD NAME: NATU	RAL BUTTES	COUNTY:	UINTAH
AFE#: 2698	1		OPERATOR: COAS	TAL OIL & GAS	CORP. SPUD DATE	E:
Wi%:						. •
		<u>-</u> .		,		
DATE: 6/9/97	DEPTH:	6900	ACTIVITY AT REF	PORT TIME: WE	ELL FLOWING	
	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$365,319.10
ACTIVITY LAST 24 HOURS:	FLWG ON 20/64" CHK,	FTP 115 P	SI, 260 PSI, LIGHT M	IST (8 BBLS).		
DATE: 6/10/97	DEPTH:	6900	ACTIVITY AT REF	ORT TIME: ON	PRODUCTION	
	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$365,319.10
ACTIVITY LAST 24 HOURS:	FLWG 0 MCF, 3 BC, FT	P 100 PSI,	CP 315 PSI ON 20/64	I" CHK.		
		-				
DATE: 6/11/97	DEPTH:	6900	ACTIVITY AT REP	ORT TIME: ON	PRODUCTION	
	HOURS:	0.00	PROGRESS:	o ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$365,319.10
ACTIVITY LAST 24 HOURS:	FLWG 180 MCF, 5 BC,	FTP 100 PS	SI, CP 300 PSI ON 20/	/64" CHK Pl	LAN TO FRAC FRIDAY.	

PERCY

WELL CHRONOLOGICAL REPORT

WELL NAME: NBU #255

FIELD NAME: NATURAL BUTTES

COUNTY: UINTAH

AFE#:

26981

OPERATOR: COASTAL OIL & GAS CORP.

SPUD DATE:

W1%:

DATE: 6/12/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: WO FRAC

HOURS:

MW:

0.00

PROGRESS:

DAILY COST:

0 ft

\$0.00

CUMM COST:

\$365,319.10

ACTIVITY LAST 24 HOURS:

FROM 06/12/97 THROUGH 06/13/97 WAITING FOR FRAC

DATE: 6/14/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: TRY TO FLOW BACK

HOURS:

0.00

PROGRESS:

0 ft

MW:

0.0

DAILY COST: \$74,350.00

CUMM COST:

\$439,669.10

ACTIVITY LAST 24 HOURS:

SET TANKS AND HAUL WTR. RU DOWELL & FRAC PERFS 5582'-6204', 12 HOLES W/ 196,366# 20/40 SD, 1948 BBLS GEL & 95 TONS OF CO2, ARO 22 BPM @ 4200 PSI, MAX PRESS 4630 PSI, REVERSE SAND OUT OF CSG. SI FOR 3 HRS, CO 18/64" DIED IN 2 HRS, RU SWAB, IFL 900'. PULL APPROX 10 BBLS, VERY SANDY, COULDN'T GET BELOW 1200', NO FLOW ALL NIGHT. 1054 BLWTR, REC 10 BLW, 1044 BLLTR.

WELL CHRONOLOGICAL REPORT

WELL NAME: NBU #255

FIELD NAME: NATURAL BUTTES

COUNTY: **UINTAH**

AFE#:

26981

OPERATOR: COASTAL OIL & GAS CORP.

SPUD DATE:

WI%:

DATE: 6/15/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: PU & RIH W/TBG. CO TO PBTD.

HOURS:

0.00

PROGRESS:

MW:

0.0 DAILY COST: \$6,496,00

CUMM COST:

\$446,165.10

ACTIVITY LAST 24 HOURS:

. 5:00. .575. .0. .14. .8. .T . 6:00. .600. .0. .14. .8. .T GAS RATE 600 MCF, PMPD 744 BLWTR, REC 90 BLW, 654 BLLTR

DATE: 6/16/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: WELL FLOWING TO PIT

HOURS:

0.00

PROGRESS:

MW:

0.0 DAILY COST:

\$1,538.00

CUMM COST:

\$447,703.10

ACTIVITY LAST 24 HOURS:

SICP 600 PSI. FLOWING ON 16/64" CHK, SITP 0 PSI. BLOW WELL DN. PU HANGER & BLAST JT. LAND TBG W/ 178 JTS 2-3/8" 4.7 J55 W/ NC & SN, EOT @ 5543' & SN @ 5510'. RD FLOOR & ND BOPS W/HYDRIL & SH. NU WH & FLOW WELL TO PIT ON 20/64" CHK @ 9:00 AM. RDMO & PU. PMPD 0 BLWTR, REC 63

BLW, 591 BLLTR. BLW, 591 BLLTR.
TIME. .CP. .TP.CHK. BWPH. SD
.9:00 . 475 . 375 . 18 . 5 . HI
11:30A.475 . 375 . 18 . 5 . HVY
. 3:00 . 425 . 350 . 18 . 5 . HVY
. 5:30 . 375 . 300 . 18 . 5 . HVY
GAS RATE 450 MCF, 5 BW, FTP 300 PSI, CP 375 PSI ON 18/64" CHK. 591 BLLTR

WELL CHRONOLOGICAL REPORT

WELL NAME: NBU #255

FIELD NAME: NATURAL BUTTES

COUNTY:

AFE#:

26981

OPERATOR: COASTAL OIL & GAS CORP.

SPUD DATE:

WI%:

DATE: 6/17/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: WELL FLOWING TO PIT

HOURS:

0.00

PROGRESS:

0 ft

MW:

0.0

DAILY COST:

\$0.00

CUMM COST:

\$447,703,10

UINTAH

ACTIVITY LAST 24 HOURS:

TIME. .CP. .TP.CHK. BWPH. SD 8:00P. 350. 325. 20. .5. .M 9:30A. .325. .250. .20. .5. .M 11:00P. 300. .250. .20. .5. .L-M 12:00P. 325. .250. .20. .5. .L-M .2:00P. .300. .250. .20. .5. .L-M .4:30P. .325. .250. .20. .5. .L-M

GAS RATE 400 MCF, 3 BW, FTP 285 PSI, CP 350 PSI, 466 BLLTR

DATE: 6/18/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: FLOW BACK REPORT

HOURS:

MW:

0.00 0.0 **PROGRESS: DAILY COST:**

0 ft \$0.00

CUMM COST:

\$447,703.10

ACTIVITY LAST 24 HOURS:

BLLTR

DATE: 6/19/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: PLACED ON SALES @ 11:45 AM.

HOURS:

0.00

0.0

PROGRESS:

0 ft

MW:

DAILY COST:

\$0.00

CUMM COST:

\$447,703.10

ACTIVITY LAST 24 HOURS:

FLWG 380 MCF, 3 BW, FTP 700 PSI, CP 700 PSI ON 12/64" CHK, 322 BLLTR. PLACED ON SALES @ 11:45

AM

		· . ·				-
PERC'	·	WELL	CHRONOLOG	SICAL REF	ORT	
WELL NAME: NBU	#255		FIELD NAME: NATU	IRAL BUTTES	COUNTY:	UINTAH
AFE#: 26981	I		OPERATOR: COAS	STAL OIL & GAS	CORP. SPUD DA	TE:
WI%:						
DATE: 6/20/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME: DI	N 6 HRS - FIRE OUT ON	I DEHYDRATOR,
	HOURS:	0.00	PROGRESS:	0 ft		·
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 226 MCF, 0 E DEHYDRATOR.	3W, FTP 800 P	SI, CP 775 PSI ON 1	5/64" CHK, 322	BLLTR. DOWN 6 HRS	- FIRE OUT ON
	The state of the s					
DATE: 6/21/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME:		
	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 228 MCF, 3 E	W, FTP 850 P	SI, CP 850 PSI ON 1	3/64" CHK.		
DATE: 6/22/97	DEPTH:	6900	ACTIVITY AT RE	PORT TIME:) a
	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
			•			

Page 11

FLWG 261 MCF, 2 BW, FTP 1200 PSI, CP 1100 PSI ON 16/64" CHK.

ACTIVITY LAST 24 HOURS:

PERC WELL CHRONOLOGICAL REPORT **WELL NAME: NBU #255** FIELD NAME: NATURAL BUTTES COUNTY: **UINTAH** AFE#: 26981 OPERATOR: COASTAL OIL & GAS CORP. SPUD DATE: WI%: **DATE: 6/23/97** DEPTH: 6900 **ACTIVITY AT REPORT TIME: ON PRODUCTION** HOURS: PROGRESS: 0 ft 0.00 MW: 0.0 **DAILY COST:** \$0.00 **CUMM COST:** \$447,703.10 ACTIVITY LAST 24 HOURS: FLWG 256 MCF, 0 BW, FTP 950 PSI, CP 950 PSI ON 16/64" CHK. **DATE: 6/24/97** DEPTH: 6900 **ACTIVITY AT REPORT TIME: ON PRODUCTION** HOURS: 0.00 **PROGRESS:** 0 ft MW: 0.0 DAILY COST: \$0.00 **CUMM COST:** \$447,703.10 **ACTIVITY LAST** FLWG 361 MCF, 1 BW, FTP 675 PSI, CP 680 PSI ON 17/64" CHK. 24 HOURS: **DATE: 6/25/97** DEPTH: 6900 **ACTIVITY AT REPORT TIME: ON PRODUCTION HOURS:** 0.00 **PROGRESS:** 0 ft MW: 0.0 DAILY COST: \$0.00 **CUMM COST:** \$447,703.10 ACTIVITY LAST 24 HOURS: FLWG 419 MCF, 0 BW, FTP 360 PSI, CP 380 PSI ON 17/64" CHK.

PERC		WELL	CHRONOLOG	ICAL REP	ORT	
WELL NAME: NBU #	255		FIELD NAME: NATUR	RAL BUTTES	COUNTY:	UINTAH
AFE#: 26981			OPERATOR: COAS	TAL OIL & GAS	CORP. SPUD DA	TE:
WI%:						
DATE: 6/26/97	DEPTH:	6900	ACTIVITY AT REF	ORT TIME: ON	PRODUCTION	
	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 414 MCF, 0 BW	/, FTP 340 P	SI, CP 360 PSI ON 17	/64" CHK.		
				 .		
DATE: 6/27/97	DEPTH:	6900	ACTIVITY AT REP	ORT TIME: PR	ODUCING	
	HOURS:	0.00	PROGRESS:	0 ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 398 MCF, 23 B	W, FTP 310 F	PSI, CP 335 PSI ON 1	7/64" CHK, 679	BLLTR.	
			••			
				• • • _, • •		
DATE: 6/28/97	DEPTH:	6900	ACTIVITY AT REP	ORT TIME: ON	PRODUCTION	
	HOURS:	0.00	PROGRESS:	o ft		
	MW:	0.0	DAILY COST:	\$0.00	CUMM COST:	\$447,703.10
ACTIVITY LAST 24 HOURS:	FLWG 382 MCF, 10 B	W, FTP 275 F	PSI, CP 310 PSI ON 1	7/64" CHK.		

PERC

WELL CHRONOLOGICAL REPORT

WELL NAME: NBU #255

FIELD NAME: NATURAL BUTTES

COUNTY:

AFE#:

26981

OPERATOR: COASTAL OIL & GAS CORP.

SPUD DATE:

WI%:

DATE: 6/29/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: ON PRODUCTION

HOURS:

MW:

0.00

PROGRESS:

DAILY COST:

0 ft

\$0.00

CUMM COST:

\$447,703.10

UINTAH

ACTIVITY LAST 24 HOURS:

FLWG 374 MCF, 0 BW, FTP 280 PSI, CP 305 PSI ON 17/64" CHK.

DATE: 6/30/97

DEPTH:

6900

ACTIVITY AT REPORT TIME: ON PRODUCTION

HOURS:

MW:

0.00

PROGRESS: DAILY COST: 0 ft 00.00

CUMM COST:

\$447,703.10

ACTIVITY LAST 24 HOURS:

FLWG 369 MCF, 6 BW, FTP 280 PSI, CP 305 PSI ON 17/64" CHK. PRIOR PRODUCTION: FLWD 374 MCF, 0 BW, FTP 280 PSI, CP 305 PSI ON 17/64" CHK. FINAL REPORT.

Form 3160-5 (June 1990)

UNITED STATES T OF THE INTERIOR DEPARTM

	FORM APPROVED
--	---------------


Budget Bureau No. 1004-0135

(NOTE: Report results of multiple completion on Well

BUREAU OLLAI	ND MANAGEMENT	Expires: March 31, 1993
		5. Lease Designation and Serial No.
	D REPORTS ON WELLS	U-0576
	to deepen or reentry to a different reservoir.	6. If Indian, Alottee or Tribe Name
Use "APPLICATION FOR	R PERMIT" - for such proposals	
		Ute
		7. If Unit or CA, Agreement Designation
SUBMIT IN	TRIPLICATE	Natural Buttes Unit
1. Type of Well		8. Well Name and No.
Oil Well X Gas Well Other		NBU #255
2. Name of Operator		9. API Well No.
Coastal Oil & Gas Corporation		43-047-32806
3. Address and Telephone No.		10. Field and Pool, Or Exploratory Area
P. O. Box 749, Denver, CO 80201-0749	(303) 573-4455	Natural Buttes
4. Location of Well (Footage, Sec., T., R., M., Or Survey Description)		11. County or Parish, State
642' FSL & 1235' FWL		
SE/SW, Section 21, T9S-R21E		Uintah County, Utah
12. CHECK APPROPRIATE BOX(S)	TO INDICATE NATURE OF NOTICE, REPOR	RT. OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF AC	
Notice of Intent	Abandonment	Change of Plans
Mondo of Intent		
v	Recompletion	New Construction
X Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other Airfoam clean out	Dispose Water

Completion or Recompletion Report and Log form.) Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markets and zones pertinent to this work.)*

Please see attached chronological history for operations performed on the subject well.



Signed Bonnie Carson	Title Sr. Environmental Analyst	Date	01/06/98
(This space for Federal or State office use)			
APPROVED BY	Title	Date	
Conditions of approval, if any:			

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, ficticious or fraudulent statements or representations as to any matter within its jurisdiction.

THE COASTAL CORPORATION PRODUCTION REPORT

CHRONOLOGICAL HISTORY

NBU #255 SECTION 21, T9S-R21E NATURAL BUTTES UNIT UINTAH COUNTY, UTAH

WI: 100.0% COGC

TD: 6900' CSG: 4-1/2"

PERFS: 5582'-6269'

Air Foam Clean Out.

11/22/97 MIRU. ITP 50 psi, ICP 180 psi. Blow down well. ND well head. NU BOPS. Run pump lines, hook CSA to separator. Left well on prod. WO foam unit.

11/23/97 Rig shut down. WO foam unit.

FCP 50 psi, SITP 150. Blew down. PU string float. PU 32 jts tbg. Tag 6543, break circ w/air foam unit. Circ out sand, bridges. LD 9 jts. Pull 12 stds to float. Kill tbg w/5 bbl 2% KCL. LD float. Run 12 jts back in. Land tbg w/201 total jts-2-3/8" tbg @ 6255' w/PSN @ 6223' 1 jt up. ND BOP, NU well head. SIFBU. RD & MO. DC: 6,354

11/25/97 SI for PBU.

11/26/97 Flwg 124 MCF, 5 BW, FTP 49#, CP 203#, 30/64" ck, 19 hrs.

11/27/97 Flwg 67 MCF, 0 BW, FTP 55#, CP 224#, 30/64" ck.

11/28/97 Flwg 212 MCF, 0 BW, FTP 54#, CP 130#, 30/64" ck.

11/29/97 Flwg 241 MCF, 0 BW, FTP 55#, CP 122#, 30/64" ck.

11/30/97 Flwg 231 MCF, 0 BW, FTP 60#, CP 122#, 30/64" ck.

12/01/97 Flwg 225 MCF, 0 BW, FTP 55#, CP 111#, 30/64" ck.

12/02/97 Flwg 228 MCF, 0 BW, FTP 58#, CP 109#, 30/64" ck.

12/03/97 Flwg 224 MCF, 12 BW, FTP 60#, CP 110#, 30/64" ck, 24 hrs. Prior prod: Flwg 153 MCF, 0 BW, FTP 76#, CP 168#, 30/64" ck. **Final Report.**

Page 1

J Form 3160-5 (November 1994)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPRO	VED
Budget Bureau No.	1004-0135
Expires July 31.	1996


5	Lanca	Carial	No

BUREAU OF 1	LAND MANAGEI	MENT		5. Lease Serial No.	
SUNDRY NOTICES	AND REPORTS	ON WELLS		U-0576	
Do not use this form for				6. If Indian, Allottee	or Tribe Name
abandoned well. Use Fort	n 3160-3 (APD) fo	r such proposals.		Ute	
SUBMIT IN TRIPLICATE -	- Other instructions	on reverse side		7. If Unit or CA/Agr Natural Buttes	reement, Name and/or No S Unit
1. Type of Well Oil X Gas Well Well Other				8. Well Name and N	o. 255
2. Name of Operator Coastal Oil & Gas Corporation			·	9. API Well No.	
3a. Address		3b. Phone No. (include area	a code)	43-047-32806	
P.O. Box 749, Denver, CO 80201-074		(303) 573-4455		10. Field and Pool, o	r Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	ption)			Natural Buttes	;
642' FSL & 1235' FWL		•			
SESW Section 21-T9S-R21E				11. County or Parish	•
				Uintah Co.	<u>Utah</u>
12. CHECK APPROPRI	ATE BOX(ES) TO I	NDICATE NATURE OF N	OTICE, REPORT	, OR OTHER DATA	
TYPE OF SUBMISSION		TY	PE OF ACTION		
Notice of Intent	Acidize	Deepen	Production	n (Start/Resume)	Water Shut-Off
X Subsequent Report	Alter Casing Casing Repair	Fracture Treat New Construction	Reclamati Recomple		Well Integrity Other Site
	Change Plans	Plug and Abandon	= :		curity Plan
Final Abandonment Notice	Convert to Inject	7	Water Dis	<u> </u>	ui icy i idii
13. Describe Proposed or Coommpleted Operation (clear	ly state all pertinent det	ails including estimated start	ing date of any pr	onosed work and appro	ximate duration thereof
If the proposal is to deepen directionally or recomp Attach the Bond under which the work will be per following completion of the involved operations. If testing has been completed. Final Abandonment N determined that the final site is ready for final inspection	olete horizontally, give s formed or provide the the operation results in lotices shall be filed on	ubsurface locations and meas Bond No. on file with BLM a multiple completion or re-	ured and true vert //BIA. Required st completion in a ne	ical depths of all pertir ubsequent reports shall www.interval.a Form 31	ent markers and zones. be filed within 30 days 50-4 shall be filed once
Place as the attached undeted a		laman fan tha anh	inat vall		
Please see the attached updated s	site security a	ragram for the sub,	ject well.		
		_			ī
		D	ECE Nov 1	2 1998 (I)	
		1111	I NUV I	Z 1330 / /	/

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Sheila Bremer Agill Tourne	Title	Environmental & Safet	ty Analyst	
	Date	11/9/98	· ·	
THIS SPACE FOR FEDERA	LOR	STATE OFFICE USE		
Approved by	Tit	tle	Date	
Conditions of approval, if any, are attached. Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject lewhich would entitle the applicant to conduct operations thereon.	or Of	fice		

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



NBU #255

POSITON OF VALVES AND USE OF SEALS DURING PRODUCTION

VALVE	LINE PURPOSE	POSITION	SEAL INSTALLED
D1	Drain	Closed	Yes
S1	Sales	Closed	Yes

POSITION OF VALVES AND USE OF SEALS DURING SALES

VALVE	LINE PURPOSE	POSITION	SEAL INSTALLED
D1	Drain	Closed	Yes
S1	Sales	Open	No

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
SOURCE MOTIOES AND IVEL OILL OIL WELLS	7. UNIT or CA AGREEMENT NAME:
Do not use this form for proposats to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. ONLY OF CA AGREEMENT NAME.
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER:
	Exhibit "A"
2. NAME OF OPERATOR: El Paso Production Oil & Gas Company	9. API NUMBER:
3. ADDRESS OF OPERATOR: PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
South 1200 East City Vernal STATE Utah ZIP 84078 435-789-4433	
4. LOCATION OF WELL FOOTAGES AT SURFACE:	COUNTY:
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	X отнек: Name Change
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume As a result of the merger between The Coastal Corporation and	
subsidary of El Paso Energy Corporation, the name of Coastal C	011 & Gas Corporation
has been changed to El Paso Production Oil & Gas Company effec	tive March 9, 2001.
See Exhibit "A"	
Bond # 400JU0708	
Coastal Oil & Gas Corporation	
NAME (PLEASE PRINT John T Elzner TITLE Vice Preside	ent
SIGNATURE DATE U10-15-01	
El Paso Production Oil & Gas Company John T Elzner TITLE Vice Presid	ent
SIGNATURE DATE 06-15-01	
This space for State use only)	BECEIVED

JUN 19 2001

State of Delaware



Office of the Secretary of State

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "COASTAL OIL & GAS CORPORATION", CHANGING ITS NAME FROM "COASTAL OIL & GAS CORPORATION" TO "EL PASO PRODUCTION OIL & GAS COMPANY", FILED IN THIS OFFICE ON THE NINTH DAY OF MARCH, A.D. 2001, AT 11 O'CLOCK A.M.

RECEIVED

JUN 11 2001

DIVISION OF OIL, GAS AND MINING



Darriet Smith Windson, Secretary of State

AUTHENTICATION: 1061007

DATE: 04-03-01

0610204 8100

010162788

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

COASTAL OIL & GAS CORPORATION (the "Company"), a corporation organized and existing under and by virtue of the General Corporation Law of the State of Delaware, DOES HEREBY CERTIFY:

FIRST: That the Board of Directors of the Company, by the unanimous written consent of its members, filed with the minutes of the Board, adopted a resolution proposing and declaring advisable the following amendment to the Certificate of Incorporation of the Company:

RESOLVED that it is deemed advisable that the Certificate of Incorporation of this Company be amended, and that said Certificate of Incorporation be so amended, by changing the Article thereof numbered "FIRST." so that, as amended, said Article shall be and read as follows:

"FIRST. The name of the corporation is El Paso Production Oil & Gas Company."

SECOND: That in lieu of a meeting and vote of stockholders, the stockholders entitled to vote have given unanimous written consent to said amendment in accordance with the provisions of Section 228 of the General Corporation Law of the State of Delaware.

THIRD: That the aforesaid amendment was duly adopted in accordance with the applicable provisions of Sections 242 and 228 of the General Corporation Law of the State of Delaware.

IN WITNESS WHEREOF, said COASTAL OIL & GAS CORPORATION has caused this certificate to be signed on its behalf by a Vice President and attested by an Assistant Secretary, this 9th day of March 2001.

COASTAL OIL & GAS CORPORATION

David L. Siddall Vice President

Attest:

STATE OF DELAWARE
SECRETARY OF STATE
DIVISION OF CORPORATIONS
Margnet E. Roark, Assistant Secretary CECEVED FILED 11:00 AM 03/09/2001
010118394 - 0610204

IUN 19 2001

DIVISION OF OIL, GAS AND MINING



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

RECEIVED

JUL 1 2 2001

DIVISION OF OIL, GAS AND MINING

In Reply Refer To: 3106 UTSL-065841 (UT-924)

JUL 1 0 2001 -

NOTICE

El Paso Production Oil & Gas Company Nine Greenway Plaza Houston TX 77046-0095 Oil and Gas

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of <u>Coastal Oil & Gas Corporation</u> into <u>El Paso Production Oil & Gas Company</u> with <u>El Paso Production Oil & Gas Company</u> being the surviving entity.

For our purposes, the name change is recognized effective March 9, 2001.

The oil and gas lease files identified on the enclosed exhibit have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entitities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Coastal Oil & Gas Corporation to El Paso Production Oil & Gas Company. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Wyoming and Colorado.

Opolonia L. Abeyta Acting Chief, Branch of Minerals Adjudication

Enclosure

1. Exhibit of Leases (1 pp)

cc: Moab Field Office

Vernal Field Office

MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217

State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114

Teresa Thompson (UT-922)

Joe Incardine (UT-921)

Exhibit of Leases

UTUSL-065841A	UTU-47172	UTU-74415	UTU-53860
UTU-28652	UTU-50687	UTU-74416	UTU-66401
UTU-37943	UTU-52298	UTU-75091	UTU-67868
UTU-44089	UTU-0109054	UTU-75096	UTU-65389
UTU-44090A	UTU-0143511	UTU-75097	UTU-77084
UTU-61263	UTU-0143512	UTU-75673	UTU-61430
UTU-00343	UTU-38401	UTU-76259	UTU-72633
UTU-02651	UTU-38411	UTU-76260	UTU-72650
UTU-02651B	UTU-38418	UTU-76261	UTU-49692
UTU-0142175	UTU-38419	UTU-76493	UTU-57894
UTU-70235	UTU-38420	UTU-76495	UTU-76829
UTU-70406	UTU-38421	UTU-76503	UTU-76830
UTU-74954	UTU-38423	UTU-78228	UTU-76831
UTU-75132	UTU-38424	UTU-78714	
UTU-75699	UTU-38425	UTU-78727	
UTU-76242	UTU-38426	UTU-78734	
UTU-78032	UTU-38427	UTU-79012	
UTU-4377	UTU-38428	UTU-79011	
UTU-4378	UTU-53861	UTU-71694	
UTU-7386	UTU-58097	UTU-00576	
UTU-8344A	UTU-64376	UTU-00647	
UTU-8345	UTU-65222	UTU-01470D	
UTU-8347	UTU-65223	UTU-0136484	
UTU-8621	UTU-66746	UTU-8344	
UTU-14646	UTU-67178	UTU-8346	
UTU-15855	UTU-67549	UTU-8648	
UTU-25880	UTU-72028	UTU-28212	•
UTU-28213	UTU-72632	UTU-30289	
UTU-29535	UTU-73009	UTU-31260	
UTU-29797	UTU-73010	UTU-33433	
UTU-31736	UTU-73013	UTU-34711	
UTU-34350	UTU-73175	UTU-46699	
UTU-34705	UTU-73434	UTU-78852	
UTU-37116	UTU-73435	UTU-78853	
UTU-37355	UTU-73444	UTU-78854	
UTU-37573	UTU-73450	UTU-075939	
UTU-38261	UTU-73900	UTU-0149767	
UTU-39223	UTU-74409	UTU-2078	
UTU-40729	UTU-74410	UTU-44426	
UTU-40736	UTU-74413	UTU-49530	
UTU-42469	UTU-74414	UTU-51026	
	•		

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

OFERATOR CHANGE WORKSHEET

 ROUTING

 1. GLH
 4-KAS

 2. CDW ✓
 5-LP ✓

 3. JLT
 6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

06/19/2001

608186-0143

06/21/2001

Operator Name Change (Only)

X Merger

EDOM: (014 0::		TO. (No	w Operator):			
FROM: (Old Operator):				NOW CA	0.000.0	DANISZ
COASTAL OIL & GAS CORPORATION			PRODUCTIO			
Address: 9 GREENWAY PLAZA STE 2721		Address:	9 GREENWA	AY PLAZA S	1E 2/21	RM 29/5
HOUSTON, TX 77046-0995		HOUSTO	N, TX 77046-0	0995		
Phone: 1-(713)-418-4635		Phone:	1-(832)-676-4			
Account N0230		Account	N1845			
	CA No.	Unit:	NATURAL 1	BUTTES		
WELL(S)						
	API	•	SEC TWN	LEASE	ľ	WELL
NAME	NO	NO	RNG	TYPE	TYPE	STATUS
NBU 126	43-047-32349	2900	21-09S-21E			P
CIGE 202-21-9-21	43-047-32805	2900	21-09S-21E			P
NBU 255	43-047-32806	2900	21-09S-21E	FEDERAL		P
CIGE 233-21-9-21	43-047-33022	2900	21-09S-21E	FEDERAL	GW	DRL
NBU 300	43-047-33023	2900	21-09S-21E	FEDERAL	GW	P
NBU 129	43-047-31965	2900	22-09S-21E	FEDERAL	GW	P
NBU 130	43-047-31967	2900	22-09S-21E	FEDERAL	GW	P
NBU 194	43-047-32296	2900	22-09S-21E	FEDERAL	GW	P
NBU 192	43-047-32299	2900	22-09S-21E	FEDERAL	GW	P
NBU 193	43-047-32300	2900	22-09S-21E	FEDERAL	GW	P
NBU 198	43-047-32357	2900	22-09S-21E	FEDERAL	GW	P
NBU 256	43-047-32807	2900	22-09S-21E	FEDERAL	GW	P
NBU 273	43-047-32906	2900	22-09S-21E	FEDERAL	GW	P
NBU 4	43-047-30056	2900	23-09S-21E	FEDERAL	GW	P
NBU 131	43-047-31966	2900	23-09S-21E	FEDERAL	GW	P
NBU 144	43-047-32044	2900	23-09S-21E	FEDERAL	GW	P
NBU 311-23E	43-047-32203	2900	23-09S-21E	FEDERAL	GW	P
NBU 189	43-047-32236	2900	23-09S-21E	FEDERAL	GW	P
NBU 335-23E	43-047-32265	2900	23-09S-21E	FEDERAL	GW	P
NBU 274	43-047-32907	2900	23-09S-21E	FEDERAL	GW	P

(R649-8-10) Sundry or legal documentation was received from the **NEW** operator on:

4. Is the new operator registered in the State of Utah:

The new company has been checked through the Department of Commerce, Division of Corporations Database on:

YES

Business Number:

5.	If NO, the operator was contacted contacted on: N/A
6.	Federal and Indian Lease Wells: The BLM and or the BIA has approved the (merger, name change, or operator change for all wells listed on Federal or Indian leases on: 07/10/2001
7.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: 07/10/2001
8.	Federal and Indian Communization Agreements ("CA"): The BLM or the BIA has approved the operator change for all wells listed involved in a CA on: 07/10/2001
9.	Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A
D	ATA ENTRY:
1.	Changes entered in the Oil and Gas Database on: 07/31/2001
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on: 07/31/2001
3.	Bond information entered in RBDMS on: N/A
4.	Fee wells attached to bond in RBDMS on: N/A
ST	TATE BOND VERIFICATION:
1.	State well(s) covered by Bond No.: N/A
FE	EDERAL BOND VERIFICATION: Federal well(s) covered by Bond No.: WY 2793
FE	EE WELLS - BOND VERIFICATION/LEASE INTEREST OWNER NOTIFICATION:
	(R649-3-1) The NEW operator of any fee well(s) listed covered by Bond No: N/A
	The FORMER operator has requested a release of liability from their bond on: N/A The Division sent response by letter on: N/A
3.	(R649-2-10) The FORMER operator of the Fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on:
	LMING: All attachments to this form have been MICROFILMED on:
	LING: ORIGINALS/COPIES of all attachments pertaining to each individual well have been filled in each well file on:
	MMENTS: Master list of all wells involved in operator change from Coastal Oil & Gas Corporation to El Paso oduction Oil and Gas Company shall be retained in the "Operator Change File".

3:34PM WESTPORT

NO. 173 P. 2



WESTPORT OIL AND GAS COMPANY, L.P.

410 Seventeenth Street #2300 Deriver Colorado 60202-4436 Tolephone: 303 573 5404 Fast: 303 573 5609

February 1, 2002

Department of the Interior
Bureau of Land Management
2850 Youngfield Street
Lakewood, CO 80215-7093
Attention: Ms. Martha Maxwell

RE:

BLM Bond CO-1203

BLM Nationwide Bond 158626364
Surety — Continental Casualty Company
Pales Engage Company into Massacria

Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.

Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.

Assumption Rider - Westport Oil and Gas Company, L.P.

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (2) Assumption Riders, fully executed originals.

Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc., Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.

List of all Federal/BIA/State Leases - Beloo/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,

Westport Oil and Gas Company, L.P.

Black

Debby J. Black

Engineer Technician

Engl:



United States Department of the Interior RECEIVED

BUREAU OF LAND MANAGEMENT

FEB 2 2 2002

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

DIVISION OF OIL, GAS AND MINING

In Reply Refer To: 3106 UTU-25566 et al (UT-924)

FEB 2 1 2002

NOTICE

Westport Oil and Gas Company L.P.

Oil and Gas

410 Seventeenth Street, #2300

.

Denver Colorado 80215-7093

.

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of <u>Westport Oil</u> and <u>Gas Company, Inc.</u> into <u>Westport Oil</u> and <u>Gas Company, L.P.</u> with <u>Westport Oil</u> and <u>Gas Company, L.P.</u> being the surviving entity.

For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405 UTU-20895 UTU-25566 UTU-43156 UTU-49518 UTU-49519 UTU-49522 UTU-49523

> Robert Lopez Chief, Branch of Minerals Adjudication

cc: Moab Field Office

Vernal Field Office

MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217 State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114

Teresa Thompson (UT-922)

Joe Incardine (UT-921)

UNITED STATES GOVERNMENT

memorandum

Branch of Real Estate Services **Uintah & Ouray Agency**

. 9

Date:

5 December, 2002

Reply to Attn of:

Supervisory Petroleum Engineer

Subject

Modification of Utah Division of Oil, Gas and Mining Regulations

To:

Director, Utah Division of Oil, Gas and Mining Division: John Baza

We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.

We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate you concern, and hope that these comments are timely enough for consideration in the revision process. leades & Cameron

CC:

Minerals & Mining Section of RES

Ute Energy & Mineral Resources Department: Executive Director

chrono



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS
Washington, D.C. 20240
FFB 1 0 2003

Carroll A. Wilson Principal Landman Westport Oil and Gas Company, L.P. 1368 South 1200 East Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

ACTING

Director, Office of Trust Responsibilities

Enclosure



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

IN REPLY REFER TO UT-922

February 27, 2003

Westport Oil and Gas Company, L.P. Attn: Gary D. Williamson 1670 Broadway, Suite 2800 Denver, Colorado 80202

Re:

Natural Buttes Unit Uintah County, Utah

Gentlemen:

On February 27, 2003, we received an indenture dated December 17, 2002, whereby El Paso Production Oil & Gas Company resigned as Unit Operator and Westport Oil and Gas Company, L.P., was designated as Successor Unit Operator for the Natural Buttes Unit, Uintah County, Utah.

This indenture was executed by all required parties and the signatory parties have complied with Sections 5 and 6 of the unit agreement. The instrument is hereby approved effective February 27, 2003. In approving this designation, the Authorized Officer neither warrants nor certifies that the designated party has obtained all required approval that would entitle it to conduct operations under the Natural Buttes Unit Agreement.

Your nationwide (Colorado) oil and gas bond No. 1203 will be used to cover all operations within the Natural Buttes Unit.

It is requested that you notify all interested parties of the change in unit operator. Copies of the approved instruments are being distributed to the appropriate federal offices, with one copy returned herewith.

Sincerely,

/s/ Robert A. Henricks

Robert A. Henricks Chief, Branch of Fluid Minerals

Enclosure

bcc:

Field Manager - Vernal (w/enclosure)

SITLA

Division of Oil, Gas & Mining Minerals Adjudication Group

File - Natural Buttes Unit (w/enclosure)

Agr. Sec. Chron

Fluid Chron

UT922:TAThompson:tt:02/27/2003

RECEIVED

FEB 2 8 2003

DIV. OF OIL, GAS & MINING

FORM 9

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 1. TYPE OF WELL OIL WELL GAS WELL OTHER SIATE PHONE NUMBER: (832) 676-5933 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: 7. UNIT or CA AGREEMENT NAME: 8. WELL NAME and NUMBER: Exhibit "A" 9. API NUMBER: (832) 676-5933 10. FIELD AND POOL, OR WILDCAT: FOOTAGES AT SURFACE: COUNTY:	ME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals. 1. TYPE OF WELL OIL WELL GAS WELL OTHER Exhibit "A" 2. NAME OF OPERATOR: EI Paso Production Oil & Gas Company 3. ADDRESS OF OPERATOR: 9 Greenway Plaza OITY Houston STATE TX	
OIL WELL GAS WELL OTHER Exhibit "A" 2. NAME OF OPERATOR: EI Paso Production Oil & Gas Company 3. ADDRESS OF OPERATOR: 9 Greenway Plaza GITY Houston STATE TX ZIP 77064-0995 (832) 676-5933 4. LOCATION OF WELL Exhibit "A" 9. API NUMBER: (832) 676-5933	
El Paso Production Oil & Gas Company 3. ADDRESS OF OPERATOR: 9 Greenway Plaza CITY Houston STATE TX ZEP 77064-0995 (832) 676-5933 10. FIELD AND POOL, OR WILDCAT: (832) 676-5933	
9 Greenway Plaza CITY Houston STATE TX 282 77064-0995 (832) 676-5933	
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: UTAH	
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	
TYPE OF SUBMISSION TYPE OF ACTION	
NOTICE OF INTENT (Submit in Duplicate) ACIDIZE DEEPEN REPERFORATE CURRENT FORMAT FRACTURE TREAT SIDETRACK TO REPAIR WELL	RMATION
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION TEMPORARILY ABANDON CHANGE TO PREVIOUS PLANS OPERATOR CHANGE TUBING REPAIR	
CHANGE TUBING PLUG AND ABANDON VENT OR FLARE SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK WATER DISPOSAL.	
(Submit Original Form Only) Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME) WATER SHUT-OFF	
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE OTHER: CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.	
Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, Denver, CO. 80202-4800 effective December 17, 2002.	1 800,
BOND #	
State Surety Bond No. RLB0005236 Fee Bond No. RLB0005238 RECEIVED	
EL PASO PRODUCTION OIL & GAS COMPANY FEB 2 8 2003	
DIV. OF OIL, GAS & MINING	
By: Jon R. Nelsen, Attorney-in-Fact	
WESTPORT OIL AND GAS COMPANY, L.P. David R. Dix TITLE Agent and Attorney-in-Fact	
SIGNATURE Cluby DATE	

(This space for State use only)

OPERATOR CHANGE WORKSHEET

ROUTING
1. GLH /
2. CDW 1
3. FILE

X Change of Operator (Well Sold)

5. If **NO**, the operator was contacted contacted on:

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed,	effective:	12-17-02				
FROM: (Old Operator):		TO: (New Or	erator):			
EL PASO PRODUCTION OIL & GAS COMPANY	WESTPORT C	IL & GAS	COMPANY	LP		
Address: 9 GREENWAY PLAZA	Address: P O BOX 1148					
HOUSTON, TX 77064-0995]	VERNAL, UT	84078			
Phone: 1-(832)-676-5933	}	Phone: 1-(435)	-781-7023			
Account No. N1845 Account No. N2115						
CA No.		Unit:	NATURA	L BUTTES		
WELL(S)						
11 222(3)	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
NBU 275		43-047-32905		FEDERAL		S
CIGE 129		43-047-32043		FEDERAL		P
CIGE 46		43-047-30529		FEDERAL		P
CIGE 37D		43-047-30910		FEDERAL		P
CIGE 113D		43-047-31944		FEDERAL		P
NBU 127			2900	FEDERAL		P
NBU 128			2900	FEDERAL		P
CIGE 158			2900	FEDERAL	GW	P
NBU 126			2900	FEDERAL	GW	P
CIGE 202		43-047-32805	2900	FEDERAL	GW	P
NBU 255		43-047-32806		FEDERAL	GW	P
CIGE 233			2900	FEDERAL	GW	P
NBU 300		43-047-33023	2900	FEDERAL	GW	P
NBU 192		43-047-32299		FEDERAL	GW	P
NBU 193	22-09S-21E	43-047-32300	2900	FEDERAL	GW	P
NBU 273	22-09S-21E	43-047-32906	2900	FEDERAL	GW	P
CIGE 208	08-10S-21E	43-047-32997	2900	FEDERAL	GW	P
NBU 20-1B	01-10S-22E	43-047-30319	2900	FEDERAL	GW	S
NBU 335	04-10S-22E	43-047-33724	2900	FEDERAL	GW	P
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 02/28/2003						
1. (10-17-0-10) buildly of logal documentation was received	III III I ON	portion			-	
2. (R649-8-10) Sundry or legal documentation was received to		-	03/04/2003	-		
3. The new company has been checked through the Departm	ent of Comm	erce, Division o	of Corpora	tions Datab	ase on:	03/06/2003
4. Is the new operator registered in the State of Utah:	YES	Business Numb	er: 1	355743-018	31	

6. ((R649-9-2)Waste Management Plan has been received on	: IN PLACE				
7.	Federal and Indian Lease Wells: The BLM and or operator change for all wells listed on Federal or Indian			_	name change, IA-12/5/02	
8.	Federal and Indian Units:					_
	The BLM or BIA has approved the successor of unit of	pperator for wells list	ed on:	02/27/2003		
9.	Federal and Indian Communization Agreed The BLM or BIA has approved the operator for all we	, ,	on:	N/A		
10	. Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the			·	ransfer of Authority to Inject, N/A	
DA	ATA ENTRY:					_
1.	Changes entered in the Oil and Gas Database on:	03/24/2003				
2.	Changes have been entered on the Monthly Operator C	Change Spread Shee	t on:	03/24/2003		
3.	Bond information entered in RBDMS on:	N/A				
4.	Fee wells attached to bond in RBDMS on:	N/A				
ST	ATE WELL(S) BOND VERIFICATION:				······································	-
1.	State well(s) covered by Bond Number:	RLB 0005236				
FE	DERAL WELL(S) BOND VERIFICATION	•				-
1.	Federal well(s) covered by Bond Number:	158626364				
IN	DIAN WELL(S) BOND VERIFICATION:					-
1.	Indian well(s) covered by Bond Number:	RLB 0005239				
FE	E WELL(S) BOND VERIFICATION:					_
1.	(R649-3-1) The NEW operator of any fee well(s) listed of	covered by Bond Nu	mber	RLB 0005238		
	The FORMER operator has requested a release of liabilit The Division sent response by letter on:	ty from their bond on N/A	:	N/A		-
3. (ASE INTEREST OWNER NOTIFICATION R649-2-10) The FORMER operator of the fee wells has of their responsibility to notify all interest owners of this of	been contacted and i	nformed N/A	by a letter from t	the Division	_
СО	MMENTS:					-
						_
						-
						_

Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires Inovember 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Multiple Wells - see attached

5. Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS					see allached
Do not use this abandoned well.	6. If Indian, Allotte	e or Tribe Name			
```	CATE – Other instru	ctions on reverse	e side	7. If Unit or CA/Ag 891008900A	greement, Name and/or No.
2. Name of Operator			8. Well Name and No. Multiple Wells - see attached		
WESTPORT OIL & GAS COMI  3a. Address P.O. BOX 1148 VERNAL, UT 8	(	3b. Phone No. (include (435) 781-	area code)	9. API Well No.  Multiple Wells -  10. Field and Pool, of	
4. Location of Well (Footage, Sec., T., I Multiple Wells - see attached	R., M., or Survey Description)	4		Natural Buttes U	, State
12. CHECK A	PPROPRIATE BOX(ES) TO	) INDICATE NATURE	OF NOTICE, RE	Uintah County, PORT, OR OTHER	
TYPE OF SUBMISSION		TY	PE OF ACTION		
Notice of Intent	Acidize Alter Casing	Deepen Fracture Treat	Production ( Reclamation	(Start/Resume)	Water Shut-Off Well Integrity
Subsequent Report  Final Abandonment Notice	Casing Repair Change Plans Convert to Injection	New Construction Plug and Abandon Plug Back	Recomplete Temporarily Water Dispo	Abandon	Other
13. Describe Proposed or Completed Oper If the proposal is to deepen directional Attach the Bond under which the wor following completion of the involved of testing has been completed. Final Ab determined that the site is ready for final	lly or recomplete horizontally, g k will be performed or provide operations. If the operation resu andonment Notices shall be file	ive subsurface locations and the Bond No. on file with alts in a multiple completion	d measured and true BLM/BIA. Requirence or recompletion in	e vertical depths of all red subsequent reports in a new interval, a Fo	pertinent markers and zones. shall be filed within 30 days om 3160-4 shall be filed once

Westport Oil & Gas requests a variance to Onshore Order No. 4, Part IIIC.a. requiring each sales tank be equipped with a pressure-vacuum thief hatch and/or vent line valve. The variance is requested as an economic analysis shows the value of the shrunk

with a pressure-vacuum thief hatch and/or vent line valve. The variance is requ	uested as an economic analysis shows the value of the	shrunk
condensate will not payout the incremental cost of purchasing and maintaining	the valve resulting in a loss of value over the producing	g life of the well.
The volume lost to shrinkage by dropping the tank pressure from 6 ozs. to 0 ps of a representative sample from the field. The sample shrunk from 98.82% of a	oringinal volume to 98.52% when the pressure was drop	oped.
The average NBU well produces approximately 6 bbls condensate per month.		
month lost volume due to shrinkage. The value of the shrunk and lost condens		
and maintaining the valves and other devices that hold the positive tank press		_
Westport Oil & gas requests approval of this variance in order to increase the	value of the well to the operator and the mineral royalty	owhers.
14. I hereby certify that the foregoing is true and correct	•	CAN COM
Name (Printed/Typed)  J.T. Conley  COPY SENT TO OPERATOR Dotte: 4-16-03	Operations Manager	SEP 1 0 2003
Signature Initials: CHO Date		V. OF OIL GAS & Manney
THIS SPACE FOR F	EDERAL OR STATE USE	- Of This
Approved by	Utah Division of Date Office Oil, Gas and Mining	Federal Approval Of This Action is Necessary
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Date: 9/16/03	
Title 18 U.S.C. Section 1001, make it a crime for any person knowingly at false, fictitious or fraudulent statements or representations as to any matter w	nd prillfully to make to any department of agency of the	he United States any
(Instructions on reverse)		

	as, L.P. s Workshee						neic ic	<b>.</b>				
ctions:		low and graphe	id autom	natically o		of the	page. This	sheet				
		o prevent accid as annuai costs						nges.				
ct Name:	Condensate :	Shrinkage Econ	omics									
is this job a wel	f pull or product		N	(Y or N)								
		\$EFORE \$/Year		AFT \$/Ye		Di	FFERENCE \$/Year					
Gross Oil Re		\$1,088			1,099		\$11					
Gross Gas R	<del></del>	\$0 \$0			\$0 \$0	<u> </u>	\$0 \$0					
PULING UNI		1				$\vdash$	\$0					
WIRELINE SEI							\$0	1				
SUBSURF EQ COMPANY I						<u> </u>	\$0 \$0					
CONTRACT		\$0			\$200	⊢	\$200	-				
CONTR SERV							\$0					
LEASE FUEL ( UTILITIES - ELI		\$0 \$0	•		\$0 \$0	<u> </u>	\$0 \$0					
CHEMICALT		<u> </u>			***		\$0					
MATERIAL &		\$0			\$150		\$150					
ADMINISTRA		<del> </del>				-	\$0 \$0					
	PROCESSING						\$0	]				
	Totals	\$0		، مو	\$350		\$350	Increase	d O	PX Per	Year	
Investment												
	Cap/Exp Code	Cost, \$		Oli Price Gas Pric		.00 \$/B .10 \$/A/						
Capital \$	820/830/840	\$1,200		Electric			HP / day					
Expense \$	830/860	\$0		OPX/BF		.00 \$/BI						
Total \$		\$1,200		OPX/MC	, <u>[3 0</u>	.62 \$/M	ICF					
Production	n & OPX Detai	il: Before		A#		DW.						
Oil Productio	on	0.192	BOPD	Affer	.194 BOPD	Dime	0.002	Творд				
Gas Product	ion	0	MCFPD		0 MCFPE	, 🗀		MCFPD				
Wtr Producti Horse Power			BWPD		0 BWPD			BWPD				
Fuel Gas Bur			HP MCFPD	<del> </del>	HP MCFPE	, <del> </del>		HP MCFPD				
						<u> </u>		]				
Project Life:	<del></del>	<del></del>			Payo	ut Calcu	lation:					
	Life =						_					
	(Life no	longer than 20	years		Payot			otal Investr + incremen		venue)	•	'
Internal Rate							-			-		
Affer Tax	IROR =	#DIV/0I			1 -			al AT cashfl years when		•		
AT Cum Cas	hflow:							-				
Operating C	ashflow =	(\$2,917)	(Discoun	ted @ 10%	) Payol	ıt = <b>1</b>	VEVER	Years or	#	VALU	Da	ys
Gross Reserv												
Oil Reserves Gas Reserve			BO MCF									
Gas Equiv Re			MCFE									
/Assumptions:												
An average	NBU well produc	ces 0.192 Bcpd y	vith no to	ink pressu	re. The prod	uction is	Increase	d to 0.196 B	pd if	6 025 O	f press	ure
are placed o	n the tank. The	increased produ	otton de	es not pa	yout the val	ve cost o	or the estir	nated annu	al ma	inteng	nce co	513
		Project: (	Condens	ate Shrink	age Econor	nics				-		
		<del></del>					+					
; 50 <del>+-</del>									į		:	
\$0		<del>    </del>					<del>  </del>		·			
(\$500)		1 1 1		<u> </u>			]					
(\$500)		1									;	
(\$500)				; ;								
(\$500)												
(\$500)												
(\$500)												
(\$500)												
(\$500)  No. (\$1,000)  O (\$1,500)  O (\$2,500)												
(\$500)												
(\$500)  No. (\$1,000)  O (\$1,500)  O (\$2,500)												

# Westport Oil and Gas, Inc. NBU/Ouray Field

RFL 2003-022

### **COMPARISON OF FLASH BACK PRESSURES**

Calculated by Characterized Equation-of-State

Flash Conditions		Gas/Oil Ratio	Specific Gravity of	Separator Volume	Separator Volume
		(scf/STbbl)	Flashed Gas	Factor	Percent
psig	°F	` (A)	( Air=1.000 )	(B)	(C)
Calculated	at Labora	tory Flash Condi	itions		
80	70		r <del>e</del>	1.019	
0	122	30.4	0.993	1.033	101.37%
0 %	60	0.0		1.000	98.14%
Calculated	Flash with	h Backpressure i	using Tuned EOS	S	
80	70			1.015	
6.0 oz	65	24.6	0.777	1.003	98.82%
0	60	0.0		1.000	98.52%
80	70			1.015	
4.0 oz	65	24.7	0.778	1.003	98.82%
0	60	0.0		1.000	98.52%
80	70			1.015	
2.0 oz	65	24.7	0.779	1.003	98.82%
0	60	0.0		1.000	98.52%
80	70			1.015	
0	65	24.8	0.780	1.003	98.82%
0	60	0.0		1.000	98.52%
•					

Note: Bubblepoint of sample in original sample container was 80 psig at 70° F with 1 cc water

⁽A) Cubic Feet of gas at 14.696 psia and 60 °F per Barrel of Stock Tank Oil at 60 °F.

⁽B) Barrels of oil at indicated pressure and temperature per Barrel of Stock Tank Oil at 60 °F.

⁽C) Oil volume at indicated pressure and temperature as a percentage of original saturated oil volume.

NAMES 1	LECAL C	OTEL CASCAGE	CANHERT	1 4500
WELL	LEGALS	STFLEASENO	CANUMBER	APINO
NBU 245	8-10-22 SENE	UTU01196C	891008900A	430473300400S1
NBU 247 NBU 248	10-10-22 NWNW 10-10-22 SENW	U01196C	891008900A	430473297700S1
NBU 249	10-10-22 SENW	UTU025187 U01196C	891008900A 891008900A	430473407900S1
NBU 252	10-10-22 SESVV 10-9-21 NENW	U0141315	891008900A	430473297800S1 430473280000S1
NBU 253	10-9-21 SWNW	U0141315	891008900A	43047329170081
NBU 254	17-9-21 NESW	UTU0575	891008900A	430473280300S1
NBU 255	21-9-21 SESW	UTU0576	891008900A	43047328060051
NBU 256	22-9-21 SENW	UTU0147566	891008900A	430473280700\$1
NBU 257	25-9-21 SENW	U01194	891008900A	430473279000S1 🗸
NBU 258	26-9-21 SENE	U01194	891008900A	430473279100S1 🗸
NBU 259	26-9-21 SWNE	U01194	891008900A	430473279200S1 🗸
NBU 260	28-9-21 SENE	U05676	891008900A	430473300900\$1
NBU 261	30-9-21 SENW	UTU0581	891008900A	430473292800S1 V
NBU 262	33-9-21 NENE	UTU0576	891008900A	430473292900S1
NBU 263 NBU 264	34-9-21 SENW 1-10-21 SESW	U01194 U02842B	891008900A 891008900A	430473279300S1 ✓
NBU 265	2-10-21 NESE	ML13826	891008900A	430473300000S1 430473279600S1
NBU 266	10-10-21 SWNW	UTU0149079	891008900A	430473294100S1
NBU 267	10-10-21 NESW	UTU01416A	891008900A	430473294200\$1
NBU 268	11-10-21 NENE	U01190	891008900A	430473300100S1
NBU 269	12-10-21 SWNW	UTU1196D	891008900A	430473347300\$4
NBU 270	13-10-21 SWNW	ML23608	891008900A	430473286200S1 V
NBU 271	24-10-20 SWNW	UTU4485	891008900A	430473288700S1
NBU 272	11-10-22 SWNE	U01197A	891008900A	430473288900S1 ✓
NBU 273	22-9-21 NWNW	UTU0147566	891008900A	430473290600S1
NBU 274	23-9-21 NESW	UTU149075	891008900A	430473290700S1
NBU 275	9-9-21 NWSW	UTU01188	891008900A	430473290500S1
NBU 277	19-9-22 SENE 30-9-22 SWSW	UTU0284 U463	891008900A 891008900A	430473304200S1 430473301100S1
NBU 278 NBU 280	31-9-22 NESW	ML22935A	891008900A	430473286500S1 ✓
NBU 281	32-9-22 SWSW	ML22649	891008900A	430473286600S1 ✓
NBU 282	32-9-22 NESE	ML22649	891008900A	430473286700S1
NBU 285	3-10-22 NWNW	UTU01191	891008900A	430473297600S1
NBU 286	3-10-22 SENW	UTU01191	891008900A	430473298400S1
NBU 287	3-10-22 NESE	UTU01191A	891008900A	430473298500S1
NBU 288	3-10-22 NWSW	UTU01191	891008900A	430473298600S1
NBU 289	3-10-22 SESW	UTU01191	891008900A	430473291000S1
NBU 290	3-10-22 SWSE	UTU01191A	891008900A	430473298700S1
NBU 291	9-10-22 NENE	UTU01196D	891008900A	430473291100S1
NBU 292	9-10-22 SWNE	UTU1196D	891008900A	430473347400\$1
NBU 293	10-10-22 SENE 22-9-20 NENW	UTU025187 UTU0577B	891008900A 891008900A	430473318200S1 430473346500S1
NBU 294X NBU 295	12-10-20 SWSW	UTU4478	891008900A	43047329390081
NBU 296	24-10-20 NWNE	UTU4485	891008900A	430473288600\$1
NBU 297	11-9-21 SWNW	UTU0141315	891008900A	430473304000S1
NBU 298	15-9-21 NESW	UTU01188	891008900A	430473304100S1
NBU 299	16-9-21 SWNE	ML3282	891008900A	430473301200S1
NBU 300	21-9-21 NWNW	UTU0576	891008900A	430473302300S1
NBU 301	25-9-21 NWSW	U01194	891008900A	430473285900S1 ✓ 430473287700S1 ✓
NBU 302	26-9-21 SWNW	U01194	891008900A	70071020110001
NBU 303	26-9-21 SESE 27-9-21 SESE	ML22934 U01194A	891008900A 891008900A	430473287800S1 ✓ 430473287900S1 ✓
NBU 304 NBU 305	27-9-21 SESE 27-9-21 SWSE	U01194A U01194A	891008900A 891008900A	430473288000S1 🗸
NBU 305	27-9-21 SWSE 27-9-21 NWNW	U01194A	891008900A	430473286000S1 V
NBU 307	28-9-21 NWNE	U05676	891008900A	43047320000051
NBU 308	28-9-21 SENW	U05676	891008900A	430473314300S1
NBU 309	30-9-21 NENE	UTU0581	891008900A	430473301000S1
NBU 310	35-9-21 NENW	U01194	891008900A	430473288200S1 🗸
NBU 311	4-10-22 NESE	UTU01191	891008900A	430473283700S1
NBU 312-E2	2-9-21 SWSE	UTU21510	891008900A	430473228800S1 V
NBU 313	4-10-22 NENW	UTU01191A	891008900A	430473283800S1

Form 3160-5 (August 1999)

### **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

### FORM APPROVED OMB No. 1004-0135 Expires Jnovember 30, 2000

Lease Serial No.

U-0576

### SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this	6. If Indian, Allottee or Tribe Name					
abandoned well.	Use Form 3160-3 (APE	<ol><li>for such proposals.</li></ol>	i	TRIBAL SURFACE		
				7. If Unit or CA/Agreement, Name and/or No.		
SUBMIT IN TRIPLI	ICATE – Other instru	uctions on reverse	side	UNIT #891008900A		
1. Type of Well				NATURAL BUTTES UNIT		
Oil Well X Gas Well	8. Well Name and No.					
2. Name of Operator	NBU 255					
KERR McGEE OIL & GAS C	9. API Well No.					
3a. Address	3b. Phone No. (include	area code)	4304732806			
1368 SOUTH 1200 EAST V	(435) 781-7024		10. Field and Pool, or Exploratory Area			
4. Location of Well (Footage, Sec.,		tion)		NATURAL BUTTES		
, ,				11. County or Parish, State		
SESW SEC. 21, T9S, R21E	642'FSL, 2135'FWL			UINTAH COUNTY, UTAH		
12. CHECK APPI	ROPRIATE BOX(ES) TO	INDICATE NATURE C	F NOTICE, F	REPORT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPI	E OF ACTION	1		
Notice of Intent	Acidize Alter Casing	Deepen Fracture Treat	Production Reclamation	<b>—</b>		
Subsequent Report	Casing Repair	New Construction	Recomplet			
Final Abandonment Notice	Change Plans Convert to Injection	Plug and Abandon Plug Back	Temporari Water Disp	ly Abandon posal		
13 Describe Proposed or Completed Oper	rations (clearly state all pertiner	nt details, including estimated s	starting date of a	ny proposed work and approximate duration thereof.		

If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

The operator requests authorization to shut-in the subject well location. Gross production from the greater Natural Buttes area is currently constrained at roughly 215mmcfd due to lack of export pipeline capacity. The field is capable of producing more gas than this, which results in frequent and widespread bottlenecked areas of high line pressure. This in turn causes numerous wells to log off of production, often requiring swab rigs to get them going again. Operating the field in this reactionary manner is very inefficient. The operator requests authorization to shut in wells strategically to alleviate this situation and utilize the resource more efficiently. A significant drop in production is not expected, as the field is constrained anyway. The subject well was selected on the basis of one or more of the following factors:

*Located in a bottlenecked area; *High intervention requirement relative to gas production, *High water production Wells will be shut in for an indefinite period. As the constrained situation continues, different wells will be selected and subject wells will be returned to production in order to cycle the shut-ins around the field and the field a

. N	Willows PM	DEOFWED -
14. I hereby certify that the foregoing is true and correct	3	RECEIVED
Name (Printed/Typed) Title	e Julatory Analyst	NOV 0 7 2006
Signature -// Date		OF OIL, GAS & MINING
THIS SPACE FOR FE	EDERAL OR STATE USE	
Approved by	Title  Accepted by the	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	office Utah Division of Oil, Gas and think	Federal Approval Of This  Action Is Necessary
Title 18 U.S.C. Section 1001, make it a crime for any person knowingly at false, fictitious or fraudulent statements or representations as to any matter w	nd willfully to make to any departm	nent or agency of the United States any

(Instructions on reverse)

Form 3 160-5 (August 1999)

### **UNITED STATES** DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires Jnovember 30, 2000

### SUNDRY NOTICES AND REPORTS ON WELLS

6. If Indian, Allottee or Tribe Name

5. Lease Serial No.

U-0576

Do not use this	0. 11 thistan, there are a second				
	abandoned well. Use Form 3160-3 (APD) for such proposals.				
			7. If Unit or CA/Agreement, Name and/or No.		
SUBMIT IN TRIPL	CATE – Other instru	ictions on reverse side	UNIT #891008900A		
1. Type of Well			NATURAL BUTTES UNIT  8. Well Name and No.		
Oil Well X Gas Well	Other				
2. Name of Operator			NBU 255		
KERR McGEE OIL & GAS C	NSHORE LP		9. API Well No.		
3a. Address		3b. Phone No. (include area code)	4304732806		
1368 SOUTH 1200 EAST V	FRNAL UT 84078	(435) 781-7024	10. Field and Pool, or Exploratory Area		
4. Location of Well (Footage, Sec.,			NATURAL BUTTES		
4. Location of Well (1 bonngs, see,	1, 10, 10, 10, 10, 10, 10, 10, 10, 10, 1	,	11. County or Parish, State		
SESW SEC. 21, T9S, R21E	642'FSL, 2135'FWL		UINTAH COUNTY, UTAH		
12. CHECK APP	ROPRIATE BOX(ES) TO	INDICATE NATURE OF NOTICE,	REPORT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTIC			
Notice of Intent	Acidize Alter Casing Casing Repair	Deepen Production Fracture Treat Reclamate New Construction Recomple	EL . OUUT IN		
Subsequent Report	Casing Repair Change Plans		rily Abandon		

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Plug Back

THE SUBJECT WELL LOCATION WAS RETURNED BACK TO PRODUCTION ON 11/22/2006 AT 9:15 AM.

Convert to Injection

14. I hereby certify that the foregoing is true and correct		
Name (Printed/Typed)	e NIOR LAND ADMIN SPECIA	ALIST
Cidnotura - Dat	e vember 29, 2006	
THIS SPACE FOR F	EDERAL OR STATE USE	
Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease	Office	
which would entitle the applicant to conduct operations thereon.  Title 18 U.S.C. Section 1001, make it a crime for any person knowingly a	and willfully to make to any departm	nent or agency of the United States any

false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

Final Abandonment Notice

RECEIVED

Water Disposal

DEC 0 6 2006

DIV. OF OIL, GAS & MINING

# Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2 CDW

## X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:	he operator of the well(s) listed below has changed, effective: 1/6/2006				
FROM: (Old Operator):	TO: ( New Or	perator):			
N2115-Westport Oil & Gas Co., LP	N2995-Kerr-McGee Oil & Gas Onshore, LP				
1368 South 1200 East	1368 South 1200 East				
Vernal, UT 84078	Vernal, UT 84078				
Phone: 1-(435) 781-7024	Phone: 1-(435) 781-7024				
CA No.	Unit: NATURAL BUTTES UNIT				
WELL NAME SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
OPERATOR CHANGES DOCUMENTATION					
Enter date after each listed item is completed					
1. (R649-8-10) Sundry or legal documentation was received from the	FORMER one	rator on:	5/10/2006		
2. (R649-8-10) Sundry or legal documentation was received from the	_		5/10/2006	-	
3. The new company was checked on the <b>Department of Commerce</b>	-			-	3/7/2006
	Business Numb	-	1355743-018		
4b. If <b>NO</b> , the operator was contacted contacted on:				-	
5a. (R649-9-2)Waste Management Plan has been received on:	IN PLACE				
5b. Inspections of LA PA state/fee well sites complete on:	n/a	3 LA well:	s & all PA w	ells tran	sferred
5c. Reports current for Production/Disposition & Sundries on:	ok				
6. Federal and Indian Lease Wells: The BLM and or the F		ved the n	nerger, nar	ne chan	ge.
or operator change for all wells listed on Federal or Indian leases of		BLM	3/27/2006		not yet
7. Federal and Indian Units:					<del> </del>
The BLM or BIA has approved the successor of unit operator for	wells listed on:		3/27/2006		
8. Federal and Indian Communization Agreements ("	CA"):				
The BLM or BIA has approved the operator for all wells listed w			n/a		
· · · · · · · · · · · · · · · · · · ·	vision has appro			sfer of A	uthority to
Inject, for the enhanced/secondary recovery unit/project for the wa	iter disposal wel	ll(s) listed o	n:		
DATA ENTRY:					
1. Changes entered in the Oil and Gas Database on:	5/15/2006	-			
2. Changes have been entered on the Monthly Operator Change Sp			5/15/2006	-	
3. Bond information entered in RBDMS on:	5/15/2006				
<ul><li>4. Fee/State wells attached to bond in RBDMS on:</li><li>5. Injection Projects to new operator in RBDMS on:</li></ul>	5/16/2006	-			
6. Receipt of Acceptance of Drilling Procedures for APD/New on:		n/a	Name Chan	ge Only	
BOND VERIFICATION:			J		
Federal well(s) covered by Bond Number:	CO1203				
Indian well(s) covered by Bond Number:	RLB0005239	-			
3. (R649-3-1) The <b>NEW</b> operator of any fee well(s) listed covered by		-	RLB000523	6	
a. The FORMER operator has requested a release of liability from the		n/a	rider adde	KMG	
The Division sent response by letter on:			-		
LEASE INTEREST OWNER NOTIFICATION:					
4. (R649-2-10) The FORMER operator of the fee wells has been cont		ned by a let	tter from the	Division	
of their responsibility to notify all interest owners of this change on	•	5/16/2006			
COMMENTS:					

4 Form 3 160-5 (August 1999)

### UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires Jnovember 30, 2000

	one or bring henver	JENIEN I		5. Lease Serial No.			
SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.		MULTIPLE LEASES					
		6. If Indian, Allottee or Tribe Name					
SUBMIT IN TRIPL	ICATE – Other instru	ctions on reverse	side	7. If Unit or CA/Agre	sement, Name and/or No.		
Type of Well Oil Well X Gas Well	Поч						
2 Name of Courselor			8. Well Name and No				
KERR-McGEE OIL & GAS ONSHORE LP		MUTIPLE WE	LLS				
3a. Address	DIVORUE LP	3b. Phone No. (include	area andal	9. API Well No.			
30. 1100		(435) 781-7024	area coae)	10. Field and Pool, or Exploratory Area			
4. Location of Well (Footage, Sec.,			57-7024 IV. PR		Tield and 1 ooi, or Exploratory Area		
				11. County or Parish, State			
SEE ATTACHED							
				UINTAH COUNTY, UTAH			
	ROPRIATE BOX(ES) TO I	NDICATE NATURE O	F NOTICE, R	EPORT, OR OTHER	DATA		
TYPE OF SUBMISSION		ТҮРЕ	OF ACTION	1			
Notice of Intent	Acidize	Deepen [		, ,	ater Shut-Off		
Subsequent Report	Alter Casing Casing Repair	Fracture Treat  New Construction	Reclamation Recomplete		ell Integrity her CHANGE OF		
	Change Plans	Plug and Abandon	Temporarily		ERATOR		
Final Abandonment Notice  13. Describe Proposed or Completed Oper	Convert to Injection	Plug Back	Water Dispo	osal			
PLEASE BE ADVISED THAT OPERATOR OF THE ATTACKERR-McGEE OIL & GAS COF THE LEASE(S) FOR THIS PROVIDED BY STATE OF BLM BIA	T KERR-McGEE OIL & CHED WELL LOCATIO DNSHORE LP, IS RESP E OPERATIONS CONI	GAS ONSHORE LE PONS. EFFECTIVE JA PONSIBLE UNDER D DUCTED UPON LEA BOND NO. RLB000 API	P, IS CONSI ANUARY 6, TERMS ANI ASE LANDS	DERED TO BE TO 2006. D CONDITIONS S BOND COVERA	HE RECEIVED		
14. I hereby certify that the foregoing	g is true and correct	Divis	<del>lon of Oll, C</del>	as and Mining			
Name (Printed/Typed)		Title Earler	ne Russell, I	Engineering Techn	ician		
RANDY BAYNE		DRILLING MANA	GER				
Kanky Sayne		Date May 9, 2006					
	THIS SPACE	FOR FEDERAL OR STA	ATE USE				
Approved by		Title		Date			
Conditions of approval, if any, are attached, certify that the applicant holds legal or equiwhich would entitle the applicant to conduct	table title to those rights in the subjorcerations thereon.	ect lease					
Title 18 U.S.C. Section 1001, make false, fictitious or fraudulent statemen	it a crime for any person known to or representations as to any	vingly and willfully to ma matter within its jurisdiction	ke to any depar on.	tment or agency of the	United States any		

Form 3 160-5 (August 1999)

### **UNITED STATES** DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0135 Expires Jnovember 30, 2000

5. Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.		MULTIPLE LEASES					
		6. If Indian,	Allottee or Tribe Name				
abandoned well.	USE FORM 3160-3 (APD	) for such pro	posais				
SUBMIT IN TRIPL	LICATE – Other instru	ictions on re	verse	side	7. If Unit or	CA/Agreement, Name and/or No.	
I. Type of Well					1		
Oil Well X Gas Well Other		8. Well Name and No.					
2. Name of Operator		MUTIPLE WELLS					
WESTPORT OIL & GAS CO	OMPANY L.P.				9. API Well		
3a. Address 3b. Phone No. (include area code)			area code)				
1368 SOUTH 1200 EAST VERNAL, UT 84078		(435) 781-7024			10. Field and Pool, or Exploratory Area		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				1			
SEE ATTACHED			11. County or Parish, State				
					UINTAH COUNTY, UTAH		
12. CHECK API	PROPRIATE BOX(ES) TO	INDICATE NA	TURE O	F NOTICE, R	EPORT, OR (	OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION						
Notice of Intent	Acidize	Deepen Deepen		Production	(Start/Resume)	Water Shut-Off	
Subsequent Report	Alter Casing Casing Repair	Fracture Tre		Reclamation Recomplete		Well Integrity  Other CHANGE OF	
	Change Plans	Plug and At	andon	Temporarily		OPERATOR	
Final Abandonment Notice  13. Describe Proposed or Completed Opposed in the description of the description o	Convert to Injection	Plug Back	l	Water Dispe			
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for fit	ork will be performed or provide operations. If the operation resultand onment Notices shall be file	the Bond No.on fi dtsin a multinle co	le with Bl moletion (	LM/BIA. Require	ed subsequent re	ports shall be filed within 30 days	
EFFECTIVE JANUARY 6, 2 THE OPERATORSHIP OF TONSHORE LP.	THE ATTACHED WELL	& GAS COMP LOCATIONS	з то к	ERR-McGE	ELINQUISH E OIL & GA	ED S	
	£0	7	)	. 11		RECEIVED	
Earline Russell Division of Oil, Class and Mining				MAY 1 0 2006			
	Earlene	Russell, Engi	neering	uug Techniciaa		2000	
14. I hereby certify that the foregoin		,			DI.	V OF OIL GAS & MINING	
Name (Printed/Typed)	g is true and correct	Title					
BRAD LANEY		ENGINEERING SPECIALIST					
Signature		Date May 9, 200					
	THIS SPACE	FOR FEDERAL		ATE USE			
Approved by		Title			Date		
Grad Janus						-0G	
Conditions of approval, if any, are attacked certify that the applicant holds legal of equivalent which would entitle the applicant to conduct	itable title to those rights in the sub	varrant or Office ject lease			<u> </u>		
are approximate contact	p						

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



## **United States Department of the Interior**

BUREAU OF LAND MANAGEMENT Colorado State Office 2850 Youngfield Street Lakewood, Colorado 80215-7076

IN REPLY REFER TO:

CO922 (MM) 3106 COC017387 et. al.

March 23, 2006

### NOTICE

Kerr-McGee Oil & Gas Onshore L.P. 1999 Broadway, Suite 3700 Denver, CO 80202

Oil & Gas

### Merger/Name Change - Recognized

On February 28, 2006 this office received acceptable evidence of the following mergers and name conversion:

Kerr-McGee Oil & Gas Onshore L.P., a Delaware Limited Partnership, and Kerr-McGee Oil & Gas Onshore LLC, a Delaware Limited Partnership merger with and into Westport Oil and Gas Company L.P., a Delaware Limited Partnership, and subsequent Westport Oil & Gas Company L.P. name conversion to Kerr-McGee Oil & Gas Onshore L.P.

For our purposes the merger and name conversion was effective January 4, 2006, the date the Secretary of State of Delaware authenticated the mergers and name conversion.

Kerr-McGee Oil & Gas Onshore L.P. provided a list of oil and gas leases held by the merging parties with the request that the Bureau of Land Management change all their lease records from the named entities to the new entity, Kerr-McGee Oil & Gas Onshore L.P. In response to this request each state is asked to retrieve their own list of leases in the names of these entities from the Bureau of Land Management's (BLM) automated LR2000 data base.

The oil and gas lease files identified on the list provided by Kerr-McGee Oil & Gas Onshore L.P. have been updated as to the merger and name conversion. We have not abstracted the lease files to determine if the entities affected by the acceptance of these documents holds an interest in the lease, nor have we attempt to identify leases where the entity is the operator on the ground that maintains vested record title or operating rights interests. If additional documentation, for change of operator, is required you will be contacted directly by the appropriate Field Office. The Mineral Management Services (MMS) and other applicable BLM offices were notified of the merger with a copy of this notice

Please contact this office if you identify additional leases where the merging party maintains an interest, under our jurisdiction, and we will document the case files with a copy of this notice. If the leases are under the jurisdiction of another State Office that information will be forwarded to them for their action.

Three riders accompanied the merger/name conversion documents which will add Kerr-McGee Oil and Gas Onshore LLC as a principal to the 3 Kerr-McGee bonds maintained by the Wyoming State Office. These riders will be forward to them for their acceptance.

The Nationwide Oil & Gas Continental Casualty Company Bond #158626364 (BLM Bond #CO1203), maintained by the Colorado State Office, will remain in full force and effect until an assumption rider is accepted by the Wyoming State Office that conditions their Nationwide Safeco bond to accept all outstanding liability on the oil and gas leases attached to the Colorado bond.

If you have questions about this action you may call me at 303,239,3768.

/s/Martha L. Maxwell Martha L. Maxwell Land Law Examiner Fluid Minerals Adjudication

### Attachment:

List of OG Leases to each of the following offices: MMS MRM, MS 357B-1 WY, UT, NM/OK/TX, MT/ND, WY State Offices CO Field Offices Wyoming State Office

Rider #1 to Bond WY2357 Rider #2 to Bond WY1865 Rider #3 to Bond WY1127



# United States Department of the Interior



BUREAU OF LAND MANAGEMENT
Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
http://www.blm.gov

IN REPLY REFER TO: 3106 (UT-922)

March 27, 2006

### Memorandum

To:

Vernal Field Office

From:

Chief, Branch of Fluid Minerals

Subject:

Merger Approval

Attached is an approved copy of the merger recognized by the Bureau of Land Management, Colorado State Office. We have updated our records to reflect the merger from Westport Oil and Gas Company L.P. into Kerr-McGee Onshore Oil and Gas Company. The merger was approved effective January 4, 2006.

Chief, Branch of Fluid Minerals

### Enclosure

Approval letter from BLM COSO (2 pp)

CC:

MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225

State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114

Teresa Thompson

Joe Incardine

Connie Seare

Dave Mascarenas

Susan Bauman

MAR 2 8 2006

CHI OF OIL, CAS 2 IIII 13